

Initial Report

Premises/Facility under investigation (name and address)

H.N. Beauty Studio
4-10255 Yonge Street
Richmond Hill, Ontario L4C 3B2

Type of Premises/Facility

Personal Service Settings

Date Board of Health became aware of IPAC lapse (yyyy/mm/dd)	Date of Initial Report posting (yyyy/mm/dd)
2024/03/08	2024/03/26

Date of Initial Report update(s) (if applicable) (yyyy/mm/dd)	How the IPAC lapse was identified
	Complaint

Summary Description of the IPAC Lapse

- Disinfection of reusable equipment was not conducted in accordance with “Public Health Ontario: Guide to Infection Prevention and Control in Personal Service Settings, 3rd Edition, July 2019”.
- Intermediate level and/or high-level disinfectants were not available on site for the reprocessing of reusable non-critical and semi-critical manicure and pedicure equipment/devices.

IPAC Lapse Investigation	Yes	No	N/A	Please provide further details/steps
Did the IPAC lapse involve a member of a regulatory college?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
If yes, was the issue referred to the regulatory college?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Were any corrective measures recommended and/or implemented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Please provide further details/steps

Corrective measures for Premises/Facility:

- Reprocess (clean and disinfect or sterilize) re-usable equipment/instruments after each use in accordance with the “Public Health Ontario: Guide to Infection Prevention and Control in Personal Service Settings, 3rd edition, First Revision: July 2019.”
- Use disinfectants for the reprocessing of reusable equipment/devices that have an expiry date, a Drug Identification Number (DIN), Natural Product Number (NPN), and/or Medical Device License (MDAL) with Health Canada (with exception of Chlorine Bleach).
- Keep and maintain written records for equipment and instruments that receive high-level disinfection.
- Refrain from providing manicure and pedicure services on a client’s non-intact skin or open areas (e.g., cuts, wounds, rashes, sores), or visible skin infections (cuts, rashes, and sores and nail fungus).

Date any order(s) or directive(s) were issued to the owner/operator (if applicable) (yyyy/mm/dd)

Verbal Order Issued 2024/03/08. Written Order Issued 2024/03/13

Initial Report Comments: Verbal order was issued on March 8, 2024, ordering operator to correct conditions related to manicure and pedicure services, followed up with a written order on March 13, 2024.



Infection Prevention and Control Lapse Report

Any additional Comments: (Please do not include any personal information or personal health information)

If you have any further questions, please contact
Health Connection

Telephone Number
1-800-361-5653

Email Address
Health.inspectors@york.ca

Final Report

Date of Final Report posting (yyyy/mm/dd)

2024/03/26

Date any order(s) or directive(s) were issued to the owner/operator (if applicable) (yyyy/mm/dd)

Verbal Order Issued 2024/03/08. Written Order Issued 2024/03/13

Brief description of corrective measures taken

Corrective measures were implemented, and education provided 2024/03/13

Date of all corrective measures were confirmed to have been completed (yyyy/mm/dd)

Reinspection conducted and all corrective measures were confirmed to have been completed 2024/03/13

Final Report Comments and Contact Information

Any Additional Comments: (Please do not include any personal information or personal health information)

If you have any further questions, please contact
Health Connection

Telephone Number
1-800-361-5653

Email Address
Health.inspectors@york.ca