COVID-19 Briefing Webinar

Use Q&A button



to access the poll

WELCOME! We will be starting at 12:15pm

We would like to know who is with us today. Please fill out our demographic poll while we wait for the webinar to begin. Click the Q&A button at the top right of your screen to access the poll link.



COVID-19 Briefing Webinar

Webinar 4 in the COVID-19 Briefing Series October 29, 2020

Dr. Shixin (Cindy) Shen
Public Health Physician, York Region

Krista Richards Health Promoter, York Region

Kim Bacani-Angus
Public Health Nurse, York Region



THIS MEETING WILL BE RECORDED

Please note this meeting will be recorded.

- During this meeting, you will have the opportunity to contribute or ask questions
- Questions will be gathered and sorted to avoid duplication and ensure the best response
- Although your name will not appear on the screen to attendees,
 producers and presenters may have access to that information
- If you have questions about the recording of this webinar, please contact <u>HEOCLiaison@york.ca</u>


DO YOU HAVE A QUESTION?

To ask a question:

Select **Q&A** on the right side of the screen.

Type your question in the compose box, and then select **Send**.

Questions will be screened by the moderator and posed to the presenters.




POLL RESULTS

CONTENT

- 1. COVID-19 Epidemiological Updates for York Region
- 2. What's New from the Province?
- 3. Testing
- 4. Immunization Updates
- 5. Health Equity & COVID-19


COVID-19 EPI UPDATES FOR YORK REGION

EPIDEMIOLOGY OF COVID-19 IN YORK REGION



Data current as of October 28 at 5:00pm

EPIDEMIOLOGY OF COVID-19 IN YORK REGION



Data current as of October 28 at 5:00pm

York Region has moved to modified Stage 2 Restrictions

- Closure of:
 - Indoor food and drink service in restaurants, bars, nightclubs and food courts in malls
 - Indoor gyms and fitness centres
 - Casinos, bingo halls and other gaming establishments, indoor cinemas, performing arts centres and venues
- Prohibiting personal care services where face coverings must be removed for the service
- Limits for all social gatherings and organized public events
 - Indoor gathering limit of 10, outdoor limit of 25
- Team sports limited to training sessions

Additional restrictions include:

 Added precautions/restrictions at long-term care homes, retirement homes, and congregate care settings

Protective Measures

- Limit contact to people in your household
 - Avoid social gatherings and crowds
 - Avoid non-essential travel
- Maintain physical distancing of at least 2 meters with those outside your household
- Wear a mask if you must be within 2 meters of someone
- Hand washing, respiratory etiquette, cleaning and disinfection of high-touch surfaces
- Stay home if you have any symptoms (even mild ones) and get tested
- Download the COVID Alert app for free

Traditional door-to-door trick-ortreating is **not recommended** in areas currently within Modified Stage 2 restrictions, including York Region.

For more information, please see york.ca/newsroom



COVID-19 Quick Reference Public Health Guidance on Testing and Clearance

Version 10; October 1, 2020

<u>New</u> Non-Test Based Clearance Approach		
10 Day Clearance	Cases with mild to moderate illness AND NO *severe immune compromise	Provided the individual is afebrile without the use of fever-reducing medications and symptoms are improving for at least 24 hours.
20 Day Clearance	 Cases with severe illness (requiring ICU level support) or with *severe immune compromise. 	

^{*} Please refer to the Approaches to Clearing Cases table on Pg. 4 of the Quick Reference Guidance on Testing and Clearance for specific conditions associated with severe immune compromise.

Note: Close contacts of cases (i.e., those with high risk exposures) are still required to self-isolate for 14 days from last exposure to the case as it relates to the incubation period of the virus.

COVID-19 Reference Document for Symptoms

Version 7; September 21, 2020

When assessing for the symptoms the focus should be on evaluating if they are **new**, **worsening**, **or different** from an individual's baseline health status (usual state).

- Symptoms should not be chronic or related to other known causes or conditions.
- Common symptoms, other symptoms, and atypical symptoms and signs (especially in older people, infants/children, and people living with a developmental disability)

COVID-19 School and Child Care Screening (Version 3; October 5, 2020)

Symptom List #1	Symptom List #2
Fever and/or chills	Sore throat
 Cough or barking cough (croup) 	Stuffy nose and/or runny nose
Shortness of breath	Headache
Decrease or loss of smell or taste	 Nausea, vomiting and/or diarrhea
	Fatigue, lethargy, muscle aches or malaise

New/worsening symptoms not related to other known causes or medical conditions When a child should be advised to **self-isolate**:

- Presenting with any of the symptoms in List #1
- Presenting with two or more of the symptoms in List #2
- Even if asymptomatic:
 - Have been identified by PH as a close contact of a case of COVID-19
 - Have travelled outside of Canada in the last 14 days
 - Have been instructed by PH or an HCP to self-isolate, have received a COVID Alert exposure notification on their cell phone in the last 14 days.

COVID-19 Guidance: School Outbreak Management (October 1, 2020)

What to do with ill individuals not tested?

- Is the individual a probable case? (refer to <u>case definition</u>)
 - If yes, manage as a case and use clearance guidance
 - If not a probable case: Is there an alternative diagnosis?

COVID-19 TESTING IN YORK REGION

PROVINCIAL TESTING GUIDANCE UPDATE

Any Ontarian presenting with at least one symptom or sign from the COVID-19 Reference
Document for Symptoms should be considered for PCR testing for COVID19.

Clinicians should continue to use their clinical judgement during patient assessment and test facilitation, considering local epidemiology and exposure risks.

Generally, low risk, asymptomatic individuals should not be considered for testing. However, there are some exceptions:

- 1. Contacts of confirmed positive cases
 - Even if tests negative, would still need to complete 14-day isolation
- 2. Outbreak Investigation
- 3. High risk population e.g., part of targeted testing campaign as directed by the Ministry of Health, Ministry of Long-Term Care, or by local public health

COVID-19 TESTING IN YORK REGION


Assessment Centres – Symptomatic, high risk (even if asymptomatic)

- Markham-Stouffville Hospital
- Mackenzie Richmond Hill Hospital
- Mackenzie Health Urgent Care Centre (Vaughan)
- <u>Southlake Regional Health Centre</u> (Newmarket)

Pharmacies – Other asymptomatic testing

For up-to-date information on testing sites: Ontario.ca/covidtest

Those tested can <u>access test results online</u>.




COVID-19 TESTING IN YORK REGION

Primary care providers can conduct testing for COVID-19 if:

- They take necessary droplet and contact <u>precautions</u>; AND
- They can isolate the patient in a single room/area away from others; AND
- They can provide patient with surgical/procedure mask (if tolerated); AND
- They can implement <u>appropriate disinfection</u> <u>procedures</u>

Requisition forms are available from Public Health Ontario



NEW TESTING MODALITY UPDATES

Saliva Testing:

- PHO has added saliva as an acceptable specimen type for COVID-19
 PCR testing in patients for whom testing using another specimen type is not possible/not tolerated. It can complement non-NP swabs
- Only a limited number of laboratories are accepting saliva samples for COVID-19 PCR testing
- For more information on the saliva test please refer to PHO's document on <u>The Use of Saliva as an Alternate Specimen for SARS-CoV-2 (COVID-19)</u> <u>PCR Testing</u>

Point of Care Testing

- Being evaluated in Ontario
- Shorter turnaround time, but lower sensitivity

IMMUNIZATION UPDATES

FLU IMMUNIZATION — VACCINE INVENTORY UPDATE

- York Region Public Health currently has flu vaccine supply for both QIV and HD-TIV products
 - Flucelvax distributed to pharmacies by Ministry contracted third party distributors (not public health)
- Flu vaccine distribution is underway doses received incrementally from the Ontario Government Pharmaceutical and Medical Supplies Services (OGPMSS)
 - o All HCP offices may not yet have received vaccines due to extremely high demand of orders
- All levels of government are advocating to get additional flu dose allocation.

Reminder: HD-TIV and QIV can both be used for patients 65 years and older. Health care providers are being reminded not to delay flu vaccination of your patients by waiting for a particular product. **The most important thing is to vaccinate your patients as soon as possible.**

Order using: <u>Publicly Funded Vaccine Order Form</u> which is posted on our website: york.ca/vaccineinventory

PNEUMOCOCCAL VACCINE REMINDER

- Pneumovax (Pneu-P-23):Seniors aged 65+ yo and those who meet the highrisk eligibility criteria
- Prevnar-13 (Pneu-C-13):Children from infancy to age 4 and those 50+ yo who meet the high-risk eligibility criteria
- For more information on the high-risk eligibility criteria or dosing interval considerations for pneumococcal vaccines please refer to the Publicly Funded Immunization Schedules for Ontario.

Order using: Publicly Funded Vaccine Order Form

IMMUNIZATION RESOURCES FOR HEALTH CARE PROVIDERS

York Region Public Health

- Communications to HCPs on immunization and vaccine inventory can be found on York Region's <u>Vaccine Information for Healthcare Professionals</u> page, including:
 - O High Dose Influenza Vaccine and Shingles Vaccine Available to Order
 - o Expired Health Card Validation and Immunization Services

Ministry of Health

- Guidance for Immunization Services During COVID-19
- Publicly Funded Immunization Schedules for Ontario

Public Health Ontario

- Influenza Vaccines for the 2020-2021 Influenza Season
- Influenza Antiviral Treatment

National Advisory Committee Immunization

- Guidance on the use of influenza vaccine in the presence of COVID-19
- Guidance for influenza vaccine delivery in the presence of COVID-19
- Recommendations on the Duration of the Post-vaccination Observation Period for Influenza Vaccination during the COVID-19 Pandemic

HEALTH EQUITY & COVID-19

VULNERABLE POPULATIONS & COVID-19

A number of key populations were identified as particularly vulnerable, experiencing unprecedented challenges and requiring tailored support and care:



Persons living with disabilities



Young Adults (40 and under)



Residents without stable housing



Low income residents



Seniors



Newcomers

CONSULTATION HIGHLIGHTS

Social Isolation

 Increased need for mental health supports, move to virtual platforms helped to remain connected but left out those without equipment or skills

Digital Inequities

 Challenges with internet access, greater risk of exposure to inaccurate Public Health information online within lower health/digital literacy population

Access to Public Health

 Public understanding of Public Health role in COVID-19 not well understood, barriers to accessing Public Health unit to receive information or seek clarification

COVID-19 Information

 Service providers would benefit from a direct link to Public Health to convey messaging, reliance on digital media for information and updates, challenges in the ability to adhere to guidelines

FUTURE HEALTH EQUITY CONSIDERATIONS



Highlight **community assets** identified during the emergency response for future collaboration and potential channels for direct public health action (e.g. pop-up testing sites)



Support **policy advocacy** with community groups and partners to address health inequities that have been further highlighted during the pandemic



Knowledge translation opportunities for internal/external partners

Q&A PERIOD

ADDITIONAL RESOURCES

YORK.CA/HEALTHPROFESSIONALS





Announcements and Resources

York Region provides important public health updates and offers events and resources, like the Public Health Matters newsletter, to support health care providers



COVID-19 Information for Health Professionals

York Region Public Health continues to provide support for health professionals related to COVID-19 (formerly referred to as novel coronavirus or 2019-nCoV)



Cannabis

Cannabis, also known as marijuana, weed or pot, can be consumed for medical and non-medical purposes. Find out more about legalization and the health effects of company ose in adults, and youth.



E-Newsletter for Health Care Professionals

Sign up to receive the quarterly Public Health Matters E-Newsletter for health care professionals.

Child Growth and Development

Find tools and resources for parents to help children grow and develop. When parents know what to expect at each stage of development, it can be easier to meet their child's needs and understand their behaviour.



Early Years Support Services Registry

This is a resource for health, early learning and child are professionals in York Region who wish to refer a young child or their family for support services. It provides information about programs and services available including details regarding eligibility and



Campaigns & Projects



Radon: Test Your Home

You can't see, taste or smell radon but it is the second leading cause of lung cancer. Learn more about radon and the York Region study.

More Campaigns & Projects >>

Contact Us

Health Connection

EMAII

LINKS TO BOOKMARK

- York Region's webpage
 - york.ca/healthprofessionals is a health care provider specific page
 - york.ca/covid19data our York Region data dashboard
 - york.ca/covid19 for video updates from York Region's Medical Officer of Health Dr. Kurji
- Public Health Ontario's COVID-19 page
 - https://www.publichealthontario.ca/en/diseases-and-conditions/infectious-diseases/respiratorydiseases/novel-coronavirus → evidence briefs, synopsis of key articles, etc.
- Ministry of Health's webpage for health care providers, specifically
 - http://www.health.gov.on.ca/en/pro/programs/publichealth/coronavirus/2019 guidance.aspx#symptoms

REMINDER: HEALTH CARE PROVIDER PHONE & WEB RESOURCES



- If you have any questions, call the dedicated health professional COVID-19 line at 1-877-464-9675 ext. 77280 (8:30 a.m. - 4:30 p.m., Monday to Friday)
- After hours call 905-953-6478

THANK YOU

Remember to sign up to **Public Health Matters** for:

- Today's slides
- Follow up Q&As and
- Future webinar information

