

TABLE OF CONTENTS

Foreward and Disclaimer

Chapter 1.0	Planning Considerations	1-1
1.1	User Categories	1-1
1.1.1	<i>Cycle Based</i>	<i>1-1</i>
1.1.2	<i>Pedestrian Based</i>	<i>1-1</i>
1.1.3	<i>Skateboarders and In-line Skaters</i>	<i>1-2</i>
1.1.4	<i>All Terrain Vehicle (ATV) Considerations</i>	<i>1-2</i>
1.2	Cycling Network Classification	1-3
1.2.1	<i>The Primary “Spine” System</i>	<i>1-3</i>
1.2.2	<i>The Secondary “Community” System</i>	<i>1-4</i>
1.3	Pedestrian System Classification	1-4
1.3.1	<i>Pedestrian Zonal System</i>	<i>1-5</i>
1.3.2	<i>Connections Between Zones</i>	<i>1-5</i>
1.3.3	<i>Key Missing Links Within Zones (Sidewalks)</i>	<i>1-5</i>
1.4	User Characteristics	1-6
1.4.1	<i>Age</i>	<i>1-6</i>
1.4.2	<i>Skill Level</i>	<i>1-7</i>
1.4.3	<i>Trip Purpose</i>	<i>1-7</i>
1.4.4	<i>Urban – Suburban / Rural</i>	<i>1-8</i>
Chapter 2.0	Design Parameters	2-1
2.1	General Considerations	2-1
2.1.1	<i>Gradients</i>	<i>2-5</i>
2.1.2	<i>Design Speed</i>	<i>2-8</i>
2.1.3	<i>Site Distance</i>	<i>2-10</i>
2.2	Alignment Elements	2-13
2.2.1	<i>Horizontal Alignment</i>	<i>2-13</i>
2.2.2	<i>Vertical Alignment</i>	<i>2-15</i>
2.2.3	<i>Cross Slope</i>	<i>2-17</i>
2.2.4	<i>Footpath / Hiking Trail Alignments</i>	<i>2-17</i>
2.3	Pedestrian and Cyclist Clear Distance to Obstructions	2-19
2.4	Environmental Impacts	2-20
2.4.1	<i>Clearing of Trails / Human Contact with Wildlife</i>	<i>2-21</i>
2.4.2	<i>Soil Erosion</i>	<i>2-21</i>
2.4.3	<i>Side Trampling</i>	<i>2-22</i>
2.4.4	<i>Short Cutting</i>	<i>2-22</i>
2.4.5	<i>Improper Disposal of Wastes</i>	<i>2-22</i>
Chapter 3.0	Bicycle Network and Pedestrian System Facility Types	3-1
3.1	Bike Lanes	3-1
3.1.1	<i>Bike Lanes with On-Street Parking</i>	<i>3-6</i>
3.1.2	<i>Contra-flow Bike Lanes</i>	<i>3-7</i>
3.2	Paved Shoulders	3-8
3.3	Shared Roadway Facilities	3-13

3.3.1	<i>Signed Only Cycling Routes</i>	3-13
3.3.2	<i>Signed Only Cycling Routes on Wide Curb Lanes</i>	3-15
3.4	Separated Bike Lanes (On-street Bikeways)	3-17
3.5	Sidewalks	3-20
3.5.1	<i>New Rights-of-Way</i>	3-21
3.5.2	<i>Existing Rights-of-Way</i>	3-21
3.5.3	<i>Pedestrian Zone</i>	3-22
3.5.4	<i>Pedestrian Friendly Streets</i>	3-23
3.6	Sidewalk Design Considerations	3-25
3.6.1	<i>Grades and Crossfall</i>	3-25
3.6.2	<i>Driveway Aprons</i>	3-25
3.6.3	<i>Curb Ramps</i>	3-26
3.6.4	<i>Surface Finish and Jointing</i>	3-27
3.6.5	<i>Trees and Landscaping</i>	3-28
3.6.6	<i>Winter Design Considerations</i>	3-30
3.7	Multi-Use Trails	3-30
3.7.1	<i>Multi-Use Boulevard Trails</i>	3-30
3.7.2	<i>Off-Road Multi-Use Trails</i>	3-34
3.8	Footpaths/Hiking Trails	3-35
3.8.1	<i>Variations of Footpaths and Tertiary Trails</i>	3-35
Chapter 4.0	Bicycle Network and Pedestrian System Design Features	4-1
4.1	Lane Widths	4-1
4.1.1	<i>Road Narrowing (Road Diets)</i>	4-1
4.2	Retrofitting Municipal Roads for Cycling and Pedestrian Facilities	4-4
4.2.1	<i>Cycling Facilities</i>	4-4
4.2.2	<i>Pedestrian Facilities</i>	4-7
4.3	Intersection Treatments (Cycle Based)	4-7
4.3.1	<i>Pavement Markings</i>	4-7
4.3.2	<i>Bike Lanes/Paved Shoulders at Intersections</i>	4-11
4.3.3	<i>Coloured Pavement Surfaces</i>	4-18
4.3.4	<i>Cyclists Crossing at Traffic Signals</i>	4-22
4.3.5	<i>Bike Boxes</i>	4-29
4.3.6	<i>Bike Pockets</i>	4-29
4.4	Bike Lanes Between Two Motor Vehicle Travel Lanes	4-30
4.5	On-Road Cycling Facilities on Bridge Structures and Highway Interchanges	4-31
4.5.1	<i>Current Bridge Standards</i>	4-32
4.5.2	<i>Highways Interchanges</i>	4-35
4.6	Accommodating Pedestrians and Cyclists in Construction Zones	4-38
4.7	Pedestrian Intersection Treatments	4-39
4.7.1	<i>Coloured/Textured Pavement</i>	4-39
4.7.2	<i>Pedestrian Crossings at Traffic Signals</i>	4-40
4.7.3	<i>Sidewalk Extensions</i>	4-41
4.7.4	<i>Curb Ramps</i>	4-43
4.7.5	<i>Curb Extensions (Bulb-Outs)</i>	4-44
4.7.6	<i>Curb Radius Reduction</i>	4-46
4.7.7	<i>Advanced Stop Lines</i>	4-48
4.7.8	<i>School Zone Improvement</i>	4-48
4.8	Pedestrian Mid-block Crossing Treatments	4-49

4.8.1	<i>Raised Crosswalk (Urban Areas)</i>	4-52
4.8.2	<i>Mid-Block Curb Extensions</i>	4-54
4.8.3	<i>Pedestrian Refuge Islands</i>	4-54
4.8.4	<i>Mid-Block Signal Controlled Crosswalks</i>	4-55
4.9	Multi-Use Trail Treatments	4-56
4.9.1	<i>Rails with Trails</i>	4-56
4.9.2	<i>Off-Road Barriers</i>	4-57
4.9.3	<i>Trail Junctions</i>	4-58
4.9.4	<i>Trail Bridges</i>	4-60
4.9.5	<i>Safety “Rub Rails” and Railing Height</i>	4-62
4.10	Crime Prevention Through Environmental Design	4-62
4.11	Railway Crossings	4-64
4.12	Accommodating Pedestrians and Cyclists in Roundabouts	4-66
4.13	Transition Between Facility Types	4-68
Chapter 5.0	Bicycle Parking	5-1
5.1	Bicycle Parking Facilities	5-1
5.2	Bicycle Racks	5-1
5.2.1	<i>Bicycle Rack Element</i>	5-1
5.2.2	<i>Bicycle Rack</i>	5-2
5.2.3	<i>Bicycle Rack Area</i>	5-3
5.2.4	<i>Bicycle Rack Area Site</i>	5-3
Chapter 6.0	Network Amenities	6-1
6.1	Bicycle Friendly Catchbasin Covers	6-1
6.2	Rest and Staging Areas	6-2
6.3	Gateways and Trailheads	6-2
6.4	Transit Connections	6-3
6.4.1	<i>Cycling and Transit</i>	6-3
6.4.2	<i>Linking Terminals to Pedestrian Facilities</i>	6-5
6.5	Trip End Facilities for Commuters	6-5
Chapter 7.0	Route and System Signing	7-1
7.1	Types of Signage	7-1
7.2	Signage Formats	7-4
Chapter 8.0	Maintenance	8-1
8.1	Maintenance Issues Affecting On and Off-Road Routes	8-1
8.2	Snow Clearing	8-4
Chapter 9.0	Primary References	9-1

LIST OF FIGURES AND TABLES

FIGURES

Chapter 2.0 Planning Considerations

2.1	Cross-Section of a Typical Multi-Use Trail.....	2-1
2.2	In-Line Skater Operating Spaces	2-2
2.3	Operating Envelope for Cyclists.....	2-4
2.4	Acceptable Grades for Design Purposes.....	2-6
2.5	Linear Trail Alignment	2-18
2.6	Loop Alignment.....	2-18
2.7	Stacked Loop Alignment	2-18
2.8	Satellite Loop Alignment.....	2-18
2.9	Spoked Loop Alignment.....	2-18
2-10	Maze Trail Alignment.....	2-18

Chapter 3.0 Bicycle Network and Pedestrian System Facility Types

3.1	Example Of An Urban Road Cross Section With 1.5 M Bike Lanes	3-5
3.2	Typical Bike Lane With On-Street Parking.....	3-6
3.3	Schematic Of A Contra-Flow Bike Lane.....	3-8
3.4	Typical Paved Shoulder	3-11
3.5	Typical Roadway Shoulder.....	3-11
3.6	Bicycle with Chevrons Shared Use Lane Marking (Transportation Association of Canada)	3-16
3.7	Wide Curb Lane With Bicycle Pavement Markings And Signing (City Of Ottawa).....	3-16
3.8	Signed-Only Cycling Route Along A Wide Curb Lane.....	3-17
3.9	Sidewalk Continuity Pattern	3-23
3.10	Sidewalk Surface Patterns	3-28
3.11	Multi-Use Boulevard Trail.....	3-31
3-12	Multi-Use Trail	3-35
3.13	Hiking Trail Cross Section	3-36
3.14	Walking Trail Cross Section.....	3-36

Chapter 4.0 Bicycle Network and Pedestrian System Design Features

4.1	Narrowed Lanes.....	4-2
4.2	Bicycle Lane Pavement Markings	4-8
4.3	San Francisco Share Lane Bikeway Symbol	4-10
4.4	Bicycle Lane Adjacent To An Exclusive Right Turn Lane	4-13
4.5	Left Turn Bicycle Lane.....	4-13
4.6	Bicycle Lane Adjacent To Through/Right Turn Lane	4-14
4.7	Bike Facility Through A Rural Road Intersection	4-14
4.8	Proposed Bike Route/Lane Treatment For Transition From Rural To Urban To Rural Sections On Regional Roads	4-15
4.9	Proposed Lane Start/End At Urban Intersections On Regional Roads	4-16
4.10	Proposed Bike Route Start/End Treatment For Rural Sections On Regional Roads	4-17
4.11	Coloured Pavement – Sunnyvale, California.....	4-18
4.12	Signing Used In Conjunction With Coloured Pavement - City Of Portland, Oregon.....	4-20
4.13	Microsurfacing – Town of Richmond Hill, ON.....	4-21
4.14	Quadrupole and Diagonal Quadrupole Loop Detectors.....	4-22
4.15	“Three Dots” Traffic Signal Actuation Indicator.....	4-23
4.16	Example Of Detector Loop Pavement Markings.....	4-24
4.17	Example Of A Bicycle Signal, Currently Being Assessed By TAC (2004)	4-25
4.18	Bike Box – Germany	4-29

4.19	“Bicycle Pocket” (Bicycle Lane Adjacent To Curb Lane Transition).....	4-30
4.20	On-Ramp Treatment.....	4-36
4.21	TAC Standard – Bikeway Crossing Expressway Exit Ramp.....	4-36
4.22	Off-Ramp Treatment.....	4-37
4.23	Bikeway Crossing Interchange Ramp.....	4-37
4.24	Example of an Audible Pedestrian Signal Push Button.....	4-40
4.25	Sidewalk Extension Schematic.....	4-42
4.26	Sidewalk Extension.....	4-43
4.27	Typical Curb Ramp.....	4-44
4.28	Curb Extensions.....	4-45
4.29	Curb Extension Diagram.....	4-45
4.30	Reduced Curb Radius.....	4-47
4.31	Curb Radius Reduction.....	4-47
4.32	Elements Of Trail Crossings Of Roadways.....	4-50
4.33	Minimum Sight Distance For Bike Path Crossing.....	4-51
4.34	Raised Crosswalk Design.....	4-53
4.35	Pedestrian Refuge Island: Vaughan, ON.....	4-55
4-36	Typical Cross-Section of a Cycling Facility Adjacent to a Rail Corridor Separated by a Planted Berm.....	4-56
4-37	Typical Cross-Section of a Cycling Facility Adjacent to a Rail Corridor Separated by a Fence.....	4-57
4.38	Example Of A Trail Junction.....	4-59
4.39	Linear And Ramped Bridges.....	4-60
4.40	Safety Rub-Rail.....	4-62
4.41	Skewed Railroad Crossing with Restricted Right-of-Way Width.....	4-65
4.42	Skewed Railroad Crossing with Unrestricted Right-of-Way Width.....	4-65
4.43	Skewed Railroad Crossing with Restricted Right-of-Way Width and Gate Control.....	4-65
4.44	Skewed Railroad Crossing With Unrestricted Right-Of-Way Width And Gate Control.....	4-66
4.45	Bicycle Lane Terminating At A Roundabout.....	4-67
4.46	Transition Between Off-Road Trail and On-Road Bicycle Lanes.....	4-68
4.47	Cyclist Warning Sign.....	4-69

Chapter 5.0 Bicycle Parking

5.1	Various Bicycle Rack Design.....	5-1
5.2	Swerve Rack Design.....	5-2
5.2	Bicycle Rack.....	5-3

Chapter 7.0 Route and System Signing

7.1	Bicycle Route Marker Sign.....	7-1
7.2	NCC Branding Sign.....	7-2
7.3	Reserved Bicycle Lane and Reserved Bicycle Lane Ends Signs.....	7-2
7.4	Examples of Warning Signs.....	7-3

TABLES

Chapter 2.0 Planning Considerations

2.1	Appropriate Grades for In-Line Skating.....	2-8
2.2	Minimum Motor Vehicle Stopping Sight Distance on Wet Pavement.....	2-11
2.3	Minimum Sight Stopping Distances.....	2-12
2.4	Minimum Radii for Paved Trails.....	2-14
2.5	Widening of the Riding Surfaces on Curves.....	2-14
2.6	Crest Vertical Curve Lengths.....	2-16



2.7	Sag Vertical Curves for Bicycles	2-16
2.8	Extra Cycling Route Width Required on Grades	2-17
2.9	Typical Cross Slopes	2-17
2.10	Clear Distance to Obstructions	2-20

Chapter 4.0 Bicycle Network and Pedestrian System Design Features

4.1	Retrofitting Urban Roads for Cycling Facilities in the Region of York	4-5
4.2	Retrofitting Rural Roads for Cycling Facilities in the Region of York	4-6
4.3	Common Cyclists/Motor Vehicle Collisions at Intersections	4-26
4.4	Minimum Side Clearances at Bridges.....	4-34
4.5	Design Standards for Bikeways Crossing Expressway Entrance Ramps.....	4-38
4.6	Minimum Sight Distance for Mid-Block Crossing (Bike Path Crossing).....	4-52