
## TATTOOING AND MICROPIGMENTATION

SPA AND SALON SAFETY CHECKLIST



• Ointment applicators

Marking pens Needle cartridges Numbing cream


- Razors
- Single-use grips

Plastic covers

- Single-use ink caps
- Single-use personal protective equipment (gloves, masks, gowns, eye protection)
- Single-use rinse cups
- Stencils
- Tattoo needles
- Wipes, tissues, and dental bibs









<ul> <li>The following list of items are cleaned and disinfected between each client</li> <li>If the tattoo machine pen or device has an attached cord, the cord must be covered with single-use disposable clip cords sleeve. After service, the machine and cord should be disinfected</li> <li>Metal ink caps</li> <li>Rigid containers used to hold dirty equipment until reprocessing (at end of day)</li> <li>Service trays</li> <li>Squeeze bottles</li> <li>Tables, chairs, beds</li> <li>The tattoo machine pen and other parts such as clip cord, control/power switch</li> </ul>
Tools and supplies are stored in a clean area (e.g., in covered containers)
The tattoo machine pen is covered with a single-use disposable grip tape wrap
The tattoo machine pen or micropigmentation or device's electrical cord is covered with single-use disposable clip cords sleeve/plastic sheath
Tattoo needles must be sterile, with lot numbers and expiry dates
Equipment and surfaces used are in good repair (e.g., no rust, cracks, etc.)
nk caps for pigment are cleaned and disinfected prior to use
Tattoo ink should be diluted using distilled water or sterile saline solution. The tattoo artist must never use tap water to dilute the ink
Leftover pigment ink, petroleum jelly and other items dispensed during the tattooing/micropigmentation procedure are to be discarded and are not to be reused
The service provider must provide verbal and written aftercare instructions including infection risks and a recommendation to see a doctor within 24 hours should an infection occur
Use single-use dressings (intended for wounds) after a service, such as sterile gauze and medical tape. Sterile dressings from sealed packages are preferred
Canadian Standards Association approved sharps container must be located close to where services are provided for safe disposal of the sharps
Paper liners are thrown out after each use
Products, such as creams and lotions should be dispensed with a pump or single-use applicator to prevent contamination of the original product (no double dipping or fingers in jars)

