

APPENDIX D: ERIS RECORDS

The following Appendix falls under the category of exceptions as the information came from another organization, not Stantec. Therefore, this appendix is not accessible as per Accessibility for Ontarians with Disabilities Act, 2005 (AODA).

Appendix C contains data from Environmental Risk Information Services (ERIS) providing current and historical environmental information for the subject properties that fall within the Teston IEA study area.



DATABASE REPORT

Project Property:	<i>Phase I ESA - Teston Rd Teston Rd Vaughan ON L6A 4P1</i>
Project No:	<i>1114246</i>
Report Type:	<i>Quote - Custom-Build Your Own Report</i>
Order No:	<i>22090200347</i>
Requested by:	<i>Morrison Hershfield</i>
Date Completed:	<i>January 27, 2023</i>

Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	6
Executive Summary: Site Report Summary - Surrounding Properties.....	7
Executive Summary: Summary By Data Source.....	27
Map.....	52
Aerial.....	53
Topographic Map.....	54
Detail Report.....	55
Unplottable Summary.....	473
Unplottable Report.....	476
Appendix: Database Descriptions.....	493
Definitions.....	502

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

Property Information:

Project Property: *Phase I ESA - Teston Rd
Teston Rd Vaughan ON L6A 4P1*

Project No: *1114246*

Order Information:

Order No: *22090200347*
Date Requested: *September 2, 2022*
Requested by: *Morrison Hershfield*
Report Type: *Quote - Custom-Build Your Own Report*

Historical/Products:

City Directory Search *CD - Subject Site plus 250m Radius*
ERIS Xplorer [*ERIS Xplorer*](#)
Insurance Products *Fire Insurance Maps/Inspection Reports/Site Plans*

Executive Summary: Report Summary

Database	Name	Searched	Project Property	Boundary to 0.26km	Total
AAGR	Abandoned Aggregate Inventory	Y	0	0	0
AGR	Aggregate Inventory	Y	0	0	0
AMIS	Abandoned Mine Information System	Y	0	0	0
ANDR	Anderson's Waste Disposal Sites	Y	0	4	4
AST	Aboveground Storage Tanks	Y	0	0	0
AUWR	Automobile Wrecking & Supplies	Y	0	2	2
BORE	Borehole	Y	0	2	2
CA	Certificates of Approval	Y	0	5	5
CDRY	Dry Cleaning Facilities	Y	0	0	0
CFOT	Commercial Fuel Oil Tanks	Y	0	0	0
CHEM	Chemical Manufacturers and Distributors	Y	0	0	0
CHM	Chemical Register	Y	0	0	0
CNG	Compressed Natural Gas Stations	Y	0	0	0
COAL	Inventory of Coal Gasification Plants and Coal Tar Sites	Y	0	0	0
CONV	Compliance and Convictions	Y	0	0	0
CPU	Certificates of Property Use	Y	0	0	0
DRL	Drill Hole Database	Y	0	0	0
DTNK	Delisted Fuel Tanks	Y	0	2	2
EASR	Environmental Activity and Sector Registry	Y	0	4	4
EBR	Environmental Registry	Y	0	3	3
ECA	Environmental Compliance Approval	Y	0	18	18
EEM	Environmental Effects Monitoring	Y	0	0	0
EHS	ERIS Historical Searches	Y	0	11	11
EIIS	Environmental Issues Inventory System	Y	0	0	0
EMHE	Emergency Management Historical Event	Y	0	0	0
EPAR	Environmental Penalty Annual Report	Y	0	0	0
EXP	List of Expired Fuels Safety Facilities	Y	0	0	0
FCON	Federal Convictions	Y	0	0	0
FCS	Contaminated Sites on Federal Land	Y	0	0	0
FOFT	Fisheries & Oceans Fuel Tanks	Y	0	0	0
FRST	Federal Identification Registry for Storage Tank Systems (FIRSTS)	Y	0	0	0
FST	Fuel Storage Tank	Y	0	0	0
FSTH	Fuel Storage Tank - Historic	Y	0	0	0
GEN	Ontario Regulation 347 Waste Generators Summary	Y	0	66	66
GHG	Greenhouse Gas Emissions from Large Facilities	Y	0	0	0
HINC	TSSA Historic Incidents	Y	0	0	0

<i>Database</i>	<i>Name</i>	<i>Searched</i>	<i>Project Property</i>	<i>Boundary to 0.26km</i>	<i>Total</i>
IAFT	Indian & Northern Affairs Fuel Tanks	Y	0	0	0
INC	Fuel Oil Spills and Leaks	Y	0	1	1
LIMO	Landfill Inventory Management Ontario	Y	0	0	0
MINE	Canadian Mine Locations	Y	0	0	0
MNR	Mineral Occurrences	Y	0	0	0
NATE	National Analysis of Trends in Emergencies System (NATES)	Y	0	0	0
NCPL	Non-Compliance Reports	Y	0	0	0
NDFT	National Defense & Canadian Forces Fuel Tanks	Y	0	0	0
NDSP	National Defense & Canadian Forces Spills	Y	0	0	0
NDWD	National Defence & Canadian Forces Waste Disposal Sites	Y	0	0	0
NEBI	National Energy Board Pipeline Incidents	Y	0	0	0
NEBP	National Energy Board Wells	Y	0	0	0
NEES	National Environmental Emergencies System (NEES)	Y	0	0	0
NPCB	National PCB Inventory	Y	0	0	0
NPRI	National Pollutant Release Inventory	Y	0	0	0
OGWE	Oil and Gas Wells	Y	0	0	0
OOGW	Ontario Oil and Gas Wells	Y	0	0	0
OPCB	Inventory of PCB Storage Sites	Y	0	0	0
ORD	Orders	Y	0	0	0
PAP	Canadian Pulp and Paper	Y	0	0	0
PCFT	Parks Canada Fuel Storage Tanks	Y	0	0	0
PES	Pesticide Register	Y	0	0	0
PINC	Pipeline Incidents	Y	0	1	1
PRT	Private and Retail Fuel Storage Tanks	Y	0	1	1
PTTW	Permit to Take Water	Y	0	0	0
REC	Ontario Regulation 347 Waste Receivers Summary	Y	0	1	1
RSC	Record of Site Condition	Y	0	0	0
RST	Retail Fuel Storage Tanks	Y	0	0	0
SCT	Scott's Manufacturing Directory	Y	0	12	12
SPL	Ontario Spills	Y	0	3	3
SRDS	Wastewater Discharger Registration Database	Y	0	0	0
TANK	Anderson's Storage Tanks	Y	0	0	0
TCFT	Transport Canada Fuel Storage Tanks	Y	0	0	0
VAR	Variances for Abandonment of Underground Storage Tanks	Y	0	0	0
WDS	Waste Disposal Sites - MOE CA Inventory	Y	0	9	9
WDSH	Waste Disposal Sites - MOE 1991 Historical Approval Inventory	Y	0	1	1
WWIS	Water Well Information System	Y	0	100	100
Total:			0	246	246

Executive Summary: Site Report Summary - Project Property

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev diff (m)	Page Number
------------	----	-------------------	---------	--------------	------------------	----------------

No records found in the selected databases for the project property.

Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
1	WWIS		lot 25 con 3 ON Well ID: 6916748	ESE/41.8	-0.59	55
1	WWIS		lot 25 con 3 ON Well ID: 6917131	ESE/41.8	-0.59	60
2	WWIS		lot 25 con 3 ON Well ID: 6914954	ENE/15.3	-6.07	66
3	GEN	ARBOREA WOOD PRODUCTS INC.	1901 TESTON ROAD VAUGHAN ON L6A 1S8	WSW/1.2	2.01	71
3	GEN	ARBOREA WO(OUT OF BUSINESS)	1901 TESTON ROAD VAUGHAN ON L6A 1S8	WSW/1.2	2.01	71
4	WWIS		lot 25 con 3 ON Well ID: 6914405	SSW/66.5	1.38	71
5	WWIS		lot 25 con 3 ON Well ID: 6921771	E/20.6	-5.92	76
6	WWIS		lot 26 con 3 ON Well ID: 6921770	WNW/59.4	-0.15	78
7	WWIS		lot 26 con 3 ON Well ID: 6916544	NNE/82.7	-8.56	79
8	WWIS		lot 26 con 3 ON Well ID: 6916541	W/66.2	-0.31	83
9	BORE		ON	WNW/92.7	-1.03	87
10	WWIS		lot 25 con 3 ON	WSW/14.3	3.10	88

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 6917133			
<u>11</u>	WWIS		lot 26 con 3 ON Well ID: 6916561	W/59.4	1.63	<u>92</u>
<u>12</u>	WWIS		lot 26 con 3 ON Well ID: 6921712	NNW/166.9	-12.97	<u>95</u>
<u>13</u>	WWIS		2000 Teston Road lot 26 con 3 Vaughan ON Well ID: 7326887	NNE/155.9	-19.81	<u>98</u>
<u>14</u>	WWIS		lot 26 con 3 ON Well ID: 6921713	NNW/184.9	-16.13	<u>99</u>
<u>14</u>	WWIS		lot 26 con 3 ON Well ID: 6921714	NNW/184.9	-16.13	<u>103</u>
<u>15</u>	WWIS		2000 Teston Road lot 26 con 3 Vaughan ON Well ID: 7326889	N/171.7	-19.40	<u>107</u>
<u>16</u>	WWIS		lot 25 con 3 ON Well ID: 6913502	SE/187.0	-1.86	<u>110</u>
<u>17</u>	WWIS		lot 26 con 3 ON Well ID: 6916560	W/59.2	2.53	<u>113</u>
<u>18</u>	WWIS		lot 26 con 3 ON Well ID: 6916547	W/61.1	3.56	<u>117</u>
<u>19</u>	WWIS		ON Well ID: 7238338	NNE/195.0	-26.66	<u>120</u>
<u>20</u>	WWIS		lot 26 con 3 ON Well ID: 6916559	W/56.4	4.43	<u>121</u>
<u>21</u>	WWIS		ON Well ID: 7178752	W/56.4	4.49	<u>125</u>
<u>22</u>	WWIS		lot 25 con 3 ON	WSW/22.2	4.48	<u>133</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 6917139			
23	WWIS		lot 25 con 3 ON Well ID: 6917138	WSW/14.7	4.48	139
24	WWIS		lot 25 con 3 ON Well ID: 6916551	WSW/17.8	4.48	146
25	WWIS		lot 26 con 3 ON Well ID: 6916542	W/61.3	5.59	150
26	WWIS		lot 26 con 3 ON Well ID: 6916558	W/54.4	5.72	155
27	WWIS		2000 Teston Road lot 26 con 3 Vaughan ON Well ID: 7326888	NNE/257.9	-28.19	159
28	WWIS		lot 26 con 3 ON Well ID: 6917150	W/35.8	5.69	161
29	WWIS		lot 25 con 3 ON Well ID: 6913504	ESE/219.2	-11.72	164
30	WWIS		lot 26 con 3 ON Well ID: 6916540	W/56.7	6.60	166
31	WDS	Teston View Holdings Inc.	Part of Lot 26, Concession 3 Vaughan ON M3J 1M8	WNW/211.6	3.08	171
31	WDS	Teston View Holdings Inc.	Vaughan ON M3J 1M8	WNW/211.6	3.08	172
31	ECA	York Major Holdings Inc.	Vaughan ON L6A 1S3	WNW/211.6	3.08	173
31	ECA	Dufferin Heights Estates Inc.	Vaughan ON L4K 1J1	WNW/211.6	3.08	173
31	ECA	The Regional Municipality of York	Vaughan ON L3Y 6Z1	WNW/211.6	3.08	173

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>31</u>	ECA	First Gulf Capital Corporation	Vaughan ON L5N 2W5	WNW/211.6	3.08	<u>173</u>
<u>31</u>	ECA	Dufferin Heights Estates Inc.	Vaughan ON L4K 1J1	WNW/211.6	3.08	<u>174</u>
<u>31</u>	ECA	Teston View Holdings Inc.	Part of Lot 26, Concession 3 Vaughan ON M3J 1M8	WNW/211.6	3.08	<u>174</u>
<u>31</u>	ECA	York Major Holdings Inc.	Vaughan ON L6A 1S3	WNW/211.6	3.08	<u>174</u>
<u>31</u>	WDS	Teston View Holdings Inc.	Vaughan ON M3J 1M8	WNW/211.6	3.08	<u>175</u>
<u>31</u>	ECA	The Regional Municipality of York	Vaughan ON	WNW/211.6	3.08	<u>175</u>
<u>31</u>	WDS	Teston View Holdings Inc.	Vaughan ON L6A 1S3	WNW/211.6	3.08	<u>176</u>
<u>31</u>	WDS	The Corporation of the City of Vaughan	Vaughan ON L6A 1T1	WNW/211.6	3.08	<u>176</u>
<u>32</u>	WWIS		lot 26 con 3 ON Well ID: 6923872	WNW/210.5	3.60	<u>177</u>
<u>32</u>	WWIS		lot 26 con 3 ON Well ID: 6923873	WNW/210.5	3.60	<u>179</u>
<u>33</u>	WWIS		lot 26 con 3 ON Well ID: 6916546	W/33.3	6.03	<u>181</u>
<u>34</u>	WWIS		lot 26 con 3 ON Well ID: 6926927	WNW/211.3	3.60	<u>184</u>
<u>34</u>	WWIS		lot 26 con 3 ON	WNW/211.3	3.60	<u>186</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 6926928			
35	WWIS		lot 26 con 3 ON	W/38.4	6.24	187
			Well ID: 6916557			
36	WWIS		lot 25 con 3 ON	SW/195.4	3.52	191
			Well ID: 6923487			
36	WWIS		lot 25 con 3 ON	SW/195.4	3.52	196
			Well ID: 6923488			
36	WWIS		lot 25 con 3 ON	SW/195.4	3.52	200
			Well ID: 6923489			
36	WWIS		lot 25 con 3 ON	SW/195.4	3.52	205
			Well ID: 6923490			
36	WWIS		lot 25 con 3 ON	SW/195.4	3.52	210
			Well ID: 6923866			
37	WWIS		lot 26 con 3 ON	W/33.8	6.85	213
			Well ID: 6916556			
38	WWIS		lot 25 con 3 ON	WSW/84.4	5.57	217
			Well ID: 6917149			
39	WWIS		lot 25 con 3 ON	WSW/35.4	5.44	219
			Well ID: 6917129			
40	WWIS		lot 26 con 3 ON	W/22.5	6.85	222
			Well ID: 6916555			
41	WWIS		ON	W/141.9	18.03	226
			Well ID: 7178749			
42	WWIS		CITY OF TORONTO ON	W/43.0	7.86	228
			Well ID: 7178753			
43	WWIS		lot 26 con 3 ON	W/40.6	8.32	236

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 6916554			
44	WWIS		lot 26 con 3 ON	W/42.6	8.73	240
			Well ID: 6917130			
45	WWIS		lot 25 con 3 ON	WSW/109.7	4.48	248
			Well ID: 6917146			
46	WWIS		lot 26 con 3 ON	W/33.5	8.29	252
			Well ID: 6916553			
47	ANDR	Maple Dump '09 1976	Maple ON L6A 1	W/234.2	15.05	256
48	WWIS		lot 26 con 3 ON	E/82.4	-36.22	257
			Well ID: 6916548			
49	WWIS		lot 26 con 3 ON	W/38.3	9.20	261
			Well ID: 6912326			
50	WWIS		1600 TESTON RD Vaughan ON	ENE/82.8	-26.39	265
			Well ID: 7279678			
51	WWIS		lot 62 con 3 ON	W/31.7	8.61	267
			Well ID: 6916543			
52	WWIS		lot 25 con 3 ON	WSW/32.8	5.50	271
			Well ID: 6917147			
53	WWIS		lot 25 con 3 ON	WSW/105.7	4.48	274
			Well ID: 6917144			
53	WWIS		lot 25 con 3 ON	WSW/105.7	4.48	277
			Well ID: 6917145			
54	WWIS		lot 25 con 3 ON	WSW/136.1	4.40	282
			Well ID: 6917151			
55	WWIS		lot 26 con 3 ON	W/26.6	8.15	286

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 6916539			
56	WWIS		1600 TESTON RD Vaughan ON Well ID: 7279679	ENE/59.1	-30.22	291
57	WWIS		lot 25 con 3 ON Well ID: 6917137	WSW/10.0	6.22	293
58	WWIS		lot 26 con 3 ON Well ID: 6916538	W/23.8	8.41	301
59	WWIS		lot 25 con 3 ON Well ID: 6906481	WSW/136.9	3.88	306
60	WWIS		1600 TESTON RD Vaughan ON Well ID: 7280873	NE/216.6	-5.04	309
61	ANDR	Maple Dump '01 1969	Maple ON L6A 1	W/206.6	24.26	313
62	EHS		1600 Teston Road Maple ON L6A 1S2	ENE/209.6	-8.04	313
62	EHS		1600 Teston Road Maple ON L6A 1S2	ENE/209.6	-8.04	314
63	WWIS		lot 26 con 3 ON Well ID: 6916552	W/30.0	8.66	314
64	WWIS		lot 26 con 3 ON Well ID: 6917136	W/29.0	8.66	319
65	WWIS		lot 25 con 3 ON Well ID: 6915076	SW/254.8	2.49	327
66	WWIS		1600 TESTON RD VAUGHAN ON Well ID: 7312186	ENE/104.0	-22.85	330
67	WWIS		lot 25 con 3 ON	WSW/44.1	6.18	333

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 6916550			
68	WWIS		lot 25 con 3 ON Well ID: 6916549	WSW/37.4	6.46	337
69	WWIS		lot 26 con 3 ON Well ID: 6906488	ENE/173.8	-13.68	342
70	WWIS		1600 TESTON RD Vaughan ON Well ID: 7279677	ENE/206.9	-11.07	345
71	WWIS		lot 25 con 3 ON Well ID: 6919996	WSW/214.9	0.03	348
71	WWIS		lot 25 con 3 ON Well ID: 6919998	WSW/214.9	0.03	350
71	WWIS		lot 25 con 3 ON Well ID: 6919999	WSW/214.9	0.03	352
71	WWIS		lot 25 con 1 ON Well ID: 6919997	WSW/214.9	0.03	358
72	WWIS		RODINEA RD Vaughan ON Well ID: 7321128	WSW/190.2	0.18	360
73	WWIS		RODINEA RD Vaughan ON Well ID: 7321126	WSW/210.1	0.11	363
74	EHS		See attached maps Vaughan ON L6A 1S3	E/56.3	-13.16	366
75	WWIS		ON Well ID: 7231487	WSW/225.6	-0.91	366
76	WWIS		lot 26 con 3 ON Well ID: 6910961	ENE/38.3	-8.72	367
77	WWIS		lot 25 con 3 ON	ENE/6.9	-9.06	370

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
			Well ID: 6906482			
78	ANDR	Maple Dump '09	Maple ON L6A 1	WSW/33.6	3.68	374
79	ANDR	Maple Dump Site 1 1965	Maple ON L6A 1	W/223.4	20.61	374
80	WDSH		PT 24 3 VAUGHAN ON	WSW/33.6	3.24	375
81	WWIS		ON Well ID: 7202166	WSW/179.2	-1.59	375
82	WWIS		108000 DUFFERIN STREET MAPLE ON Well ID: 7151751	ENE/131.7	-5.84	376
83	WWIS		lot 26 con 3 ON Well ID: 6916675	ENE/114.4	-5.54	378
84	WWIS		lot 25 con 3 ON Well ID: 6924147	E/41.4	-10.09	382
85	GEN	CITY OF VAUGHAN	10800 DUFFERIN STREET VAUGHAN ON L6A 1S2	ENE/116.3	-5.54	383
85	GEN	CITY OF VAUGHAN	10800 DUFFERIN STREET VAUGHAN ON L6A 1S2	ENE/116.3	-5.54	384
85	GEN	CITY OF VAUGHAN	10800 DUFFERIN STREET VAUGHAN ON L6A 1S2	ENE/116.3	-5.54	384
85	GEN	CITY OF VAUGHAN	10800 DUFFERIN STREET VAUGHAN ON L6A 1S2	ENE/116.3	-5.54	384
86	CA	2894131 ONTARIO INC.	45 RODINEA RD., UNIT "B",MAPLE VAUGHAN CITY ON	WSW/143.3	-0.20	385
86	SPL	TEPPERMAN AND SONS	45 RODINEA RD., MAPLE VAUGHAN CITY ON	WSW/143.3	-0.20	385

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<u>86</u>	PRT	CLEARWAY CONSTRUCTION INC ATTN LAURA DI BATTISTA	45 RODINEA RD MAPLE ON	WSW/143.3	-0.20	<u>386</u>
<u>86</u>	SCT	D.C.L. COMPANY INC.	45 RODINEA RD MAPLE ON L6A 1R3	WSW/143.3	-0.20	<u>386</u>
<u>86</u>	SCT	L.A. Store Fixtures	45 Rodinea Rd Unit 6 Vaughan ON L6A 1R3	WSW/143.3	-0.20	<u>386</u>
<u>86</u>	GEN	J. CHEFERO SAND & GRAVEL LIMITED	45 RODINEA RD, UNIT 2&3 MAPLE ON L0J 1E0	WSW/143.3	-0.20	<u>386</u>
<u>86</u>	GEN	J. CHEFERO (OUT OF BUS) 22- 122	45 RODINEA RD, UNIT 2&3 MAPLE ON L0J 1E0	WSW/143.3	-0.20	<u>387</u>
<u>86</u>	GEN	CLEARWAY CONSTRUCTION LTD.	45 RODINEA ROAD C/O BOX 310 MAPLE ON L0J 1E0	WSW/143.3	-0.20	<u>387</u>
<u>86</u>	GEN	CLEARWAY CONSTRUCTION LTD	45 RODINEA ROAD VAUGHAN ON L0J 1E0	WSW/143.3	-0.20	<u>387</u>
<u>86</u>	GEN	CLEARWAY CONSTRUCTION LTD. 10-257	45 RODINEA ROAD C/O BOX 310 MAPLE ON L0J 1E0	WSW/143.3	-0.20	<u>388</u>
<u>86</u>	GEN	CLEARWAY (OUT OF BUS)	45 RODINEA ROAD VAUGHAN ON L0J 1E0	WSW/143.3	-0.20	<u>388</u>
<u>86</u>	GEN	TNT Metal Stripping Inc.	45 Rodinea RD Unit B Vaughan ON L6A1R3	WSW/143.3	-0.20	<u>389</u>
<u>86</u>	SCT	L.A. Store Fixtures	45 Rodinea Rd Unit 6 Maple ON L6A 1R3	WSW/143.3	-0.20	<u>389</u>
<u>86</u>	AUWR	TRIPLE M EXCLUSIVE AUTO PARTS	45 RODINEA RICHMOND HILL ON L6A 1R3	WSW/143.3	-0.20	<u>389</u>
<u>86</u>	EBR	West York Auto Collision Ltd.	45 Rodinea Road Vaughan Regional Municipality of York CITY OF VAUGHAN ON	WSW/143.3	-0.20	<u>389</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>86</u>	AUWR	TRIPLE M EXCLUSIVE AUTO PARTS	45 RODINEA MAPLE ON L6A1R3	WSW/143.3	-0.20	<u>390</u>
<u>86</u>	CA	West York Auto Collision Ltd.	45 Rodinea Rd Vaughan ON	WSW/143.3	-0.20	<u>390</u>
<u>86</u>	WDS	Accurate Industrial Waste Limited	45 Rodinea Rd Vaughan ON L4K 1V5	WSW/143.3	-0.20	<u>390</u>
<u>86</u>	WDS	Accurate Industrial Waste Limited	45 Rodinea Rd Vaughan ON L4K 5X1	WSW/143.3	-0.20	<u>391</u>
<u>86</u>	CA	Waste One Disposal Services Inc.	45 Rodinea Rd Maple Vaughan ON	WSW/143.3	-0.20	<u>392</u>
<u>86</u>	EBR	Stiege Signs Limited	45 Rodinea Road Unit 2-3 Vaughan, Regional Municipality of York L6A 1R3 CITY OF VAUGHAN ON	WSW/143.3	-0.20	<u>392</u>
<u>86</u>	DTNK	CLEARWAY CONSTRUCTION INC ATTN LAURA DI BATTISTA	45 RODINEA RD MAPLE ON	WSW/143.3	-0.20	<u>393</u>
<u>86</u>	DTNK	CLEARWAY CONSTRUCTION INC ATTN LAURA DI BATTISTA	45 RODINEA RD MAPLE ON	WSW/143.3	-0.20	<u>393</u>
<u>86</u>	EHS		45 Rodinea Rd Vaughan ON	WSW/143.3	-0.20	<u>394</u>
<u>86</u>	ECA	Stiege Signs Limited	45 Rodinea Rd Maple Vaughan ON	WSW/143.3	-0.20	<u>394</u>
<u>86</u>	GEN	Quantum Murray LP	45 Rodinea Road Vaughn ON	WSW/143.3	-0.20	<u>394</u>
<u>86</u>	EASR	WEST YORK COLLISION CENTRE LTD.	45 RODINEA RD MAPLE ON L6A 1R3	WSW/143.3	-0.20	<u>395</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>86</u>	WDS	Accurate Industrial Waste Limited	45 Rodinea Rd Vaughan ON L4K 5X1	WSW/143.3	-0.20	<u>395</u>
<u>86</u>	ECA	Stiege Signs Limited	45 Rodinea Rd Maple Vaughan ON L6A 1R3	WSW/143.3	-0.20	<u>396</u>
<u>86</u>	ECA	West York Auto Collision Ltd.	45 Rodinea Rd Vaughan ON L6A 1R3	WSW/143.3	-0.20	<u>396</u>
<u>86</u>	ECA	Waste One Disposal Services Inc.	45 Rodinea Rd Maple Vaughan ON L6A 1S1	WSW/143.3	-0.20	<u>396</u>
<u>86</u>	WDS	Accurate Industrial Waste Limited	45 Rodinea Rd Vaughan ON L4K 5X1	WSW/143.3	-0.20	<u>397</u>
<u>86</u>	REC	ACCURATE INDUSTRIAL WASTE LIMITED	45 RODINEA ROAD, UNITS 1-3 VAUGHAN ON L6A 1R3	WSW/143.3	-0.20	<u>397</u>
<u>87</u>	EHS		45 Rodinea Road Maple ON L6A 1R3	WSW/143.3	-0.20	<u>398</u>
<u>88</u>	ECA	Nulook Developments Inc.	10820 Dufferin St Vaughan ON L4B 3K3	ENE/177.4	-4.40	<u>398</u>
<u>88</u>	ECA	Nulook Developments Inc.	10820 Dufferin St (Part of Lot 26, Concession 3) Vaughan ON L4B 3K3	ENE/177.4	-4.40	<u>398</u>
<u>89</u>	WWIS		lot 25 con 3 ON Well ID: 6914789	WSW/159.2	-1.06	<u>399</u>
<u>90</u>	WWIS		21 Rodinea Road Vaughan ON Well ID: 7349508	WSW/20.0	2.45	<u>402</u>
<u>91</u>	GEN	Richview Manor Vaughan Limited Partnership	10500 Dufferin Street Maple ON	E/52.1	-10.52	<u>406</u>
<u>91</u>	GEN	Richview Manor Vaughan Limited Partnership	10500 Dufferin Street Maple ON L6A 4R1	E/52.1	-10.52	<u>406</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>91</u>	GEN	Richview Manor Vaughan Limited Partnership	10500 Dufferin Street Maple ON L6A 4R1	E/52.1	-10.52	<u>407</u>
<u>91</u>	GEN	Richview Manor Vaughan Limited Partnership	10500 Dufferin Street Maple ON L6A 4R1	E/52.1	-10.52	<u>407</u>
<u>91</u>	GEN	Richview Manor Vaughan Limited Partnership	10500 Dufferin Street Maple ON L6A 4R1	E/52.1	-10.52	<u>407</u>
<u>91</u>	GEN	Richview Manor Vaughan Limited Partnership	10500 Dufferin Street Maple ON L6A 4R1	E/52.1	-10.52	<u>408</u>
<u>91</u>	INC	RICHVIEW MANOR VAUGHAN LIMITED PARTNERSHIP	10500 DUFFERIN ST.,VAUGHAN,ON,L6A 4R1,CA ON	E/52.1	-10.52	<u>408</u>
<u>91</u>	GEN	Richview Manor Vaughan Limited Partnership	10500 Dufferin Street Maple ON L6A 4R1	E/52.1	-10.52	<u>409</u>
<u>92</u>	SCT	DOORS & MORE BY DDR LTD.	67 RODINEA RD UNIT 7 MAPLE ON L6A 1R3	WSW/204.4	-2.55	<u>409</u>
<u>92</u>	SCT	Doors & More By D.D.R. Ltd.	67 Rodinea Rd Unit 8 Maple ON L6A 1R3	WSW/204.4	-2.55	<u>409</u>
<u>92</u>	GEN	SARTOR AND SUSIN LTD.	67 RODINEA ROAD, UNIT 1A VAUGHAN ON L6A 1R3	WSW/204.4	-2.55	<u>410</u>
<u>92</u>	GEN	SARTOR AND SUSIN LTD.	67 RODINEA ROAD UNIT 1A MAPLE ON L6A 1R3	WSW/204.4	-2.55	<u>410</u>
<u>92</u>	GEN	A & T Auto Refinishing Inc.	67 Rodinea Road, Unit # 4 ` 5 Maple ON L6A 1R3	WSW/204.4	-2.55	<u>410</u>
<u>92</u>	GEN	SARTOR AND SUSIN LTD.	67 RODINEA ROAD UNIT 1A MAPLE ON	WSW/204.4	-2.55	<u>411</u>
<u>92</u>	EHS		67 Rodinea Road Vaughan ON	WSW/204.4	-2.55	<u>411</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>92</u>	GEN	SARTOR AND SUSIN LTD.	67 RODINEA ROAD UNIT 1A MAPLE ON	WSW/204.4	-2.55	<u>411</u>
<u>92</u>	GEN	SARTOR AND SUSIN LTD.	67 RODINEA ROAD UNIT 1A MAPLE ON	WSW/204.4	-2.55	<u>412</u>
<u>92</u>	GEN	SARTOR AND SUSIN LTD.	67 RODINEA ROAD UNIT 1A MAPLE ON L6A 1R3	WSW/204.4	-2.55	<u>412</u>
<u>92</u>	GEN	SARTOR AND SUSIN LTD.	67 RODINEA ROAD UNIT 1A MAPLE ON	WSW/204.4	-2.55	<u>412</u>
<u>92</u>	EASR	ELITE CONCEPTS INC.	67 RODINEA MAPLE ON	WSW/204.4	-2.55	<u>413</u>
<u>92</u>	SPL		67 Rodinea Rd, Unit 13 Vaughan ON	WSW/204.4	-2.55	<u>413</u>
<u>92</u>	GEN	SARTOR AND SUSIN LTD.	67 RODINEA ROAD UNIT 1A MAPLE ON L6A 1R3	WSW/204.4	-2.55	<u>413</u>
<u>92</u>	EHS		67 Rodinea Road Maple ON L6A 1R3	WSW/204.4	-2.55	<u>414</u>
<u>93</u>	WWIS		lot 25 con 3 ON Well ID: 6924146	E/111.6	-14.21	<u>414</u>
<u>94</u>	EASR	ELITE CONCEPTS INC.	67 RODINEA RD MAPLE ON L6A 1R3	WSW/203.9	-2.55	<u>415</u>
<u>94</u>	PINC	PRO SEALING PLUS INC.	67 RODINEA RD,UNIT 13,MAPLE,ON,L6A 1R3,CA ON	WSW/203.9	-2.55	<u>415</u>
<u>94</u>	GEN	PRO SEALING PLUS INC	67 RODINEA RD UNIT 13 ON L6A 1R3	WSW/203.9	-2.55	<u>416</u>
<u>94</u>	GEN	PRO SEALING PLUS INC	67 RODINEA RD UNIT 13 ON L6A 1R3	WSW/203.9	-2.55	<u>416</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>94</u>	GEN	PRO SEALING PLUS INC	67 RODINEA RD UNIT 13 ON L6A 1R3	WSW/203.9	-2.55	<u>417</u>
<u>95</u>	WWIS		RODINEA RD Vaughan ON Well ID: 7321127	WSW/186.4	-2.42	<u>417</u>
<u>96</u>	EHS		67 Rodniea Vaughan ON	WSW/202.8	-2.65	<u>420</u>
<u>97</u>	WWIS		DUFFERIN ST ON Well ID: 7318556	ENE/205.3	-4.53	<u>420</u>
<u>98</u>	WWIS		lot 25 con 3 ON Well ID: 6906483	E/249.9	-31.12	<u>423</u>
<u>99</u>	EHS		n/a Vaughan ON	WSW/42.6	1.47	<u>426</u>
<u>99</u>	EHS		n/a Vaughan ON	WSW/42.6	1.47	<u>427</u>
<u>100</u>	SCT	JAGER INDUSTRIES INC.	21 RODINEA RD UNIT 1 MAPLE ON L6A 1R3	WSW/52.5	0.83	<u>427</u>
<u>100</u>	SCT	COMPTRUSION CORPORATION	21 Rodinea Rd Maple ON L6A 1R3	WSW/52.5	0.83	<u>427</u>
<u>100</u>	GEN	JAGER INDUSTRIES INC.	21 RODINEA ROAD, UNIT 1 VAUGHAN ON L6A 1R3	WSW/52.5	0.83	<u>428</u>
<u>100</u>	GEN	JAGER (OUT OF BUS)	21 RODINEA ROAD, UNIT 1 VAUGHAN ON L6A 1R3	WSW/52.5	0.83	<u>428</u>
<u>100</u>	GEN	Avesta Profile	21 Rodinea Road Maple ON	WSW/52.5	0.83	<u>428</u>
<u>100</u>	GEN	Strong Foundation Inc	21 Rodinea Rd Maple ON	WSW/52.5	0.83	<u>429</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>100</u>	GEN	Modern Niagara	21 Rodinea Road Maple ON L6A 1R3	WSW/52.5	0.83	<u>429</u>
<u>100</u>	GEN	Modern Niagara	21 Rodinea Road Maple ON L6A 1R3	WSW/52.5	0.83	<u>429</u>
<u>100</u>	GEN	Modern Niagara	21 Rodinea Road Maple ON L6A 1R3	WSW/52.5	0.83	<u>430</u>
<u>100</u>	GEN	Pine Valley Corp	21 Rodinea Rd Vaughan ON L6A 1R3	WSW/52.5	0.83	<u>431</u>
<u>100</u>	GEN	Pine Valley Corp	21 Rodinea Rd Vaughan ON L6A 1R3	WSW/52.5	0.83	<u>431</u>
<u>100</u>	GEN	Modern Niagara	21 Rodinea Road Maple ON L6A 1R3	WSW/52.5	0.83	<u>431</u>
<u>100</u>	GEN	Cooper Equipment Rentals Cooper Equipment Rentals	21 Rodinea Road Maple ON L6A 1R3	WSW/52.5	0.83	<u>432</u>
<u>100</u>	GEN	PNJ Engineering Inc.	21 Rodinea Road, Suite 1 Vaughan ON L6A 1R3	WSW/52.5	0.83	<u>433</u>
<u>100</u>	GEN	PNJ Engineering Inc.	21 Rodinea Road, Suite 1 Vaughan ON L6A 1R3	WSW/52.5	0.83	<u>433</u>
<u>100</u>	GEN	Cooper Equipment Rentals Cooper Equipment Rentals	21 Rodinea Road Maple ON L6A 1R3	WSW/52.5	0.83	<u>433</u>
<u>100</u>	GEN	Cooper Equipment Rentals Cooper Equipment Rentals	21 Rodinea Road Maple ON L6A 1R3	WSW/52.5	0.83	<u>434</u>
<u>100</u>	GEN	PNJ Engineering Inc.	21 Rodinea Road, Suite 1 Vaughan ON L6A 1R3	WSW/52.5	0.83	<u>434</u>
<u>101</u>	CA	TIMBER WASTE SOLUTIONS INC.	75 RODINEA ROAD, MAPLE VAUGHAN CITY ON L6A 1R3	WSW/242.3	-3.69	<u>435</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>101</u>	SCT	Automatic Compactors Corp.	75 Rodinea Rd Maple ON L6A 1R3	WSW/242.3	-3.69	<u>435</u>
<u>101</u>	SCT	AUTOMATED COMPACKER CORP.	75 RODINEA RD MAPLE ON L6A 1R3	WSW/242.3	-3.69	<u>435</u>
<u>101</u>	GEN	AUTOMATIC COMPACTORS CORP.	75 RODINEA ROAD VAUGHAN ON L6A 1R3	WSW/242.3	-3.69	<u>436</u>
<u>101</u>	GEN	AUTOMATIC COMPACTORS CORP.	75 Rodinea Rd MAPLE ON L6A 1R3	WSW/242.3	-3.69	<u>436</u>
<u>101</u>	GEN	AUTOMATIC COMPACTORS CORP.	75 Rodinea Rd MAPLE ON L6A 1R3	WSW/242.3	-3.69	<u>436</u>
<u>101</u>	ECA	Automatic Compactors Corp.	75 Rodinea Rd Maple Vaughan ON L6A 1R3	WSW/242.3	-3.69	<u>437</u>
<u>101</u>	EHS		75 Rodinea Rd Vaughan ON L6A 1R3	WSW/242.3	-3.69	<u>437</u>
<u>101</u>	GEN	AUTOMATIC COMPACTORS CORP.	75 Rodinea Rd MAPLE ON L6A 1R3	WSW/242.3	-3.69	<u>437</u>
<u>101</u>	GEN	AUTOMATIC COMPACTORS CORP.	75 Rodinea Rd MAPLE ON L6A 1R3	WSW/242.3	-3.69	<u>437</u>
<u>101</u>	GEN	AUTOMATIC COMPACTORS CORP.	75 Rodinea Rd MAPLE ON L6A 1R3	WSW/242.3	-3.69	<u>438</u>
<u>101</u>	GEN	AUTOMATIC COMPACTORS CORP.	75 Rodinea Rd MAPLE ON	WSW/242.3	-3.69	<u>438</u>
<u>101</u>	GEN	AUTOMATIC COMPACTORS CORP.	75 Rodinea Rd MAPLE ON L6A1R3	WSW/242.3	-3.69	<u>439</u>
<u>101</u>	GEN	AUTOMATIC COMPACTORS CORP.	75 Rodinea Rd MAPLE ON L6A1R3	WSW/242.3	-3.69	<u>439</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>101</u>	GEN	AUTOMATIC COMPACTORS CORP.	75 Rodinea Rd MAPLE ON L6A1R3	WSW/242.3	-3.69	<u>439</u>
<u>101</u>	GEN	AUTOMATIC COMPACTORS CORP.	75 Rodinea Rd MAPLE ON L6A1R3	WSW/242.3	-3.69	<u>440</u>
<u>101</u>	GEN	AUTOMATIC COMPACTORS CORP.	75 Rodinea Rd MAPLE ON L6A1R3	WSW/242.3	-3.69	<u>440</u>
<u>101</u>	GEN	AUTOMATIC COMPACTORS CORP.	75 Rodinea Rd MAPLE ON L6A1R3	WSW/242.3	-3.69	<u>440</u>
<u>101</u>	GEN	AUTOMATIC COMPACTORS CORP.	75 Rodinea Rd MAPLE ON L6A1R3	WSW/242.3	-3.69	<u>441</u>
<u>102</u>	GEN	Richview Manor Vaughan Limited Partnership	10500 Dufferin Street Maple ON L6A 4R1	E/59.7	-12.27	<u>441</u>
<u>103</u>	SPL	TRANSPORT TRUCK	DUFFERIN ST. AND TESTON RD. MOTOR VEHICLE (OPERATING FLUID) VAUGHAN CITY ON	ENE/16.1	-8.13	<u>441</u>
<u>104</u>	BORE		ON	WSW/52.1	0.46	<u>442</u>
<u>105</u>	WWIS		lot 26 con 3 ON Well ID: 6921856	WSW/69.7	0.33	<u>443</u>
<u>106</u>	WWIS		lot 25 con 3 ON Well ID: 6915402	WSW/256.2	-5.52	<u>445</u>
<u>107</u>	WWIS		lot 25 con 3 ON Well ID: 6913686	WSW/201.9	-6.15	<u>448</u>
<u>108</u>	SCT	GLOBAL PRE-CAST CORP.	2101 TESTON RD MAPLE ON L6A 1R3	WSW/176.2	-5.58	<u>453</u>
<u>108</u>	SCT	Global Precast Inc.	2101 Teston Rd Maple ON L6A 1R3	WSW/176.2	-5.58	<u>453</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>108</u>	GEN	DELAVAL TURBINE CANADA LTD.	2101 TESTON RD. P.O. BOX 850 MAPLE ON L6A 1R3	WSW/176.2	-5.58	<u>454</u>
<u>108</u>	GEN	802135 ONTARIO LTD.	2101 TESTON ROAD YORK ON L6A 1R3	WSW/176.2	-5.58	<u>454</u>
<u>108</u>	SCT	Connolly Marble & Granite Ltd.	2101 Teston Rd Maple ON L6A 1R3	WSW/176.2	-5.58	<u>454</u>
<u>108</u>	CA	World Waste Systems Corporation	2101 Teston Road, Maple, ON Vaughan ON	WSW/176.2	-5.58	<u>455</u>
<u>108</u>	EBR	Global Precast Inc.	2101 Teston Road Vaughan, Regional Municipality of York L6A 1R3 CITY OF VAUGHAN ON	WSW/176.2	-5.58	<u>455</u>
<u>108</u>	EASR	GLOBAL PRECAST INC	2101 TESTON ROAD VAUGHAN ON L6A 1R3	WSW/176.2	-5.58	<u>455</u>
<u>108</u>	ECA	Global Precast Inc.	2101 Teston Rd Vaughan ON L6A 1R3	WSW/176.2	-5.58	<u>456</u>
<u>108</u>	ECA	Global Precast Inc.	2101 Teston Rd Vaughan ON L6A 1R3	WSW/176.2	-5.58	<u>456</u>
<u>108</u>	ECA	World Waste Systems Corporation	2101 Teston Road, Maple, ON Vaughan ON	WSW/176.2	-5.58	<u>456</u>
<u>109</u>	WWIS		lot 26 con 3 VAUGHAN ON Well ID: 7273823	W/237.1	-7.42	<u>457</u>
<u>110</u>	WWIS		lot 26 con 3 VAUGHAN ON Well ID: 7273816	W/239.7	-7.42	<u>460</u>
<u>111</u>	WWIS		lot 26 con 3 VAUGHAN ON Well ID: 7273822	W/214.2	-9.20	<u>462</u>
<u>112</u>	WWIS		lot 26 con 3 VAUGHAN ON	W/240.4	-9.11	<u>465</u>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
			<i>Well ID:</i> 7273821			
113	WWIS		lot 25 con 3 ON	WSW/225.9	-7.65	468
			<i>Well ID:</i> 6906485			

Executive Summary: Summary By Data Source

ANDR - Anderson's Waste Disposal Sites

A search of the ANDR database, dated 1860s-Present has found that there are 4 ANDR site(s) within approximately 0.26 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Maple Dump '09 1976	Maple ON L6A 1	234.2	<u>47</u>
Maple Dump '01 1969	Maple ON L6A 1	206.6	<u>61</u>
Maple Dump '09	Maple ON L6A 1	33.6	<u>78</u>
Maple Dump Site 1 1965	Maple ON L6A 1	223.4	<u>79</u>

AUWR - Automobile Wrecking & Supplies

A search of the AUWR database, dated 1999-May 31, 2022 has found that there are 2 AUWR site(s) within approximately 0.26 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
TRIPLE M EXCLUSIVE AUTO PARTS	45 RODINEA MAPLE ON L6A1R3	143.3	<u>86</u>
TRIPLE M EXCLUSIVE AUTO PARTS	45 RODINEA RICHMOND HILL ON L6A 1R3	143.3	<u>86</u>

BORE - Borehole

A search of the BORE database, dated 1875-Jul 2018 has found that there are 2 BORE site(s) within approximately 0.26 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	ON	92.7	<u>9</u>
	ON	52.1	<u>104</u>

CA - Certificates of Approval

A search of the CA database, dated 1985-Oct 30, 2011* has found that there are 5 CA site(s) within approximately 0.26 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
West York Auto Collision Ltd.	45 Rodinea Rd Vaughan ON	143.3	<u>86</u>
Waste One Disposal Services Inc.	45 Rodinea Rd Maple Vaughan ON	143.3	<u>86</u>
2894131 ONTARIO INC.	45 RODINEA RD., UNIT "B",MAPLE VAUGHAN CITY ON	143.3	<u>86</u>
TIMBER WASTE SOLUTIONS INC.	75 RODINEA ROAD, MAPLE VAUGHAN CITY ON L6A 1R3	242.3	<u>101</u>
World Waste Systems Corporation	2101 Teston Road, Maple, ON Vaughan ON	176.2	<u>108</u>

DTNK - Delisted Fuel Tanks

A search of the DTNK database, dated Feb 28, 2022 has found that there are 2 DTNK site(s) within approximately 0.26 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
CLEARWAY CONSTRUCTION INC ATTN LAURA DI BATTISTA	45 RODINEA RD MAPLE ON	143.3	<u>86</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
CLEARWAY CONSTRUCTION INC ATTN LAURA DI BATTISTA	45 RODINEA RD MAPLE ON	143.3	<u>86</u>

EASR - Environmental Activity and Sector Registry

A search of the EASR database, dated Oct 2011- Dec 31, 2022 has found that there are 4 EASR site(s) within approximately 0.26 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
WEST YORK COLLISION CENTRE LTD.	45 RODINEA RD MAPLE ON L6A 1R3	143.3	<u>86</u>
ELITE CONCEPTS INC.	67 RODINEA MAPLE ON	204.4	<u>92</u>
ELITE CONCEPTS INC.	67 RODINEA RD MAPLE ON L6A 1R3	203.9	<u>94</u>
GLOBAL PRECAST INC	2101 TESTON ROAD VAUGHAN ON L6A 1R3	176.2	<u>108</u>

EBR - Environmental Registry

A search of the EBR database, dated 1994 - Dec 31, 2022 has found that there are 3 EBR site(s) within approximately 0.26 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Stiege Signs Limited	45 Rodinea Road Unit 2-3 Vaughan, Regional Municipality of York L6A 1R3 CITY OF VAUGHAN ON	143.3	<u>86</u>
West York Auto Collision Ltd.	45 Rodinea Road Vaughan Regional Municipality of York CITY OF VAUGHAN ON	143.3	<u>86</u>
Global Precast Inc.	2101 Teston Road Vaughan, Regional Municipality of York L6A 1R3 CITY OF VAUGHAN ON	176.2	<u>108</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
-------------	----------------	---------------------	----------------

ECA - Environmental Compliance Approval

A search of the ECA database, dated Oct 2011- Dec 31, 2022 has found that there are 18 ECA site(s) within approximately 0.26 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
York Major Holdings Inc.	Vaughan ON L6A 1S3	211.6	<u>31</u>
Teston View Holdings Inc.	Part of Lot 26, Concession 3 Vaughan ON M3J 1M8	211.6	<u>31</u>
Dufferin Heights Estates Inc.	Vaughan ON L4K 1J1	211.6	<u>31</u>
First Gulf Capital Corporation	Vaughan ON L5N 2W5	211.6	<u>31</u>
The Regional Municipality of York	Vaughan ON L3Y 6Z1	211.6	<u>31</u>
Dufferin Heights Estates Inc.	Vaughan ON L4K 1J1	211.6	<u>31</u>
York Major Holdings Inc.	Vaughan ON L6A 1S3	211.6	<u>31</u>
The Regional Municipality of York	Vaughan ON	211.6	<u>31</u>
Waste One Disposal Services Inc.	45 Rodinea Rd Maple Vaughan ON L6A 1S1	143.3	<u>86</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
West York Auto Collision Ltd.	45 Rodinea Rd Vaughan ON L6A 1R3	143.3	<u>86</u>
Stiege Signs Limited	45 Rodinea Rd Maple Vaughan ON L6A 1R3	143.3	<u>86</u>
Stiege Signs Limited	45 Rodinea Rd Maple Vaughan ON	143.3	<u>86</u>
Nulook Developments Inc.	10820 Dufferin St (Part of Lot 26, Concession 3) Vaughan ON L4B 3K3	177.4	<u>88</u>
Nulook Developments Inc.	10820 Dufferin St Vaughan ON L4B 3K3	177.4	<u>88</u>
Automatic Compactors Corp.	75 Rodinea Rd Maple Vaughan ON L6A 1R3	242.3	<u>101</u>
World Waste Systems Corporation	2101 Teston Road, Maple, ON Vaughan ON	176.2	<u>108</u>
Global Precast Inc.	2101 Teston Rd Vaughan ON L6A 1R3	176.2	<u>108</u>
Global Precast Inc.	2101 Teston Rd Vaughan ON L6A 1R3	176.2	<u>108</u>

EHS - ERIS Historical Searches

A search of the EHS database, dated 1999-Jul 31, 2022 has found that there are 11 EHS site(s) within approximately 0.26 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1600 Teston Road Maple ON L6A 1S2	209.6	<u>62</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1600 Teston Road Maple ON L6A 1S2	209.6	<u>62</u>
	See attached maps Vaughan ON L6A 1S3	56.3	<u>74</u>
	45 Rodinea Rd Vaughan ON	143.3	<u>86</u>
	45 Rodinea Road Maple ON L6A 1R3	143.3	<u>87</u>
	67 Rodinea Road Vaughan ON	204.4	<u>92</u>
	67 Rodinea Road Maple ON L6A 1R3	204.4	<u>92</u>
	67 Rodniea Vaughan ON	202.8	<u>96</u>
	n/a Vaughan ON	42.6	<u>99</u>
	n/a Vaughan ON	42.6	<u>99</u>
	75 Rodinea Rd Vaughan ON L6A 1R3	242.3	<u>101</u>

GEN - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-Oct 31, 2022 has found that there are 66 GEN site(s) within approximately 0.26 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
ARBOREA WOOD PRODUCTS INC.	1901 TESTON ROAD VAUGHAN ON L6A 1S8	1.2	<u>3</u>
ARBOREA WO(OUT OF BUSINESS)	1901 TESTON ROAD VAUGHAN ON L6A 1S8	1.2	<u>3</u>
CITY OF VAUGHAN	10800 DUFFERIN STREET VAUGHAN ON L6A 1S2	116.3	<u>85</u>
CITY OF VAUGHAN	10800 DUFFERIN STREET VAUGHAN ON L6A 1S2	116.3	<u>85</u>
CITY OF VAUGHAN	10800 DUFFERIN STREET VAUGHAN ON L6A 1S2	116.3	<u>85</u>
CITY OF VAUGHAN	10800 DUFFERIN STREET VAUGHAN ON L6A 1S2	116.3	<u>85</u>
CLEARWAY CONSTRUCTION LTD	45 RODINEA ROAD VAUGHAN ON L0J 1E0	143.3	<u>86</u>
CLEARWAY CONSTRUCTION LTD. 10-257	45 RODINEA ROAD C/O BOX 310 MAPLE ON L0J 1E0	143.3	<u>86</u>
CLEARWAY (OUT OF BUS)	45 RODINEA ROAD VAUGHAN ON L0J 1E0	143.3	<u>86</u>
TNT Metal Stripping Inc.	45 Rodinea RD Unit B Vaughan ON L6A1R3	143.3	<u>86</u>
Quantum Murray LP	45 Rodinea Road Vaughn ON	143.3	<u>86</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
J. CHEFERO SAND & GRAVEL LIMITED	45 RODINEA RD, UNIT 2&3 MAPLE ON L0J 1E0	143.3	<u>86</u>
J. CHEFERO (OUT OF BUS) 22-122	45 RODINEA RD, UNIT 2&3 MAPLE ON L0J 1E0	143.3	<u>86</u>
CLEARWAY CONSTRUCTION LTD.	45 RODINEA ROAD C/O BOX 310 MAPLE ON L0J 1E0	143.3	<u>86</u>
Richview Manor Vaughan Limited Partnership	10500 Dufferin Street Maple ON	52.1	<u>91</u>
Richview Manor Vaughan Limited Partnership	10500 Dufferin Street Maple ON L6A 4R1	52.1	<u>91</u>
Richview Manor Vaughan Limited Partnership	10500 Dufferin Street Maple ON L6A 4R1	52.1	<u>91</u>
Richview Manor Vaughan Limited Partnership	10500 Dufferin Street Maple ON L6A 4R1	52.1	<u>91</u>
Richview Manor Vaughan Limited Partnership	10500 Dufferin Street Maple ON L6A 4R1	52.1	<u>91</u>
Richview Manor Vaughan Limited Partnership	10500 Dufferin Street Maple ON L6A 4R1	52.1	<u>91</u>
Richview Manor Vaughan Limited Partnership	10500 Dufferin Street Maple ON L6A 4R1	52.1	<u>91</u>
SARTOR AND SUSIN LTD.	67 RODINEA ROAD, UNIT 1A VAUGHAN ON L6A 1R3	204.4	<u>92</u>
SARTOR AND SUSIN LTD.	67 RODINEA ROAD UNIT 1A MAPLE ON L6A 1R3	204.4	<u>92</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
A & T Auto Refinishing Inc.	67 Rodinea Road, Unit # 4 ` - 5 Maple ON L6A 1R3	204.4	<u>92</u>
SARTOR AND SUSIN LTD.	67 RODINEA ROAD UNIT 1A MAPLE ON	204.4	<u>92</u>
SARTOR AND SUSIN LTD.	67 RODINEA ROAD UNIT 1A MAPLE ON	204.4	<u>92</u>
SARTOR AND SUSIN LTD.	67 RODINEA ROAD UNIT 1A MAPLE ON	204.4	<u>92</u>
SARTOR AND SUSIN LTD.	67 RODINEA ROAD UNIT 1A MAPLE ON L6A 1R3	204.4	<u>92</u>
SARTOR AND SUSIN LTD.	67 RODINEA ROAD UNIT 1A MAPLE ON	204.4	<u>92</u>
SARTOR AND SUSIN LTD.	67 RODINEA ROAD UNIT 1A MAPLE ON L6A 1R3	204.4	<u>92</u>
PRO SEALING PLUS INC	67 RODINEA RD UNIT 13 ON L6A 1R3	203.9	<u>94</u>
PRO SEALING PLUS INC	67 RODINEA RD UNIT 13 ON L6A 1R3	203.9	<u>94</u>
PRO SEALING PLUS INC	67 RODINEA RD UNIT 13 ON L6A 1R3	203.9	<u>94</u>
JAGER (OUT OF BUS)	21 RODINEA ROAD, UNIT 1 VAUGHAN ON L6A 1R3	52.5	<u>100</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Avesta Profile	21 Rodinea Road Maple ON	52.5	<u>100</u>
Strong Foundation Inc	21 Rodinea Rd Maple ON	52.5	<u>100</u>
Modern Niagara	21 Rodinea Road Maple ON L6A 1R3	52.5	<u>100</u>
Modern Niagara	21 Rodinea Road Maple ON L6A 1R3	52.5	<u>100</u>
Modern Niagara	21 Rodinea Road Maple ON L6A 1R3	52.5	<u>100</u>
Pine Valley Corp	21 Rodinea Rd Vaughan ON L6A 1R3	52.5	<u>100</u>
Pine Valley Corp	21 Rodinea Rd Vaughan ON L6A 1R3	52.5	<u>100</u>
Modern Niagara	21 Rodinea Road Maple ON L6A 1R3	52.5	<u>100</u>
Cooper Equipment Rentals Cooper Equipment Rentals	21 Rodinea Road Maple ON L6A 1R3	52.5	<u>100</u>
PNJ Engineering Inc.	21 Rodinea Road, Suite 1 Vaughan ON L6A 1R3	52.5	<u>100</u>
PNJ Engineering Inc.	21 Rodinea Road, Suite 1 Vaughan ON L6A 1R3	52.5	<u>100</u>
Cooper Equipment Rentals Cooper Equipment Rentals	21 Rodinea Road Maple ON L6A 1R3	52.5	<u>100</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Cooper Equipment Rentals Cooper Equipment Rentals	21 Rodinea Road Maple ON L6A 1R3	52.5	<u>100</u>
PNJ Engineering Inc.	21 Rodinea Road, Suite 1 Vaughan ON L6A 1R3	52.5	<u>100</u>
JAGER INDUSTRIES INC.	21 RODINEA ROAD, UNIT 1 VAUGHAN ON L6A 1R3	52.5	<u>100</u>
AUTOMATIC COMPACTORS CORP.	75 RODINEA ROAD VAUGHAN ON L6A 1R3	242.3	<u>101</u>
AUTOMATIC COMPACTORS CORP.	75 Rodinea Rd MAPLE ON L6A 1R3	242.3	<u>101</u>
AUTOMATIC COMPACTORS CORP.	75 Rodinea Rd MAPLE ON L6A 1R3	242.3	<u>101</u>
AUTOMATIC COMPACTORS CORP.	75 Rodinea Rd MAPLE ON L6A 1R3	242.3	<u>101</u>
AUTOMATIC COMPACTORS CORP.	75 Rodinea Rd MAPLE ON L6A 1R3	242.3	<u>101</u>
AUTOMATIC COMPACTORS CORP.	75 Rodinea Rd MAPLE ON L6A 1R3	242.3	<u>101</u>
AUTOMATIC COMPACTORS CORP.	75 Rodinea Rd MAPLE ON	242.3	<u>101</u>
AUTOMATIC COMPACTORS CORP.	75 Rodinea Rd MAPLE ON L6A1R3	242.3	<u>101</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
AUTOMATIC COMPACTORS CORP.	75 Rodinea Rd MAPLE ON L6A1R3	242.3	<u>101</u>
AUTOMATIC COMPACTORS CORP.	75 Rodinea Rd MAPLE ON L6A1R3	242.3	<u>101</u>
AUTOMATIC COMPACTORS CORP.	75 Rodinea Rd MAPLE ON L6A1R3	242.3	<u>101</u>
AUTOMATIC COMPACTORS CORP.	75 Rodinea Rd MAPLE ON L6A1R3	242.3	<u>101</u>
AUTOMATIC COMPACTORS CORP.	75 Rodinea Rd MAPLE ON L6A1R3	242.3	<u>101</u>
AUTOMATIC COMPACTORS CORP.	75 Rodinea Rd MAPLE ON L6A1R3	242.3	<u>101</u>
Richview Manor Vaughan Limited Partnership	10500 Dufferin Street Maple ON L6A 4R1	59.7	<u>102</u>
DELAVAL TURBINE CANADA LTD.	2101 TESTON RD. P.O. BOX 850 MAPLE ON L6A 1R3	176.2	<u>108</u>
802135 ONTARIO LTD.	2101 TESTON ROAD YORK ON L6A 1R3	176.2	<u>108</u>

INC - Fuel Oil Spills and Leaks

A search of the INC database, dated Feb 28, 2022 has found that there are 1 INC site(s) within approximately 0.26 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
RICHVIEW MANOR VAUGHAN LIMITED PARTNERSHIP	10500 DUFFERIN ST., VAUGHAN, ON, L6A 4R1, CA ON	52.1	<u>91</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
-------------	----------------	---------------------	----------------

PINC - Pipeline Incidents

A search of the PINC database, dated Feb 28, 2021 has found that there are 1 PINC site(s) within approximately 0.26 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
PRO SEALING PLUS INC.	67 RODINEA RD,UNIT 13,MAPLE,ON,L6A 1R3,CA ON	203.9	<u>94</u>

PRT - Private and Retail Fuel Storage Tanks

A search of the PRT database, dated 1989-1996* has found that there are 1 PRT site(s) within approximately 0.26 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
CLEARWAY CONSTRUCTION INC ATTN LAURA DI BATTISTA	45 RODINEA RD MAPLE ON	143.3	<u>86</u>

REC - Ontario Regulation 347 Waste Receivers Summary

A search of the REC database, dated 1986-1990, 1992-2019 has found that there are 1 REC site(s) within approximately 0.26 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
ACCURATE INDUSTRIAL WASTE LIMITED	45 RODINEA ROAD, UNITS 1-3 VAUGHAN ON L6A 1R3	143.3	<u>86</u>

SCT - Scott's Manufacturing Directory

A search of the SCT database, dated 1992-Mar 2011* has found that there are 12 SCT site(s) within approximately 0.26 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
L.A. Store Fixtures	45 Rodinea Rd Unit 6 Maple ON L6A 1R3	143.3	<u>86</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
L.A. Store Fixtures	45 Rodinea Rd Unit 6 Vaughan ON L6A 1R3	143.3	<u>86</u>
D.C.L. COMPANY INC.	45 RODINEA RD MAPLE ON L6A 1R3	143.3	<u>86</u>
Doors & More By D.D.R. Ltd.	67 Rodinea Rd Unit 8 Maple ON L6A 1R3	204.4	<u>92</u>
DOORS & MORE BY DDR LTD.	67 RODINEA RD UNIT 7 MAPLE ON L6A 1R3	204.4	<u>92</u>
JAGER INDUSTRIES INC.	21 RODINEA RD UNIT 1 MAPLE ON L6A 1R3	52.5	<u>100</u>
COMPTRUSION CORPORATION	21 Rodinea Rd Maple ON L6A 1R3	52.5	<u>100</u>
Automatic Compactors Corp.	75 Rodinea Rd Maple ON L6A 1R3	242.3	<u>101</u>
AUTOMATED COMPACKER CORP.	75 RODINEA RD MAPLE ON L6A 1R3	242.3	<u>101</u>
Connolly Marble & Granite Ltd.	2101 Teston Rd Maple ON L6A 1R3	176.2	<u>108</u>
GLOBAL PRE-CAST CORP.	2101 TESTON RD MAPLE ON L6A 1R3	176.2	<u>108</u>
Global Precast Inc.	2101 Teston Rd Maple ON L6A 1R3	176.2	<u>108</u>

SPL - Ontario Spills

A search of the SPL database, dated 1988-Sep 2020; Dec 2020-Mar 2021 has found that there are 3 SPL site(s) within approximately 0.26 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
TEPPERMAN AND SONS	45 R0DENE RD., MAPLE VAUGHAN CITY ON	143.3	<u>86</u>
	67 Rodinea Rd, Unit 13 Vaughan ON	204.4	<u>92</u>
TRANSPORT TRUCK	DUFFERIN ST. AND TESTON RD. MOTOR VEHICLE (OPERATING FLUID) VAUGHAN CITY ON	16.1	<u>103</u>

WDS - Waste Disposal Sites - MOE CA Inventory

A search of the WDS database, dated Oct 2011- Dec 31, 2022 has found that there are 9 WDS site(s) within approximately 0.26 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Teston View Holdings Inc.	Vaughan ON L6A 1S3	211.6	<u>31</u>
Teston View Holdings Inc.	Part of Lot 26, Concession 3 Vaughan ON M3J 1M8	211.6	<u>31</u>
Teston View Holdings Inc.	Vaughan ON M3J 1M8	211.6	<u>31</u>
Teston View Holdings Inc.	Vaughan ON M3J 1M8	211.6	<u>31</u>
The Corporation of the City of Vaughan	Vaughan ON L6A 1T1	211.6	<u>31</u>
Accurate Industrial Waste Limited	45 Rodinea Rd Vaughan ON L4K 1V5	143.3	<u>86</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
Accurate Industrial Waste Limited	45 Rodinea Rd Vaughan ON L4K 5X1	143.3	<u>86</u>
Accurate Industrial Waste Limited	45 Rodinea Rd Vaughan ON L4K 5X1	143.3	<u>86</u>
Accurate Industrial Waste Limited	45 Rodinea Rd Vaughan ON L4K 5X1	143.3	<u>86</u>

WDSH - Waste Disposal Sites - MOE 1991 Historical Approval Inventory

A search of the WDSH database, dated Up to Oct 1990* has found that there are 1 WDSH site(s) within approximately 0.26 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	PT 24 3 VAUGHAN ON	33.6	<u>80</u>

WWIS - Water Well Information System

A search of the WWIS database, dated Jun 30 2022 has found that there are 100 WWIS site(s) within approximately 0.26 kilometers of the project property.

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 25 con 3 ON <i>Well ID: 6916748</i>	41.8	<u>1</u>
	lot 25 con 3 ON <i>Well ID: 6917131</i>	41.8	<u>1</u>
	lot 25 con 3 ON <i>Well ID: 6914954</i>	15.3	<u>2</u>
	lot 25 con 3 ON	66.5	<u>4</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	Well ID: 6914405		
	lot 25 con 3 ON	20.6	<u>5</u>
	Well ID: 6921771		
	lot 26 con 3 ON	59.4	<u>6</u>
	Well ID: 6921770		
	lot 26 con 3 ON	82.7	<u>7</u>
	Well ID: 6916544		
	lot 26 con 3 ON	66.2	<u>8</u>
	Well ID: 6916541		
	lot 25 con 3 ON	14.3	<u>10</u>
	Well ID: 6917133		
	lot 26 con 3 ON	59.4	<u>11</u>
	Well ID: 6916561		
	lot 26 con 3 ON	166.9	<u>12</u>
	Well ID: 6921712		
	2000 Teston Road lot 26 con 3 Vaughan ON	155.9	<u>13</u>
	Well ID: 7326887		
	lot 26 con 3 ON	184.9	<u>14</u>
	Well ID: 6921713		
	lot 26 con 3 ON	184.9	<u>14</u>
	Well ID: 6921714		
	2000 Teston Road lot 26 con 3 Vaughan ON	171.7	<u>15</u>
	Well ID: 7326889		

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 25 con 3 ON <i>Well ID:</i> 6913502	187.0	<u>16</u>
	lot 26 con 3 ON <i>Well ID:</i> 6916560	59.2	<u>17</u>
	lot 26 con 3 ON <i>Well ID:</i> 6916547	61.1	<u>18</u>
	ON <i>Well ID:</i> 7238338	195.0	<u>19</u>
	lot 26 con 3 ON <i>Well ID:</i> 6916559	56.4	<u>20</u>
	ON <i>Well ID:</i> 7178752	56.4	<u>21</u>
	lot 25 con 3 ON <i>Well ID:</i> 6917139	22.2	<u>22</u>
	lot 25 con 3 ON <i>Well ID:</i> 6917138	14.7	<u>23</u>
	lot 25 con 3 ON <i>Well ID:</i> 6916551	17.8	<u>24</u>
	lot 26 con 3 ON <i>Well ID:</i> 6916542	61.3	<u>25</u>
	lot 26 con 3 ON <i>Well ID:</i> 6916558	54.4	<u>26</u>
	2000 Teston Road lot 26 con 3 Vaughan ON	257.9	<u>27</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	Well ID: 7326888		
	lot 26 con 3 ON	35.8	<u>28</u>
	Well ID: 6917150		
	lot 25 con 3 ON	219.2	<u>29</u>
	Well ID: 6913504		
	lot 26 con 3 ON	56.7	<u>30</u>
	Well ID: 6916540		
	lot 26 con 3 ON	210.5	<u>32</u>
	Well ID: 6923872		
	lot 26 con 3 ON	210.5	<u>32</u>
	Well ID: 6923873		
	lot 26 con 3 ON	33.3	<u>33</u>
	Well ID: 6916546		
	lot 26 con 3 ON	211.3	<u>34</u>
	Well ID: 6926927		
	lot 26 con 3 ON	211.3	<u>34</u>
	Well ID: 6926928		
	lot 26 con 3 ON	38.4	<u>35</u>
	Well ID: 6916557		
	lot 25 con 3 ON	195.4	<u>36</u>
	Well ID: 6923866		
	lot 25 con 3 ON	195.4	<u>36</u>
	Well ID: 6923487		

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 25 con 3 ON <i>Well ID:</i> 6923488	195.4	<u>36</u>
	lot 25 con 3 ON <i>Well ID:</i> 6923489	195.4	<u>36</u>
	lot 25 con 3 ON <i>Well ID:</i> 6923490	195.4	<u>36</u>
	lot 26 con 3 ON <i>Well ID:</i> 6916556	33.8	<u>37</u>
	lot 25 con 3 ON <i>Well ID:</i> 6917149	84.4	<u>38</u>
	lot 25 con 3 ON <i>Well ID:</i> 6917129	35.4	<u>39</u>
	lot 26 con 3 ON <i>Well ID:</i> 6916555	22.5	<u>40</u>
	ON <i>Well ID:</i> 7178749	141.9	<u>41</u>
	CITY OF TORONTO ON <i>Well ID:</i> 7178753	43.0	<u>42</u>
	lot 26 con 3 ON <i>Well ID:</i> 6916554	40.6	<u>43</u>
	lot 26 con 3 ON <i>Well ID:</i> 6917130	42.6	<u>44</u>
	lot 25 con 3 ON	109.7	<u>45</u>


<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	Well ID: 6917146		
	lot 26 con 3 ON	33.5	<u>46</u>
	Well ID: 6916553		
	lot 26 con 3 ON	82.4	<u>48</u>
	Well ID: 6916548		
	lot 26 con 3 ON	38.3	<u>49</u>
	Well ID: 6912326		
	1600 TESTON RD Vaughan ON	82.8	<u>50</u>
	Well ID: 7279678		
	lot 62 con 3 ON	31.7	<u>51</u>
	Well ID: 6916543		
	lot 25 con 3 ON	32.8	<u>52</u>
	Well ID: 6917147		
	lot 25 con 3 ON	105.7	<u>53</u>
	Well ID: 6917144		
	lot 25 con 3 ON	105.7	<u>53</u>
	Well ID: 6917145		
	lot 25 con 3 ON	136.1	<u>54</u>
	Well ID: 6917151		
	lot 26 con 3 ON	26.6	<u>55</u>
	Well ID: 6916539		
	1600 TESTON RD Vaughan ON	59.1	<u>56</u>
	Well ID: 7279679		

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 25 con 3 ON <i>Well ID:</i> 6917137	10.0	<u>57</u>
	lot 26 con 3 ON <i>Well ID:</i> 6916538	23.8	<u>58</u>
	lot 25 con 3 ON <i>Well ID:</i> 6906481	136.9	<u>59</u>
	1600 TESTON RD Vaughan ON <i>Well ID:</i> 7280873	216.6	<u>60</u>
	lot 26 con 3 ON <i>Well ID:</i> 6916552	30.0	<u>63</u>
	lot 26 con 3 ON <i>Well ID:</i> 6917136	29.0	<u>64</u>
	lot 25 con 3 ON <i>Well ID:</i> 6915076	254.8	<u>65</u>
	1600 TESTON RD VAUGHAN ON <i>Well ID:</i> 7312186	104.0	<u>66</u>
	lot 25 con 3 ON <i>Well ID:</i> 6916550	44.1	<u>67</u>
	lot 25 con 3 ON <i>Well ID:</i> 6916549	37.4	<u>68</u>
	lot 26 con 3 ON <i>Well ID:</i> 6906488	173.8	<u>69</u>
	1600 TESTON RD Vaughan ON	206.9	<u>70</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	Well ID: 7279677		
	lot 25 con 3 ON	214.9	<u>71</u>
	Well ID: 6919996		
	lot 25 con 3 ON	214.9	<u>71</u>
	Well ID: 6919998		
	lot 25 con 3 ON	214.9	<u>71</u>
	Well ID: 6919999		
	lot 25 con 1 ON	214.9	<u>71</u>
	Well ID: 6919997		
	RODINEA RD Vaughan ON	190.2	<u>72</u>
	Well ID: 7321128		
	RODINEA RD Vaughan ON	210.1	<u>73</u>
	Well ID: 7321126		
	ON	225.6	<u>75</u>
	Well ID: 7231487		
	lot 26 con 3 ON	38.3	<u>76</u>
	Well ID: 6910961		
	lot 25 con 3 ON	6.9	<u>77</u>
	Well ID: 6906482		
	ON	179.2	<u>81</u>
	Well ID: 7202166		
	108000 DUFFERIN STREET MAPLE ON	131.7	<u>82</u>
	Well ID: 7151751		

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	lot 26 con 3 ON Well ID: 6916675	114.4	<u>83</u>
	lot 25 con 3 ON Well ID: 6924147	41.4	<u>84</u>
	lot 25 con 3 ON Well ID: 6914789	159.2	<u>89</u>
	21 Rodinea Road Vaughan ON Well ID: 7349508	20.0	<u>90</u>
	lot 25 con 3 ON Well ID: 6924146	111.6	<u>93</u>
	RODINEA RD Vaughan ON Well ID: 7321127	186.4	<u>95</u>
	DUFFERIN ST ON Well ID: 7318556	205.3	<u>97</u>
	lot 25 con 3 ON Well ID: 6906483	249.9	<u>98</u>
	lot 26 con 3 ON Well ID: 6921856	69.7	<u>105</u>
	lot 25 con 3 ON Well ID: 6915402	256.2	<u>106</u>
	lot 25 con 3 ON Well ID: 6913686	201.9	<u>107</u>
	lot 26 con 3 VAUGHAN ON	237.1	<u>109</u>

<u>Site</u>	<u>Address</u>	<u>Distance (m)</u>	<u>Map Key</u>
	<i>Well ID: 7273823</i>		
	lot 26 con 3 VAUGHAN ON	239.7	<u>110</u>
	<i>Well ID: 7273816</i>		
	lot 26 con 3 VAUGHAN ON	214.2	<u>111</u>
	<i>Well ID: 7273822</i>		
	lot 26 con 3 VAUGHAN ON	240.4	<u>112</u>
	<i>Well ID: 7273821</i>		
	lot 25 con 3 ON	225.9	<u>113</u>
	<i>Well ID: 6906485</i>		



Map: 0.26 Kilometer Radius

Order Number: 22090200347

Address: Teston Rd, Vaughan, ON



Project Property	Freeways; Highways	Beach	Shopping & Sports Area
Buffer Outline	Traffic Circle; Ramp	Airport	University/College
Eris Sites with Higher Elevation	Major Arterial; Minor Arterial	Industrial Area	Cemetery; Golf Course
Eris Sites with Same Elevation	Local Road	Military Base	Parkt (National)
Eris Sites with Lower Elevation	Service Road; Traffic Circle; Ramp	Aircraft Roads	Park (City/County)
Eris Sites with Unknown Elevation	Rail	Native Reservation	Hospital



Aerial

Year: 2021

Order Number: 22090200347

Address: Teston Rd, Vaughan, ON



Source: ESRI World Imagery

© ERIS Information Limited Partnership

Detail Report

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
1	1 of 2	ESE/41.8	284.8 / -0.59	lot 25 con 3 ON	WWIS
Well ID:		6916748		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Not Used		Data Entry Status:	
Use 2nd:				Data Src: 1	
Final Well Status:		Observation Wells		Date Received: 14-Jul-1983 00:00:00	
Water Type:				Selected Flag: TRUE	
Casing Material:				Abandonment Rec:	
Audit No:				Contractor: 2801	
Tag:				Form Version: 1	
Constructn Method:				Owner:	
Elevation (m):				County: YORK	
Elevatn Reliabilty:				Lot: 025	
Depth to Bedrock:				Concession: 03	
Well Depth:				Concession Name: CON	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		VAUGHAN TOWN (VAUGHAN TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6916748.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		1983/05/31			
Year Completed:		1983			
Depth (m):		67.3608			
Latitude:		43.8769437500518			
Longitude:		-79.5006137621289			
Path:		691\6916748.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10507149			
DP2BR:					
Spatial Status:					
Code OB:					
Code OB Desc:					
Open Hole:					
Cluster Kind:					
Date Completed:		31-May-1983 00:00:00			
Remarks:					
Loc Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
		Elevation: Elevrc: Zone: 17 East83: 620460.70 North83: 4859298.00 Org CS: UTMRC: 5 UTMRC Desc: margin of error : 100 m - 300 m Location Method: wwr			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:			932781687		
Layer:			7		
Color:					
General Color:					
Mat1:			09		
Most Common Material:			MEDIUM SAND		
Mat2:			05		
Mat2 Desc:			CLAY		
Mat3:			30		
Mat3 Desc:			MEDIUM GRAVEL		
Formation Top Depth:			162.0		
Formation End Depth:			172.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:			932781686		
Layer:			6		
Color:					
General Color:					
Mat1:			30		
Most Common Material:			MEDIUM GRAVEL		
Mat2:			10		
Mat2 Desc:			COARSE SAND		
Mat3:					
Mat3 Desc:					
Formation Top Depth:			150.0		
Formation End Depth:			162.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:			932781683		
Layer:			3		
Color:					
General Color:					
Mat1:			08		
Most Common Material:			FINE SAND		
Mat2:			05		
Mat2 Desc:			CLAY		
Mat3:			84		
Mat3 Desc:			SILTY		
Formation Top Depth:			81.0		
Formation End Depth:			112.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:			932781685		
Layer:			5		
Color:					
General Color:					
Mat1:			08		
Most Common Material:			FINE SAND		
Mat2:			11		
Mat2 Desc:			GRAVEL		
Mat3:			05		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3 Desc:		CLAY			
Formation Top Depth:		139.0			
Formation End Depth:		150.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781688			
Layer:		8			
Color:					
General Color:					
Mat1:		06			
Most Common Material:		SILT			
Mat2:		08			
Mat2 Desc:		FINE SAND			
Mat3:		11			
Mat3 Desc:		GRAVEL			
Formation Top Depth:		172.0			
Formation End Depth:		181.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781682			
Layer:		2			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		35.0			
Formation End Depth:		81.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781681			
Layer:		1			
Color:					
General Color:					
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		35.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781689			
Layer:		9			
Color:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		11			
Mat3 Desc:		GRAVEL			
Formation Top Depth:		181.0			
Formation End Depth:		221.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781684			
Layer:		4			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		84			
Mat2 Desc:		SILTY			
Mat3:		05			
Mat3 Desc:		CLAY			
Formation Top Depth:		112.0			
Formation End Depth:		139.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933212195			
Layer:		2			
Plug From:		140.0			
Plug To:		134.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933212194			
Layer:		1			
Plug From:		178.0			
Plug To:		173.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933212196			
Layer:		3			
Plug From:		98.0			
Plug To:		88.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966916748			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Pipe Information</u>					
Pipe ID:		11055719			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930820488			
Layer:		2			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		68.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930820489			
Layer:		3			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		146.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930820487			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		40.0			
Casing Diameter:		10.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933394624			
Layer:		1			
Slot:		010			
Screen Top Depth:		162.0			
Screen End Depth:		178.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Links</u>					
Bore Hole ID:	10507149			Tag No:	
Depth M:	67.3608			Contractor:	2801
Year Completed:	1983			Path:	691\6916748.pdf

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well Completed Dt:		1983/05/31		Latitude:	43.8769437500518
Audit No:				Longitude:	-79.5006137621289
1	2 of 2	ESE/41.8	284.8 / -0.59	lot 25 con 3 ON	WWIS
Well ID:		6917131		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Not Used		Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:		Observation Wells		Date Received:	10-Jul-1984 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2801
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	025
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		VAUGHAN TOWN (VAUGHAN TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6917131.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		1983/05/31			
Year Completed:		1983			
Depth (m):		106.9848			
Latitude:		43.8769437500518			
Longitude:		-79.5006137621289			
Path:		691\6917131.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10507480		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	620460.70
Code OB Desc:				North83:	4859298.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:		31-May-1983 00:00:00		UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	wwr
Loc Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932783465			
Laver:		5			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		73			
Mat3 Desc:		HARD			
Formation Top Depth:		139.0			
Formation End Depth:		150.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932783466			
Layer:		6			
Color:					
General Color:					
Mat1:		30			
Most Common Material:		MEDIUM GRAVEL			
Mat2:		10			
Mat2 Desc:		COARSE SAND			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		150.0			
Formation End Depth:		162.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932783471			
Layer:		11			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		08			
Mat2 Desc:		FINE SAND			
Mat3:		29			
Mat3 Desc:		FINE GRAVEL			
Formation Top Depth:		221.0			
Formation End Depth:		231.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932783462			
Layer:		2			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		50.0			
Formation End Depth:		80.0			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783461			
Layer:		1			
Color:					
General Color:					
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		50.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783467			
Layer:		7			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		10			
Mat2 Desc:		COARSE SAND			
Mat3:		31			
Mat3 Desc:		COARSE GRAVEL			
Formation Top Depth:		162.0			
Formation End Depth:		172.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783477			
Layer:		17			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		84			
Mat2 Desc:		SILTY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		341.0			
Formation End Depth:		351.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783463			
Layer:		3			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		84			
Mat2 Desc:		SILTY			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3:		05			
Mat3 Desc:		CLAY			
Formation Top Depth:		80.0			
Formation End Depth:		112.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783470			
Layer:		10			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		11			
Mat3 Desc:		GRAVEL			
Formation Top Depth:		209.0			
Formation End Depth:		221.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783472			
Layer:		12			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		08			
Mat2 Desc:		FINE SAND			
Mat3:		06			
Mat3 Desc:		SILT			
Formation Top Depth:		231.0			
Formation End Depth:		265.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783475			
Layer:		15			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		28			
Mat3 Desc:		SAND			
Formation Top Depth:		321.0			
Formation End Depth:		331.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783474			
Layer:		14			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:					
General Color:					
Mat1:			05		
Most Common Material:			CLAY		
Mat2:			28		
Mat2 Desc:			SAND		
Mat3:			85		
Mat3 Desc:			SOFT		
Formation Top Depth:			295.0		
Formation End Depth:			321.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			932783473		
Layer:			13		
Color:					
General Color:					
Mat1:			06		
Most Common Material:			SILT		
Mat2:			61		
Mat2 Desc:			CLAYEY		
Mat3:			28		
Mat3 Desc:			SAND		
Formation Top Depth:			265.0		
Formation End Depth:			295.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			932783476		
Layer:			16		
Color:					
General Color:					
Mat1:			05		
Most Common Material:			CLAY		
Mat2:			08		
Mat2 Desc:			FINE SAND		
Mat3:			11		
Mat3 Desc:			GRAVEL		
Formation Top Depth:			331.0		
Formation End Depth:			341.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			932783468		
Layer:			8		
Color:					
General Color:					
Mat1:			05		
Most Common Material:			CLAY		
Mat2:			06		
Mat2 Desc:			SILT		
Mat3:			28		
Mat3 Desc:			SAND		
Formation Top Depth:			172.0		
Formation End Depth:			181.0		
Formation End Depth UOM:			ft		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783464			
Layer:		4			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		08			
Mat2 Desc:		FINE SAND			
Mat3:		06			
Mat3 Desc:		SILT			
Formation Top Depth:		112.0			
Formation End Depth:		139.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783469			
Layer:		9			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		08			
Mat2 Desc:		FINE SAND			
Mat3:		06			
Mat3 Desc:		SILT			
Formation Top Depth:		181.0			
Formation End Depth:		209.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933212206			
Layer:		2			
Plug From:		134.0			
Plug To:		140.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933212207			
Layer:		3			
Plug From:		173.0			
Plug To:		178.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933212205			
Layer:		1			
Plug From:		32.0			
Plug To:		35.0			
Plug Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966917131			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11056050			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930820886			
Layer:		2			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:		146.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930820885			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		40.0			
Casing Diameter:		10.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933394834			
Layer:		1			
Slot:		010			
Screen Top Depth:		146.0			
Screen End Depth:		162.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Links</u>					
Bore Hole ID:	10507480			Tag No:	
Depth M:	106.9848			Contractor:	2801
Year Completed:	1983			Path:	691\6917131.pdf
Well Completed Dt:	1983/05/31			Latitude:	43.8769437500518
Audit No:				Longitude:	-79.5006137621289
2	1 of 1	ENE/15.3	279.3 / -6.07	lot 25 con 3 ON	WWIS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well ID:	6914954			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Test Hole			Date Received:	25-Apr-1979 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2801
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	025
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		VAUGHAN TOWN (VAUGHAN TWP)			
Site Info:					
PDF URL (Map):					
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	1978/11/24				
Year Completed:	1978				
Depth (m):	42.9768				
Latitude:	43.8775265037889				
Longitude:	-79.5004248864705				
Path:					
<u>Bore Hole Information</u>					
Bore Hole ID:	10505524			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	620474.70
Code OB Desc:				North83:	4859363.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	24-Nov-1978 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Loc Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	932773056				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	28				
Most Common Material:	SAND				
Mat2:					
Mat2 Desc:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		40.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932773062			
Layer:		7			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		84			
Mat2 Desc:		SILTY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		138.0			
Formation End Depth:		141.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932773058			
Layer:		3			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		84			
Mat2 Desc:		SILTY			
Mat3:		61			
Mat3 Desc:		CLAYEY			
Formation Top Depth:		51.0			
Formation End Depth:		79.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932773060			
Layer:		5			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		84			
Mat2 Desc:		SILTY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		118.0			
Formation End Depth:		127.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932773059			
Layer:		4			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		79.0			
Formation End Depth:		118.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932773057			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		40.0			
Formation End Depth:		51.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932773061			
Layer:		6			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		62			
Mat2 Desc:		CLEAN			
Mat3:		81			
Mat3 Desc:		SANDY			
Formation Top Depth:		127.0			
Formation End Depth:		138.0			
Formation End Depth UOM:		ft			
 <u>Annular Space/Abandonment</u> <u>Sealing Record</u>					
Plug ID:		933212180			
Layer:		1			
Plug From:		0.0			
Plug To:		20.0			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment</u> <u>Sealing Record</u>					
Plug ID:		933212181			
Layer:		2			
Plug From:		20.0			
Plug To:		50.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933212182			
Layer:		3			
Plug From:		50.0			
Plug To:		118.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966914954			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11054094			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930818628			
Layer:		1			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996914954			
Pump Set At:					
Static Level:		93.0			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:		1			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		No			
<u>Water Details</u>					
Water ID:		933998143			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer: 1 Kind Code: 5 Kind: Not stated Water Found Depth: 92.0 Water Found Depth UOM: ft					
Links					
Bore Hole ID: 10505524 Depth M: 42.9768 Year Completed: 1978 Well Completed Dt: 1978/11/24 Audit No:					
Tag No: Contractor: 2801 Path: Latitude: 43.8775265037889 Longitude: -79.5004248864705					
3	1 of 2	WSW/1.2	287.4 / 2.01	ARBOREA WOOD PRODUCTS INC. 1901 TESTON ROAD VAUGHAN ON L6A 1S8	GEN
Generator No: ON2355600 SIC Code: 4211 SIC Description: WRECKING & DEMO. Approval Years: 97,98 PO Box No: Country: Status: Co Admin: Choice of Contact: Phone No Admin: Contaminated Facility: MHSW Facility:					
Detail(s)					
Waste Class: 252 Waste Class Name: WASTE OILS & LUBRICANTS					
3	2 of 2	WSW/1.2	287.4 / 2.01	ARBOREA WO(OUT OF BUSINESS) 1901 TESTON ROAD VAUGHAN ON L6A 1S8	GEN
Generator No: ON2355600 SIC Code: 4211 SIC Description: WRECKING & DEMO. Approval Years: 99 PO Box No: Country: Status: Co Admin: Choice of Contact: Phone No Admin: Contaminated Facility: MHSW Facility:					
Detail(s)					
Waste Class: 252 Waste Class Name: WASTE OILS & LUBRICANTS					
4	1 of 1	SSW/66.5	286.8 / 1.38	lot 25 con 3 ON	WWIS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well ID:	6914405			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Commerical			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	28-Feb-1978 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	1663
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	025
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	VAUGHAN TOWN (VAUGHAN TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6914405.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	1977/05/24				
Year Completed:	1977				
Depth (m):	56.9976				
Latitude:	43.8764627540485				
Longitude:	-79.5016962577047				
Path:	691\6914405.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10504981			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	620374.70
Code OB Desc:				North83:	4859243.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	24-May-1977 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Loc Method Desc:	Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932770343				
Layer:	3				
Color:	6				
General Color:	BROWN				
Mat1:	08				
Most Common Material:	FINE SAND				
Mat2:					
Mat2 Desc:					
Mat3:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3 Desc:					
Formation Top Depth:		80.0			
Formation End Depth:		135.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932770345			
Layer:		5			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		144.0			
Formation End Depth:		149.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932770347			
Layer:		7			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		170.0			
Formation End Depth:		187.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932770341			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		18.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932770342			
Layer:		2			
Color:		6			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:		BROWN			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		18.0			
Formation End Depth:		80.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932770346			
Layer:		6			
Color:		2			
General Color:		GREY			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		149.0			
Formation End Depth:		170.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932770344			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		135.0			
Formation End Depth:		144.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		966914405			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11053551			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID:		930818039			
Layer:		2			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:		156.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Casing</u>					
Casing ID:		930818038			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		140.0			
Casing Diameter:		5.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933393156			
Layer:		1			
Slot:		008			
Screen Top Depth:		156.0			
Screen End Depth:		162.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		5.0			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		996914405			
Pump Set At:					
Static Level:		116.0			
Final Level After Pumping:		155.0			
Recommended Pump Depth:		155.0			
Pumping Rate:		4.0			
Flowing Rate:					
Recommended Pump Rate:		4.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		No			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934365337			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		155.0			
Test Level UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Water Details</u>					
Water ID:		933997570			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		150.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:	10504981			Tag No:	
Depth M:	56.9976			Contractor:	1663
Year Completed:	1977			Path:	691\6914405.pdf
Well Completed Dt:	1977/05/24			Latitude:	43.8764627540485
Audit No:				Longitude:	-79.5016962577047
5	1 of 1	E/20.6	279.5 / -5.92	lot 25 con 3 ON	WWIS
Well ID:	6921771			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Not Used			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Observation Wells			Date Received:	06-Feb-1992 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	116578			Contractor:	6518
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	025
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		VAUGHAN TOWN (VAUGHAN TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6921771.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	1991/12/20				
Year Completed:	1991				
Depth (m):					
Latitude:	43.8772611903597				
Longitude:	-79.5001041843078				
Path:	692\6921771.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10512077			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	620501.00
Code OB Desc:				North83:	4859334.00
Open Hole:				Org CS:	N83
Cluster Kind:				UTMRC:	3
Date Completed:	20-Dec-1991 00:00:00			UTMRC Desc:	margin of error : 10 - 30 m

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Remarks:			Location Method:		
Loc Method Desc:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Method of Construction & Well Use</u>					
Method Construction ID:			966921771		
Method Construction Code:			B		
Method Construction:			Other Method		
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:			11060647		
Casing No:			1		
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:			930826196		
Layer:			1		
Material:			5		
Open Hole or Material:			PLASTIC		
Depth From:					
Depth To:			0.0		
Casing Diameter:			2.0		
Casing Diameter UOM:			inch		
Casing Depth UOM:			ft		
 <u>Construction Record - Screen</u>					
Screen ID:			933398031		
Layer:			1		
Slot:			010		
Screen Top Depth:			105.0		
Screen End Depth:			115.0		
Screen Material:					
Screen Depth UOM:			ft		
Screen Diameter UOM:			inch		
Screen Diameter:			2.0		
 <u>Water Details</u>					
Water ID:			934004573		
Layer:			1		
Kind Code:			1		
Kind:			FRESH		
Water Found Depth:			106.0		
Water Found Depth UOM:			ft		
 <u>Links</u>					
Bore Hole ID:			10512077		Tag No:
Depth M:					Contractor:
					6518

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Year Completed:	1991			Path:	692\6921771.pdf
Well Completed Dt:	1991/12/20			Latitude:	43.8772611903597
Audit No:	116578			Longitude:	-79.5001041843078

6	1 of 1	WNW/59.4	285.2 / -0.15	lot 26 con 3 ON	WWIS
Well ID:	6921770			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Not Used			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Observation Wells			Date Received:	06-Feb-1992 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	116577			Contractor:	6518
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	026
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		VAUGHAN TOWN (VAUGHAN TWP)			
Site Info:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6921770.pdf

Additional Detail(s) (Map)

Well Completed Date: 1991/12/21
Year Completed: 1991
Depth (m):
Latitude: 43.8774894493543
Longitude: -79.5024049043449
Path: 692\6921770.pdf

Bore Hole Information

Bore Hole ID:	10512076	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	620315.70
Code OB Desc:		North83:	4859356.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	21-Dec-1991 00:00:00	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	wwr
Loc Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Method of Construction & Well Use

Method Construction ID: 966921770

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction Code:		0			
Method Construction:		Not Known			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11060646			
Casing No:		1			
Comment:					
Alt Name:					
<u>Water Details</u>					
Water ID:		934004569			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		68.0			
Water Found Depth UOM:		ft			
<u>Water Details</u>					
Water ID:		934004571			
Layer:		3			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		69.0			
Water Found Depth UOM:		ft			
<u>Water Details</u>					
Water ID:		934004572			
Layer:		4			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		69.0			
Water Found Depth UOM:		ft			
<u>Water Details</u>					
Water ID:		934004570			
Layer:		2			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		69.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:		10512076		Tag No:	
Depth M:				Contractor:	6518
Year Completed:		1991		Path:	692\6921770.pdf
Well Completed Dt:		1991/12/21		Latitude:	43.8774894493543
Audit No:		116577		Longitude:	-79.5024049043449
7	1 of 1	NNE/82.7	276.8 / -8.56	lot 26 con 3 ON	WWIS
Well ID:		6916544		Flowing (Y/N):	
Construction Date:				Flow Rate:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Use 1st:	Not Used Abandoned-Other			Data Entry Status:	
Use 2nd:				Data Src: 1	
Final Well Status:				Date Received: 22-Feb-1983 00:00:00	
Water Type:				Selected Flag: TRUE	
Casing Material:				Abandonment Rec:	
Audit No:				Contractor: 2801	
Tag:				Form Version: 1	
Constructn Method:				Owner:	
Elevation (m):				County: YORK	
Elevatn Reliabilty:				Lot: 026	
Depth to Bedrock:				Concession: 03	
Well Depth:				Concession Name: CON	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:			UTM Reliability:		
Municipality:		VAUGHAN TOWN (VAUGHAN TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6916544.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		1981/12/15			
Year Completed:		1981			
Depth (m):		18.5928			
Latitude:		43.8780549077552			
Longitude:		-79.50089707287			
Path:		691\6916544.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10507020		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	620435.70
Code OB Desc:				North83:	4859421.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:		15-Dec-1981 00:00:00		UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	wwr
Loc Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932780953			
Layer:		2			
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		7.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		14.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932780956			
Layer:		5			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		84			
Mat2 Desc:		SILTY			
Mat3:		05			
Mat3 Desc:		CLAY			
Formation Top Depth:		32.0			
Formation End Depth:		39.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932780957			
Layer:		6			
Color:					
General Color:					
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:		30			
Mat2 Desc:		MEDIUM GRAVEL			
Mat3:		06			
Mat3 Desc:		SILT			
Formation Top Depth:		39.0			
Formation End Depth:		61.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932780954			
Layer:		3			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		84			
Mat2 Desc:		SILTY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		14.0			
Formation End Depth:		17.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932780955			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		08			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Most Common Material:					
Mat2:		FINE SAND			
Mat2 Desc:		06			
Mat3:		SILT			
Mat3 Desc:					
Formation Top Depth:		17.0			
Formation End Depth:		32.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932780952			
Layer:		1			
Color:					
General Color:					
Mat1:		35			
Most Common Material:		WOOD FRAGMENTS			
Mat2:		01			
Mat2 Desc:		FILL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		7.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966916544			
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11055590			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930820325			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		17.0			
Casing Diameter:		16.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930820327			
Layer:		3			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:		27.0			
Casing Diameter:		2.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930820326			
Layer:		2			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:		20.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933394549			
Layer:		1			
Slot:		010			
Screen Top Depth:		20.0			
Screen End Depth:		26.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		996916544			
Pump Set At:					
Static Level:		22.0			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		No			
<u>Links</u>					
Bore Hole ID:		10507020		Tag No:	
Depth M:		18.5928		Contractor:	2801
Year Completed:		1981		Path:	691\6916544.pdf
Well Completed Dt:		1981/12/15		Latitude:	43.8780549077552
Audit No:				Longitude:	-79.50089707287
8	1 of 1	W/66.2	285.1 / -0.31	lot 26 con 3 ON	WWIS
Well ID:		6916541		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Not Used		Data Entry Status:	
Use 2nd:				Data Src:	1

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Final Well Status:	Unfinished			Date Received:	22-Feb-1983 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2801
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	026
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	VAUGHAN TOWN (VAUGHAN TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6916541.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	1981/11/02				
Year Completed:	1981				
Depth (m):	14.3256				
Latitude:	43.8774758512867				
Longitude:	-79.5027413165378				
Path:	691\6916541.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10507017			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	620288.70
Code OB Desc:				North83:	4859354.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	02-Nov-1981 00:00:00			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	wwr
Loc Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932780938				
Layer:	5				
Color:	2				
General Color:	GREY				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	28				
Mat2 Desc:	SAND				
Mat3:	85				
Mat3 Desc:	SOFT				
Formation Top Depth:	39.0				
Formation End Depth:	47.0				
Formation End Depth UOM:	ft				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932780936			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		84			
Mat2 Desc:		SILTY			
Mat3:		74			
Mat3 Desc:		LAYERED			
Formation Top Depth:		9.0			
Formation End Depth:		29.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932780937			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		29.0			
Formation End Depth:		39.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932780934			
Layer:		1			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		01			
Mat3 Desc:		FILL			
Formation Top Depth:		0.0			
Formation End Depth:		6.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932780935			
Layer:		2			
Color:					
General Color:					
Mat1:		35			
Most Common Material:		WOOD FRAGMENTS			
Mat2:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		6.0			
Formation End Depth:		9.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		966916541			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11055587			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930820318			
Layer:		2			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:		19.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Casing</u>					
Casing ID:		930820319			
Layer:		3			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:		21.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Casing</u>					
Casing ID:		930820317			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		13.0			
Casing Diameter:		16.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933394546			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		1			
Slot:		010			
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996916541			
Pump Set At:					
Static Level:		17.0			
Final Level After Pumping:		22.0			
Recommended Pump Depth:		28.0			
Pumping Rate:		4.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:		1			
Pumping Duration HR:		25			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934362647			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		19.0			
Test Level UOM:		ft			
<u>Links</u>					
Bore Hole ID:	10507017			Tag No:	
Depth M:	14.3256			Contractor:	2801
Year Completed:	1981			Path:	691\6916541.pdf
Well Completed Dt:	1981/11/02			Latitude:	43.8774758512867
Audit No:				Longitude:	-79.5027413165378

9	1 of 1	WNW/92.7	284.4 / -1.03	ON	BORE
Borehole ID:	590656			Inclin FLG:	No
OGF ID:	215501251			SP Status:	Initial Entry
Status:	Unknown			Surv Elev:	No
Type:	Outcrop			Piezometer:	No
Use:				Primary Name:	OGS-OLW-62-239
Completion Date:				Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	43.877651
Total Depth m:	.9			Longitude DD:	-79.503069
Depth Ref:	Ground Surface			UTM Zone:	17
Depth Elev:				Easting:	620262
Drill Method:				Northing:	4859373
Orig Ground Elev m:	286			Location Accuracy:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m: 276					
Concession:					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID: 218339700				Mat Consistency:	
Top Depth: 0				Material Moisture:	
Bottom Depth: .9				Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1: Sand				Geologic Formation:	
Material 2: Silt				Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description: sand, silty sand, topsoil					
Stratum Description: sa si **Note: Many records provided by the department have a truncated [Stratum Description] field.					
<u>Source</u>					
Source Type: Data Survey				Source Appl:	Spatial/Tabular
Source Orig: Ontario Geological Survey				Source Iden:	6
Source Date: Varies to 2004				Scale or Res:	1:50,000
Confidence: H				Horizontal:	NAD83
Observatio:				Verticalda:	Mean Average Sea Level
Source Name: Ontario Geological Survey Fieldwork Mapping					
Source Details: YPDT Master Database A: 656590688					
Confiden 1: Location taken from OGS 1:50,000 maps by CAMC staff or consultants.					
<u>Source List</u>					
Source Identifier: 6				Horizontal Datum:	NAD83
Source Type: Data Survey				Vertical Datum:	Mean Average Sea Level
Source Date: Varies to 2004				Projection Name:	Universal Transvers Mercator
Scale or Resolution: 1:50,000					
Source Name: Ontario Geological Survey Fieldwork Mapping					
Source Originators: Ontario Geological Survey					
10	1 of 1	WSW/14.3	288.5 / 3.10	lot 25 con 3 ON	WWIS
Well ID: 6917133				Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st: Not Used				Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status: Observation Wells				Date Received:	10-Jul-1984 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2801
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	025
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality: VAUGHAN TOWN (VAUGHAN TWP)					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6917133.pdf				
Additional Detail(s) (Map)					
Well Completed Date:	1983/04/25				
Year Completed:	1983				
Depth (m):	52.4256				
Latitude:	43.8766256830587				
Longitude:	-79.5031360166809				
Path:	691\6917133.pdf				
Bore Hole Information					
Bore Hole ID:	10507482		Elevation:		
DP2BR:			Elevrc:		
Spatial Status:			Zone:		
Code OB:			East83:		
Code OB Desc:			North83:		
Open Hole:			Org CS:		
Cluster Kind:			UTMRC:		
Date Completed:	25-Apr-1983 00:00:00		UTMRC Desc:		
Remarks:			Location Method:		
Loc Method Desc:	on Water Well Record		wwr		
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
Overburden and Bedrock					
Materials Interval					
Formation ID:	932783486				
Layer:	6				
Color:					
General Color:					
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	06				
Mat2 Desc:	SILT				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	157.0				
Formation End Depth:	172.0				
Formation End Depth UOM:	ft				
Overburden and Bedrock					
Materials Interval					
Formation ID:	932783485				
Layer:	5				
Color:					
General Color:					
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	28				
Mat2 Desc:	SAND				
Mat3:	06				
Mat3 Desc:	SILT				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:		137.0			
Formation End Depth:		157.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783484			
Layer:		4			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		107.0			
Formation End Depth:		137.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783481			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		29			
Mat2 Desc:		FINE GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		41.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783482			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		41.0			
Formation End Depth:		77.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783483			
Layer:		3			
Color:		6			
General Color:		BROWN			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		08			
Mat2 Desc:		FINE SAND			
Mat3:		79			
Mat3 Desc:		PACKED			
Formation Top Depth:		77.0			
Formation End Depth:		107.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933212208			
Layer:		1			
Plug From:		0.0			
Plug To:		130.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933212209			
Layer:		2			
Plug From:		150.0			
Plug To:		172.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966917133			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11056052			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930820890			
Layer:		2			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:		130.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930820889			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth From:					
Depth To:		12.0			
Casing Diameter:		10.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933394836			
Layer:		1			
Slot:		010			
Screen Top Depth:		130.0			
Screen End Depth:		150.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Links</u>					
Bore Hole ID:		10507482		Tag No:	
Depth M:		52.4256		Contractor:	2801
Year Completed:		1983		Path:	691\6917133.pdf
Well Completed Dt:		1983/04/25		Latitude:	43.8766256830587
Audit No:				Longitude:	-79.5031360166809

11	1 of 1	W/59.4	287.0 / 1.63	lot 26 con 3 ON	WWIS
Well ID:	6916561	Flowing (Y/N):			
Construction Date:		Flow Rate:			
Use 1st:	Not Used	Data Entry Status:			
Use 2nd:		Data Src: 1			
Final Well Status:	Unfinished	Date Received: 22-Feb-1983 00:00:00			
Water Type:		Selected Flag: TRUE			
Casing Material:		Abandonment Rec:			
Audit No:		Contractor: 2801			
Tag:		Form Version: 1			
Constructn Method:		Owner:			
Elevation (m):		County: YORK			
Elevatn Reliabilty:		Lot: 026			
Depth to Bedrock:		Concession: 03			
Well Depth:		Concession Name: CON			
Overburden/Bedrock:		Easting NAD83:			
Pump Rate:		Northing NAD83:			
Static Water Level:		Zone:			
Clear/Cloudy:		UTM Reliability:			
Municipality:	VAUGHAN TOWN (VAUGHAN TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6916561.pdf				

Additional Detail(s) (Map)

Well Completed Date: 1982/08/18
Year Completed: 1982
Depth (m): 10.668
Latitude: 43.8772850109398
Longitude: -79.5032937666518
Path: 691\6916561.pdf

Bore Hole Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID:	10507037			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	620244.70
Code OB Desc:				North83:	4859332.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	18-Aug-1982 00:00:00			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	wwr
Loc Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932781070				
Layer:	3				
Color:					
General Color:					
Mat1:	08				
Most Common Material:	FINE SAND				
Mat2:	06				
Mat2 Desc:	SILT				
Mat3:	05				
Mat3 Desc:	CLAY				
Formation Top Depth:	28.0				
Formation End Depth:	35.0				
Formation End Depth UOM:	ft				
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932781069				
Layer:	2				
Color:					
General Color:					
Mat1:	08				
Most Common Material:	FINE SAND				
Mat2:	79				
Mat2 Desc:	PACKED				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	6.0				
Formation End Depth:	28.0				
Formation End Depth UOM:	ft				
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932781068				
Layer:	1				
Color:					
General Color:					
Mat1:	28				
Most Common Material:	SAND				
Mat2:					
Mat2 Desc:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		6.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966916561			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11055607			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930820363			
Layer:		2			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:		17.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930820362			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		10.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933394566			
Layer:		1			
Slot:		010			
Screen Top Depth:		17.0			
Screen End Depth:		30.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996916561			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Set At:					
Static Level:		19.0			
Final Level After Pumping:		23.0			
Recommended Pump Depth:		28.0			
Pumping Rate:		12.0			
Flowing Rate:					
Recommended Pump Rate:		0.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:		1			
Pumping Duration HR:		6			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		935144624			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		23.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934629921			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		23.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934362655			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		23.0			
Test Level UOM:		ft			
<u>Links</u>					
Bore Hole ID:	10507037			Tag No:	
Depth M:	10.668			Contractor:	2801
Year Completed:	1982			Path:	691\6916561.pdf
Well Completed Dt:	1982/08/18			Latitude:	43.8772850109398
Audit No:				Longitude:	-79.5032937666518
12	1 of 1	NNW/166.9	272.4 / -12.97	lot 26 con 3 ON	WWIS
Well ID:	6921712			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Not Used			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Observation Wells			Date Received:	11-Dec-1991 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	116565			Contractor:	6518
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevatn Reliabilty:			Lot:	026	
Depth to Bedrock:			Concession:	03	
Well Depth:			Concession Name:	CON	
Overburden/Bedrock:			Easting NAD83:		
Pump Rate:			Northing NAD83:		
Static Water Level:			Zone:		
Clear/Cloudy:			UTM Reliability:		
Municipality:			VAUGHAN TOWN (VAUGHAN TWP)		
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6921712.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		1991/11/30			
Year Completed:		1991			
Depth (m):		17.6784			
Latitude:		43.8786770696047			
Longitude:		-79.5016532059269			
Path:		692\6921712.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10512018		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	620373.70
Code OB Desc:				North83:	4859489.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:		30-Nov-1991 00:00:00		UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	wwr
Loc Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932810241			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		58.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933214031			
Laver:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug From:		0.0			
Plug To:		3.0			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933214033			
Layer:		3			
Plug From:		5.0			
Plug To:		42.0			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933214032			
Layer:		2			
Plug From:		3.0			
Plug To:		5.0			
Plug Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		966921712			
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11060588			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930826125			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:					
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933397991			
Layer:		1			
Slot:		010			
Screen Top Depth:		48.0			
Screen End Depth:		58.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Water Details</u>					
Water ID:		934004509			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		40.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:	10512018			Tag No:	
Depth M:	17.6784			Contractor:	6518
Year Completed:	1991			Path:	692\6921712.pdf
Well Completed Dt:	1991/11/30			Latitude:	43.8786770696047
Audit No:	116565			Longitude:	-79.5016532059269
13	1 of 1	NNE/155.9	265.6 / -19.81	2000 Teston Road lot 26 con 3 Vaughan ON	WWIS
Well ID:	7326887			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:				Date Received:	25-Jan-2019 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	Yes
Audit No:	Z303822			Contractor:	7238
Tag:	A177011			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	026
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		VAUGHAN TOWN (VAUGHAN TWP)			
Site Info:					
PDF URL (Map):					
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	2018/12/18				
Year Completed:	2018				
Depth (m):					
Latitude:	43.878773601764				
Longitude:	-79.5007757366377				
Path:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1007345607			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	620444.00
Code OB Desc:				North83:	4859501.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	18-Dec-2018 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Remarks: Loc Method Desc: on Water Well Record Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
				Location Method:	WWF
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID: 1007793902 Layer: 1 Plug From: Plug To: Plug Depth UOM:					
<u>Pipe Information</u>					
Pipe ID: 1007791397 Casing No: 0 Comment: Alt Name:					
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc: Pump Test ID: 1007797323 Pump Set At: Static Level: Final Level After Pumping: Recommended Pump Depth: Pumping Rate: Flowing Rate: Recommended Pump Rate: Levels UOM: ft Rate UOM: GPM Water State After Test Code: Water State After Test: Pumping Test Method: 0 Pumping Duration HR: Pumping Duration MIN: Flowing:					
<u>Links</u>					
Bore Hole ID: 1007345607 Depth M: Year Completed: 2018 Well Completed Dt: 2018/12/18 Audit No: Z303822					
Tag No: A177011 Contractor: 7238 Path: 732\7326887.pdf Latitude: 43.878773601764 Longitude: -79.5007757366377					
14	1 of 2	NNW/184.9	269.3 / -16.13	lot 26 con 3 ON	WWIS
Well ID: 6921713 Construction Date: Use 1st: Not Used Use 2nd: Final Well Status: Observation Wells Water Type:					
Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: 1 Date Received: 11-Dec-1991 00:00:00 Selected Flag: TRUE					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Material:			Abandonment Rec:		
Audit No:	116564			Contractor:	6518
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	026
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		VAUGHAN TOWN (VAUGHAN TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6921713.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	1991/11/29				
Year Completed:	1991				
Depth (m):	35.9664				
Latitude:	43.8788480323804				
Longitude:	-79.5016451865103				
Path:	692\6921713.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10512019	Elevation:			
DP2BR:		Elevrc:			
Spatial Status:		Zone:			
Code OB:		East83:			
Code OB Desc:		North83:			
Open Hole:		Org CS:			
Cluster Kind:		UTMRC:			
Date Completed:	29-Nov-1991 00:00:00	UTMRC Desc:			
Remarks:		Location Method:			
Loc Method Desc:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932810243				
Layer:	2				
Color:	2				
General Color:	GREY				
Mat1:	06				
Most Common Material:	SILT				
Mat2:	28				
Mat2 Desc:	SAND				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	58.0				
Formation End Depth:	93.0				
Formation End Depth UOM:	ft				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932810245			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:		06			
Mat3 Desc:		SILT			
Formation Top Depth:		97.0			
Formation End Depth:		105.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932810242			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		58.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932810246			
Layer:		5			
Color:		2			
General Color:		GREY			
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:		09			
Mat2 Desc:		MEDIUM SAND			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		105.0			
Formation End Depth:		118.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932810244			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3 Desc:					
Formation Top Depth:		93.0			
Formation End Depth:		97.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933214036			
Layer:		3			
Plug From:		5.0			
Plug To:		109.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933214034			
Layer:		1			
Plug From:		0.0			
Plug To:		2.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933214035			
Layer:		2			
Plug From:		2.0			
Plug To:		5.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966921713			
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11060589			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930826126			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		0.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen ID: 933397992 Layer: 1 Slot: 020 Screen Top Depth: 105.0 Screen End Depth: 115.0 Screen Material: Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 2.0					
Water Details Water ID: 934004510 Layer: 1 Kind Code: 1 Kind: FRESH Water Found Depth: 44.0 Water Found Depth UOM: ft					
Links Bore Hole ID: 10512019 Depth M: 35.9664 Year Completed: 1991 Well Completed Dt: 1991/11/29 Audit No: 116564 Tag No: Contractor: 6518 Path: 692\6921713.pdf Latitude: 43.8788480323804 Longitude: -79.5016451865103					
14	2 of 2	NNW/184.9	269.3 / -16.13	lot 26 con 3 ON	WWIS
Well ID: 6921714 Construction Date: Use 1st: Not Used Use 2nd: Final Well Status: Observation Wells Water Type: Casing Material: Audit No: 116563 Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: VAUGHAN TOWN (VAUGHAN TWP) Site Info: Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: 1 Date Received: 11-Dec-1991 00:00:00 Selected Flag: TRUE Abandonment Rec: Contractor: 6518 Form Version: 1 Owner: County: YORK Lot: 026 Concession: 03 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6921714.pdf			
Additional Detail(s) (Map) Well Completed Date: 1991/11/29 Year Completed: 1991 Depth (m): 71.9328 Latitude: 43.8788480323804 Longitude: -79.5016451865103 Path: 692\6921714.pdf					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	10512020			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	620374.00
Code OB Desc:				North83:	4859508.00
Open Hole:				Org CS:	N83
Cluster Kind:				UTMRC:	4
Date Completed:	29-Nov-1991 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	
Loc Method Desc:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932810253				
Layer:	7				
Color:	2				
General Color:	GREY				
Mat1:	09				
Most Common Material:	MEDIUM SAND				
Mat2:	10				
Mat2 Desc:	COARSE SAND				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	213.0				
Formation End Depth:	228.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932810254				
Layer:	8				
Color:	2				
General Color:	GREY				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	228.0				
Formation End Depth:	236.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932810251				
Layer:	5				
Color:	2				
General Color:	GREY				
Mat1:	10				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Most Common Material:		COARSE SAND			
Mat2:		09			
Mat2 Desc:		MEDIUM SAND			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		105.0			
Formation End Depth:		125.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932810250			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:		06			
Mat3 Desc:		SILT			
Formation Top Depth:		97.0			
Formation End Depth:		105.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932810248			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		58.0			
Formation End Depth:		93.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932810249			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		93.0			
Formation End Depth:		97.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		932810247			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		58.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932810252			
Layer:		6			
Color:		2			
General Color:		GREY			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		125.0			
Formation End Depth:		213.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933214039			
Layer:		3			
Plug From:		5.0			
Plug To:		214.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933214038			
Layer:		2			
Plug From:		3.0			
Plug To:		5.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933214037			
Layer:		1			
Plug From:		0.0			
Plug To:		3.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction ID: 966921714 Method Construction Code: B Method Construction: Other Method Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID: 11060590 Casing No: 1 Comment: Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID: 930826127 Layer: 1 Material: 5 Open Hole or Material: PLASTIC Depth From: Depth To: 0.0 Casing Diameter: 2.0 Casing Diameter UOM: inch Casing Depth UOM: ft					
<u>Construction Record - Screen</u>					
Screen ID: 933397993 Layer: 1 Slot: 010 Screen Top Depth: 220.0 Screen End Depth: 230.0 Screen Material: Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 2.0					
<u>Water Details</u>					
Water ID: 934004511 Layer: 1 Kind Code: 1 Kind: FRESH Water Found Depth: 45.0 Water Found Depth UOM: ft					
<u>Links</u>					
Bore Hole ID: 10512020 Depth M: 71.9328 Year Completed: 1991 Well Completed Dt: 1991/11/29 Audit No: 116563 Tag No: Contractor: 6518 Path: 692\6921714.pdf Latitude: 43.8788480323804 Longitude: -79.5016451865103					
15	1 of 1	N/171.7	266.0 / -19.40	2000 Teston Road lot 26 con 3 Vaughan ON	WWIS
Well ID: 7326889 Construction Date: Use 1st: Monitoring Use 2nd: Final Well Status: Monitoring and Test Hole Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: Date Received: 25-Jan-2019 00:00:00					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water Type:			Selected Flag:		TRUE
Casing Material:			Abandonment Rec:		
Audit No:	Z303826			Contractor:	7238
Tag:	A252538			Form Version:	7
Constructn Method:			Owner:		
Elevation (m):			County:		YORK
Elevatn Reliabilty:			Lot:		026
Depth to Bedrock:			Concession:		03
Well Depth:			Concession Name:		CON
Overburden/Bedrock:			Easting NAD83:		
Pump Rate:			Northing NAD83:		
Static Water Level:			Zone:		
Clear/Cloudy:			UTM Reliability:		
Municipality:	VAUGHAN TOWN (VAUGHAN TWP)				
Site Info:					
PDF URL (Map):					
Additional Detail(s) (Map)					
Well Completed Date:		2018/12/19			
Year Completed:		2018			
Depth (m):		5.1816			
Latitude:		43.8788753840921			
Longitude:		-79.5009847895031			
Path:					
Bore Hole Information					
Bore Hole ID:	1007345613			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	620427.00
Code OB Desc:				North83:	4859512.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	19-Dec-2018 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Loc Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
Overburden and Bedrock					
Materials Interval					
Formation ID:	1007792569				
Layer:	2				
Color:					
General Color:					
Mat1:	28				
Most Common Material:	SAND				
Mat2:	06				
Mat2 Desc:	SILT				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	7.0				
Formation End Depth:	17.0				
Formation End Depth UOM:	ft				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1007792568			
Layer:		1			
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		7.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007793905			
Layer:		2			
Plug From:		6.0			
Plug To:		17.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007793904			
Layer:		1			
Plug From:		0.0			
Plug To:		6.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1007795417			
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:		auger			
<u>Pipe Information</u>					
Pipe ID:		1007791399			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1007795930			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		7.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		Inch			
Casing Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Screen</u>					
Screen ID:	1007796597				
Layer:	1				
Slot:	10				
Screen Top Depth:	7.0				
Screen End Depth:	17.0				
Screen Material:	5				
Screen Depth UOM:	ft				
Screen Diameter UOM:					
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:	1007797330				
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:	0				
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Water Details</u>					
Water ID:	1007796928				
Layer:	1				
Kind Code:	8				
Kind:	Untested				
Water Found Depth:	5.0				
Water Found Depth UOM:	ft				
<u>Hole Diameter</u>					
Hole ID:	1007794844				
Diameter:	8.0				
Depth From:	0.0				
Depth To:	17.0				
Hole Depth UOM:	ft				
Hole Diameter UOM:	Inch				
<u>Links</u>					
Bore Hole ID:	1007345613			Tag No:	A252538
Depth M:	5.1816			Contractor:	7238
Year Completed:	2018			Path:	732\7326889.pdf
Well Completed Dt:	2018/12/19			Latitude:	43.8788753840921
Audit No:	Z303826			Longitude:	-79.5009847895031
16	1 of 1	SE/187.0	283.5 / -1.86	lot 25 con 3 ON	WWIS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well ID:	6913502			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Not Used			Data Entry Status:	
Use 2nd:	Commerical			Data Src:	1
Final Well Status:	Observation Wells			Date Received:	22-Sep-1976 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2801
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	025
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	VAUGHAN TOWN (VAUGHAN TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6913502.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	1976/04/09				
Year Completed:	1976				
Depth (m):	31.3944				
Latitude:	43.8757198473526				
Longitude:	-79.4999723344118				
Path:	691\6913502.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10504086			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	620514.70
Code OB Desc:				North83:	4859163.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	09-Apr-1976 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Loc Method Desc:	Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	932765583				
Layer:	3				
Color:	2				
General Color:	GREY				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	84				
Mat2 Desc:	SILTY				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3:		79			
Mat3 Desc:		PACKED			
Formation Top Depth:		91.0			
Formation End Depth:		103.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932765581			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		79			
Mat2 Desc:		PACKED			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		75.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932765582			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		90			
Mat2 Desc:		VERY			
Mat3:		69			
Mat3 Desc:		FINE-GRAINED			
Formation Top Depth:		75.0			
Formation End Depth:		91.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966913502			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11052656			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930817111			
Layer:		2			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth To:		87.0			
Casing Diameter:		1.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930817110			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		83.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933392603			
Layer:		1			
Slot:		010			
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Links</u>					
Bore Hole ID:	10504086			Tag No:	
Depth M:	31.3944			Contractor:	2801
Year Completed:	1976			Path:	691\6913502.pdf
Well Completed Dt:	1976/04/09			Latitude:	43.8757198473526
Audit No:				Longitude:	-79.4999723344118
17	1 of 1	W/59.2	287.9 / 2.53	lot 26 con 3 ON	WWIS
Well ID:	6916560			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Not Used			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Unfinished			Date Received:	22-Feb-1983 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2801
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	026
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	VAUGHAN TOWN (VAUGHAN TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6916560.pdf				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	1982/08/07				
Year Completed:	1982				
Depth (m):	10.9728				
Latitude:	43.8771912193886				
Longitude:	-79.5036944199655				
Path:	691\6916560.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10507036			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	620212.70
Code OB Desc:				North83:	4859321.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	07-Aug-1982 00:00:00			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	www
Loc Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932781067				
Layer:	4				
Color:					
General Color:					
Mat1:	08				
Most Common Material:	FINE SAND				
Mat2:	06				
Mat2 Desc:	SILT				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	32.0				
Formation End Depth:	36.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932781064				
Layer:	1				
Color:					
General Color:					
Mat1:	28				
Most Common Material:	SAND				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	4.0				
Formation End Depth UOM:	ft				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781066			
Layer:		3			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		84			
Mat2 Desc:		SILTY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		18.0			
Formation End Depth:		32.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781065			
Layer:		2			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		4.0			
Formation End Depth:		18.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966916560			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11055606			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930820361			
Layer:		2			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:		18.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Casing</u>					
Casing ID:		930820360			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		9.0			
Casing Diameter:		12.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933394565			
Layer:		1			
Slot:		010			
Screen Top Depth:		18.0			
Screen End Depth:		34.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996916560			
Pump Set At:					
Static Level:		13.0			
Final Level After Pumping:		25.0			
Recommended Pump Depth:		30.0			
Pumping Rate:		20.0			
Flowing Rate:					
Recommended Pump Rate:		0.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:		1			
Pumping Duration HR:		6			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		935144623			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		24.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934362654			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		23.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test Detail ID: 934629920 Test Type: Draw Down Test Duration: 30 Test Level: 24.0 Test Level UOM: ft					
Links					
Bore Hole ID: 10507036 Depth M: 10.9728 Year Completed: 1982 Well Completed Dt: 1982/08/07 Audit No:					
Tag No: Contractor: 2801 Path: 691\6916560.pdf Latitude: 43.8771912193886 Longitude: -79.5036944199655					
18	1 of 1	W/61.1	288.9 / 3.56	lot 26 con 3 ON	WWIS
Well ID: 6916547 Construction Date: Use 1st: Not Used Use 2nd: Final Well Status: Observation Wells Water Type: Casing Material: Audit No: Tag: Constructn Method: Elevation (m): Elevatn Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: VAUGHAN TOWN (VAUGHAN TWP) Site Info:					
Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: 1 Date Received: 22-Feb-1983 00:00:00 Selected Flag: TRUE Abandonment Rec: Contractor: 2801 Form Version: 1 Owner: County: YORK Lot: 026 Concession: 03 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6916547.pdf					
Additional Detail(s) (Map)					
Well Completed Date: Year Completed: Depth (m): 15.8496 Latitude: 43.8771581498917 Longitude: -79.5039192941883 Path: 691\6916547.pdf					
Bore Hole Information					
Bore Hole ID: 10507023 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Loc Method Desc: on Water Well Record					
Elevation: Elevrc: Zone: 17 East83: 620194.70 North83: 4859317.00 Org CS: UTMRC: 5 UTMRC Desc: margin of error : 100 m - 300 m Location Method: wwr					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932780971			
Layer:		1			
Color:		2			
General Color:		GREY			
Mat1:		35			
Most Common Material:		WOOD FRAGMENTS			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		11			
Mat3 Desc:		GRAVEL			
Formation Top Depth:		0.0			
Formation End Depth:		6.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932780972			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		6.0			
Formation End Depth:		11.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932780973			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		08			
Mat2 Desc:		FINE SAND			
Mat3:		74			
Mat3 Desc:		LAYERED			
Formation Top Depth:		11.0			
Formation End Depth:		34.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932780975			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		5			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:		86			
Mat3 Desc:		STICKY			
Formation Top Depth:		46.0			
Formation End Depth:		52.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932780974			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		74			
Mat3 Desc:		LAYERED			
Formation Top Depth:		34.0			
Formation End Depth:		46.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966916547			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11055593			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930820335			
Layer:		3			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:		32.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Casing</u>					
Casing ID:		930820334			
Layer:		2			
Material:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:					
Construction Record - Casing					
Casing ID:					
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:					
Construction Record - Screen					
Screen ID:					
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:					
Screen Diameter UOM:					
Screen Diameter:					
Links					
Bore Hole ID:					
Depth M:					
Year Completed:					
Well Completed Dt:					
Audit No:					
Tag No:					
Contractor:					
Path:					
Latitude:					
Longitude:					
19	1 of 1	NNE/195.0	258.7 / -26.66	ON	WWIS
Well ID:					
Construction Date:					
Use 1st:					
Use 2nd:					
Final Well Status:					
Water Type:					
Casing Material:					
Audit No:					
Tag:					
Constructn Method:					
Elevation (m):					
Elevatn Reliabilty:					
Depth to Bedrock:					
Well Depth:					
Overburden/Bedrock:					
Pump Rate:					
Static Water Level:					
Clear/Cloudy:					
Municipality:					
Site Info:					
Flowing (Y/N):					
Flow Rate:					
Data Entry Status:					
Data Src:					
Date Received:					
Selected Flag:					
Abandonment Rec:					
Contractor:					
Form Version:					
Owner:					
County:					
Lot:					
Concession:					
Concession Name:					
Easting NAD83:					
Northing NAD83:					
Zone:					
UTM Reliability:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
PDF URL (Map):					
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	2014/12/02				
Year Completed:	2014				
Depth (m):					
Latitude:	43.8792108759626				
Longitude:	-79.5004784783036				
Path:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1005312884			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	620467.00
Code OB Desc:				North83:	4859550.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	02-Dec-2014 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Loc Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Links</u>					
Bore Hole ID:	1005312884			Tag No:	A177011
Depth M:				Contractor:	7215
Year Completed:	2014			Path:	
Well Completed Dt:	2014/12/02			Latitude:	43.8792108759626
Audit No:	C27942			Longitude:	-79.5004784783036
20	1 of 1	W/56.4	289.8 / 4.43	lot 26 con 3 ON	WWIS
Well ID:	6916559			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Not Used			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Unfinished			Date Received:	22-Feb-1983 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2801
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	026
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	VAUGHAN TOWN (VAUGHAN TWP)				
Site Info:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6916559.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		1982/08/12			
Year Completed:		1982			
Depth (m):		11.8872			
Latitude:		43.8770620755361			
Longitude:		-79.504145744665			
Path:		691\6916559.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10507035		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	
Code OB:				East83:	
Code OB Desc:				North83:	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	
Date Completed:		12-Aug-1982 00:00:00		5	
Remarks:				UTMRC Desc:	
Loc Method Desc:		on Water Well Record		Location Method:	
Elevrc Desc:				margin of error : 100 m - 300 m	
Location Source Date:				wwr	
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932781061			
Layer:		1			
Color:					
General Color:					
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		3.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932781062			
Layer:		2			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		3.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		35.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781063			
Layer:		3			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		35.0			
Formation End Depth:		39.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		966916559			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11055605			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930820358			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		9.0			
Casing Diameter:		12.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Casing</u>					
Casing ID:		930820359			
Layer:		2			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:		21.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen ID:		933394564			
Layer:		1			
Slot:		010			
Screen Top Depth:		21.0			
Screen End Depth:		35.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996916559			
Pump Set At:					
Static Level:		25.0			
Final Level After Pumping:		26.0			
Recommended Pump Depth:		32.0			
Pumping Rate:		20.0			
Flowing Rate:					
Recommended Pump Rate:		0.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:		1			
Pumping Duration HR:		6			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934362653			
Test Type:					
Test Duration:		15			
Test Level:		26.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934629919			
Test Type:					
Test Duration:		30			
Test Level:		26.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		935144622			
Test Type:					
Test Duration:		60			
Test Level:		26.0			
Test Level UOM:		ft			
<u>Links</u>					
Bore Hole ID:	10507035			Tag No:	
Depth M:	11.8872			Contractor:	2801
Year Completed:	1982			Path:	691\6916559.pdf
Well Completed Dt:	1982/08/12			Latitude:	43.8770620755361
Audit No:				Longitude:	-79.504145744665

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
21	1 of 1	W/56.4	289.9 / 4.49	ON	WWIS
Well ID:		7178752	Flowing (Y/N):		
Construction Date:			Flow Rate:		
Use 1st:		Other	Data Entry Status:		
Use 2nd:			Data Src:		
Final Well Status:		Other Status	Date Received:		
Water Type:			02-Apr-2012 00:00:00		
Casing Material:			Selected Flag:		
Audit No:		Z127447	TRUE		
Tag:		A076895	Abandonment Rec:		
Constructn Method:			Contractor:		
Elevation (m):			3406		
Elevatn Reliabilty:			Form Version:		
Depth to Bedrock:			7		
Well Depth:			Owner:		
Overburden/Bedrock:			County:		
Pump Rate:			YORK		
Static Water Level:			Lot:		
Clear/Cloudy:			Concession:		
Municipality:		VAUGHAN TOWN (VAUGHAN TWP)	Concession Name:		
Site Info:		KEELE VALLEY LANDFILL	Easting NAD83:		
			Northing NAD83:		
			Zone:		
			UTM Reliability:		
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/717/7178752.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		2011/01/10			
Year Completed:		2011			
Depth (m):		36.57			
Latitude:		43.8770535147528			
Longitude:		-79.5041795657895			
Path:		717/7178752.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		1003707507	Elevation:		
DP2BR:			Elevrc:		
Spatial Status:			Zone:		
Code OB:			17		
Code OB Desc:			East83:		
Open Hole:			620174.00		
Cluster Kind:			North83:		
Date Completed:		10-Jan-2011 00:00:00	4859305.00		
Remarks:			Org CS:		
Loc Method Desc:		on Water Well Record	UTM83		
Elevrc Desc:			5		
Location Source Date:			UTMRC:		
Improvement Location Source:			UTMRC Desc:		
Improvement Location Method:			margin of error : 100 m - 300 m		
Source Revision Comment:			Location Method:		
Supplier Comment:			wwr		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1004176131			
Layer:		6			
Color:		2			
General Color:		GREY			
Mat1:		05			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/7177178752.pdf

Additional Detail(s) (Map)

Well Completed Date: 2011/01/10
Year Completed: 2011
Depth (m): 36.57
Latitude: 43.8770535147528
Longitude: -79.5041795657895
Path: 7177178752.pdf

Bore Hole Information

Bore Hole ID: 1003707507
DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:
Date Completed: 10-Jan-2011 00:00:00
Remarks:
Loc Method Desc: on Water Well Record
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 17
East83: 620174.00
North83: 4859305.00
Org CS: UTM83
UTMRC: 5
UTMRC Desc: margin of error : 100 m - 300 m
Location Method: wwr

Overburden and Bedrock
Materials Interval

Formation ID: 1004176131
Layer: 6
Color: 2
General Color: GREY
Mat1: 05

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Most Common Material:		CLAY			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		33.83000183105469			
Formation End Depth:		36.56999969482422			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1004176128			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		18.280000686645508			
Formation End Depth:		22.860000610351562			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1004176130			
Layer:		5			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		69			
Mat3 Desc:		FINE-GRAINED			
Formation Top Depth:		25.600000381469727			
Formation End Depth:		33.83000183105469			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1004176129			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		22.860000610351562			
Formation End Depth:		25.600000381469727			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:					
		1004176126			
Layer:					
		1			
Color:					
		6			
General Color:					
		BROWN			
Mat1:					
		28			
Most Common Material:					
		SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		2.440000057220459			
Formation End Depth UOM:		m			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:					
		1004176127			
Layer:					
		2			
Color:					
		6			
General Color:					
		BROWN			
Mat1:					
		28			
Most Common Material:					
		SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		2.440000057220459			
Formation End Depth:		18.280000686645508			
Formation End Depth UOM:		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:					
		1004176166			
Layer:					
		3			
Plug From:					
		10.050000190734863			
Plug To:					
		20.110000610351562			
Plug Depth UOM:					
		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:					
		1004176167			
Layer:					
		4			
Plug From:					
		20.110000610351562			
Plug To:					
		35.349998474121094			
Plug Depth UOM:					
		m			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:					
		1004176164			
Layer:					
		1			
Plug From:					
		0.0			
Plug To:					
		1.8200000524520874			
Plug Depth UOM:					
		m			
<u>Annular Space/Abandonment Sealing Record</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug ID:		1004176165			
Layer:		2			
Plug From:		1.8200000524520874			
Plug To:		10.050000190734863			
Plug Depth UOM:		m			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1004176163			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004176124			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004176136			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.5			
Depth To:		28.040000915527344			
Casing Diameter:		15.239999771118164			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Casing</u>					
Casing ID:		1004176137			
Layer:		2			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		0.44999998807907104			
Depth To:		10.050000190734863			
Casing Diameter:		30.479999542236328			
Casing Diameter UOM:		cm			
Casing Depth UOM:		m			
<u>Construction Record - Screen</u>					
Screen ID:		1004176138			
Layer:		1			
Slot:		10			
Screen Top Depth:		28.010000228881836			
Screen End Depth:		34.7400016784668			
Screen Material:		1			
Screen Depth UOM:		m			
Screen Diameter UOM:		cm			
Screen Diameter:		15.239999771118164			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1004176125			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Set At:		33.0			
Static Level:		27.850000381469727			
Final Level After Pumping:		32.58000183105469			
Recommended Pump Depth:		33.0			
Pumping Rate:		7.5			
Flowing Rate:					
Recommended Pump Rate:		7.5			
Levels UOM:		m			
Rate UOM:		LPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		0			
Pumping Duration HR:		8			
Pumping Duration MIN:		0			
Flowing:					
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176147			
Test Type:		Draw Down			
Test Duration:		5			
Test Level:		29.709999084472656			
Test Level UOM:		m			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176148			
Test Type:		Recovery			
Test Duration:		5			
Test Level:		31.030000686645508			
Test Level UOM:		m			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176160			
Test Type:		Draw Down			
Test Duration:		50			
Test Level:		31.690000534057617			
Test Level UOM:		m			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176141			
Test Type:		Draw Down			
Test Duration:		2			
Test Level:		29.469999313354492			
Test Level UOM:		m			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176143			
Test Type:		Draw Down			
Test Duration:		3			
Test Level:		29.540000915527344			
Test Level UOM:		m			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176145			
Test Type:		Draw Down			
Test Duration:		4			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Level:		29.6200008392334			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176150			
Test Type:		Recovery			
Test Duration:		10			
Test Level:		29.940000534057617			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176151			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		30.440000534057617			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176140			
Test Type:		Recovery			
Test Duration:		1			
Test Level:		32.18000030517578			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176144			
Test Type:		Recovery			
Test Duration:		3			
Test Level:		31.610000610351562			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176149			
Test Type:		Draw Down			
Test Duration:		10			
Test Level:		30.1299991607666			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176152			
Test Type:		Recovery			
Test Duration:		15			
Test Level:		29.200000762939453			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176154			
Test Type:		Recovery			
Test Duration:		20			
Test Level:		28.690000534057617			
Test Level UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176156			
Test Type:		Recovery			
Test Duration:		25			
Test Level:		28.34000015258789			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176159			
Test Type:		Draw Down			
Test Duration:		40			
Test Level:		31.479999542236328			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176139			
Test Type:		Draw Down			
Test Duration:		1			
Test Level:		29.440000534057617			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176142			
Test Type:		Recovery			
Test Duration:		2			
Test Level:		31.90999984741211			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176146			
Test Type:		Recovery			
Test Duration:		4			
Test Level:		31.299999237060547			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176153			
Test Type:		Draw Down			
Test Duration:		20			
Test Level:		30.690000534057617			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176155			
Test Type:		Draw Down			
Test Duration:		25			
Test Level:		30.989999771118164			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176157			
Test Type:		Draw Down			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Duration:		30			
Test Level:		31.219999313354492			
Test Level UOM:		m			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176158			
Test Type:		Recovery			
Test Duration:		30			
Test Level:		28.110000610351562			
Test Level UOM:		m			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176161			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		31.84000015258789			
Test Level UOM:		m			
 <u>Water Details</u>					
Water ID:		1004176135			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
 <u>Hole Diameter</u>					
Hole ID:		1004176132			
Diameter:		45.720001220703125			
Depth From:		0.0			
Depth To:		10.050000190734863			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
 <u>Hole Diameter</u>					
Hole ID:		1004176133			
Diameter:		29.84000015258789			
Depth From:		10.050000190734863			
Depth To:		35.349998474121094			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
 <u>Hole Diameter</u>					
Hole ID:		1004176134			
Diameter:		15.550000190734863			
Depth From:		35.349998474121094			
Depth To:		36.56999969482422			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
 <u>Links</u>					
Bore Hole ID:	1003707507			Tag No:	A076895
Depth M:	36.57			Contractor:	3406

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Year Completed:	2011			Path:	717\7178752.pdf
Well Completed Dt:	2011/01/10			Latitude:	43.8770535147528
Audit No:	Z127447			Longitude:	-79.5041795657895

22	1 of 1	WSW/22.2	289.9 / 4.48	lot 25 con 3 ON	WWIS
Well ID:	6917139			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Not Used			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Observation Wells			Date Received:	10-Jul-1984 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2801
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	025
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	VAUGHAN TOWN (VAUGHAN TWP)				
Site Info:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6917139.pdf

Additional Detail(s) (Map)

Well Completed Date: 1983/03/30
Year Completed: 1983
Depth (m): 134.4168
Latitude: 43.8763490707401
Longitude: -79.5040142227375
Path: 691\6917139.pdf

Bore Hole Information

Bore Hole ID:	10507488	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	620188.70
Code OB Desc:		North83:	4859227.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	30-Mar-1983 00:00:00	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	wwr
Loc Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Formation ID: 932783573

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		3			
Color:					
General Color:					
Mat1:		06			
Most Common Material:		SILT			
Mat2:		08			
Mat2 Desc:		FINE SAND			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		105.0			
Formation End Depth:		151.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932783581			
Layer:		11			
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		84			
Mat3 Desc:		SILTY			
Formation Top Depth:		320.0			
Formation End Depth:		352.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932783574			
Layer:		4			
Color:					
General Color:					
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		151.0			
Formation End Depth:		161.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932783572			
Layer:		2			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		80.0			
Formation End Depth:		105.0			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783575			
Layer:		5			
Color:					
General Color:					
Mat1:		06			
Most Common Material:		SILT			
Mat2:		61			
Mat2 Desc:		CLAYEY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		161.0			
Formation End Depth:		176.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783571			
Layer:		1			
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:		63			
Mat2 Desc:		COARSE-GRAINED			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		80.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783584			
Layer:		14			
Color:					
General Color:					
Mat1:		06			
Most Common Material:		SILT			
Mat2:		08			
Mat2 Desc:		FINE SAND			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		421.0			
Formation End Depth:		441.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783582			
Layer:		12			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		28			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2 Desc:		SAND			
Mat3:		06			
Mat3 Desc:		SILT			
Formation Top Depth:		352.0			
Formation End Depth:		401.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783577			
Layer:		7			
Color:					
General Color:					
Mat1:		06			
Most Common Material:		SILT			
Mat2:		61			
Mat2 Desc:		CLAYEY			
Mat3:		12			
Mat3 Desc:		STONES			
Formation Top Depth:		228.0			
Formation End Depth:		243.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783583			
Layer:		13			
Color:					
General Color:					
Mat1:		06			
Most Common Material:		SILT			
Mat2:		62			
Mat2 Desc:		CLEAN			
Mat3:		12			
Mat3 Desc:		STONES			
Formation Top Depth:		401.0			
Formation End Depth:		421.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783576			
Layer:		6			
Color:					
General Color:					
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		176.0			
Formation End Depth:		228.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783580			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		10			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		281.0			
Formation End Depth:		320.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932783578			
Layer:		8			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		84			
Mat2 Desc:		SILTY			
Mat3:		11			
Mat3 Desc:		GRAVEL			
Formation Top Depth:		243.0			
Formation End Depth:		269.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932783579			
Layer:		9			
Color:					
General Color:					
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		269.0			
Formation End Depth:		281.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933212222			
Layer:		1			
Plug From:		165.0			
Plug To:		180.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933212223			
Layer:		2			
Plug From:		265.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug To:		270.0			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933212224			
Layer:		3			
Plug From:		309.0			
Plug To:		315.0			
Plug Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		966917139			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11056058			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930820899			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		13.0			
Casing Diameter:		10.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Casing</u>					
Casing ID:		930820900			
Layer:		2			
Material:		3			
Open Hole or Material:		CONCRETE			
Depth From:					
Depth To:		322.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933394840			
Layer:		1			
Slot:		010			
Screen Top Depth:		322.0			
Screen End Depth:		339.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Diameter:		2.0			
<u>Links</u>					
Bore Hole ID:	10507488			Tag No:	
Depth M:	134.4168			Contractor:	2801
Year Completed:	1983			Path:	691\6917139.pdf
Well Completed Dt:	1983/03/30			Latitude:	43.8763490707401
Audit No:				Longitude:	-79.5040142227375
23	1 of 1	WSW/14.7	289.9 / 4.48	lot 25 con 3 ON	WWIS
Well ID:	6917138			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Not Used			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Observation Wells			Date Received:	10-Jul-1984 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2801
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	025
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	VAUGHAN TOWN (VAUGHAN TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6917138.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	1983/04/09				
Year Completed:	1983				
Depth (m):	85.344				
Latitude:	43.8764125639129				
Longitude:	-79.5040499745355				
Path:	691\6917138.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10507487			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	620185.70
Code OB Desc:				North83:	4859234.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	09-Apr-1983 00:00:00			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	wwr
Loc Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783557			
Layer:		3			
Color:					
General Color:					
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		41.0			
Formation End Depth:		63.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783560			
Layer:		6			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		81.0			
Formation End Depth:		114.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783564			
Layer:		10			
Color:					
General Color:					
Mat1:		06			
Most Common Material:		SILT			
Mat2:		61			
Mat2 Desc:		CLAYEY			
Mat3:		12			
Mat3 Desc:		STONES			
Formation Top Depth:		152.0			
Formation End Depth:		175.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783562			
Layer:		8			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2:		84			
Mat2 Desc:		SILTY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		138.0			
Formation End Depth:		144.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932783563			
Layer:		9			
Color:					
General Color:					
Mat1:		06			
Most Common Material:		SILT			
Mat2:		08			
Mat2 Desc:		FINE SAND			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		144.0			
Formation End Depth:		152.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932783561			
Layer:		7			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		74			
Mat3 Desc:		LAYERED			
Formation Top Depth:		114.0			
Formation End Depth:		138.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932783567			
Layer:		13			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		84			
Mat2 Desc:		SILTY			
Mat3:		08			
Mat3 Desc:		FINE SAND			
Formation Top Depth:		231.0			
Formation End Depth:		243.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		932783555			
Layer:		1			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		17.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783568			
Layer:		14			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		06			
Mat3 Desc:		SILT			
Formation Top Depth:		243.0			
Formation End Depth:		251.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783556			
Layer:		2			
Color:					
General Color:					
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:		29			
Mat2 Desc:		FINE GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		17.0			
Formation End Depth:		41.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783559			
Layer:		5			
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:		29			
Mat2 Desc:		FINE GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		75.0			
Formation End Depth:		81.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783565			
Layer:		11			
Color:					
General Color:					
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:		09			
Mat3 Desc:		MEDIUM SAND			
Formation Top Depth:		175.0			
Formation End Depth:		221.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783570			
Layer:		16			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		84			
Mat2 Desc:		SILTY			
Mat3:		05			
Mat3 Desc:		CLAY			
Formation Top Depth:		270.0			
Formation End Depth:		280.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783569			
Layer:		15			
Color:					
General Color:					
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		06			
Mat3 Desc:		SILT			
Formation Top Depth:		251.0			
Formation End Depth:		270.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783558			
Layer:		4			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2:		84			
Mat2 Desc:		SILTY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		63.0			
Formation End Depth:		75.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783566			
Layer:		12			
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:		08			
Mat3 Desc:		FINE SAND			
Formation Top Depth:		221.0			
Formation End Depth:		231.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933212221			
Layer:		3			
Plug From:		273.0			
Plug To:		280.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933212219			
Layer:		1			
Plug From:		155.0			
Plug To:		165.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933212220			
Layer:		2			
Plug From:		220.0			
Plug To:		225.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966917138			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID:		11056057			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930820897			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		19.0			
Casing Diameter:		10.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930820898			
Layer:		2			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		245.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933394839			
Layer:		1			
Slot:		010			
Screen Top Depth:		245.0			
Screen End Depth:		261.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		996917138			
Pump Set At:					
Static Level:		41.0			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		No			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Links</u>					
Bore Hole ID:	10507487			Tag No:	
Depth M:	85.344			Contractor:	2801
Year Completed:	1983			Path:	691\6917138.pdf
Well Completed Dt:	1983/04/09			Latitude:	43.8764125639129
Audit No:				Longitude:	-79.5040499745355

24	1 of 1	WSW/17.8	289.9 / 4.48	lot 25 con 3 ON	WWIS
Well ID:	6916551			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Not Used			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Observation Wells			Date Received:	22-Feb-1983 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2801
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	025
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	VAUGHAN TOWN (VAUGHAN TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6916551.pdf				

Additional Detail(s) (Map)

Well Completed Date: 1982/01/15
 Year Completed: 1982
 Depth (m): 18.5928
 Latitude: 43.8763683753232
 Longitude: -79.5041133145805
 Path: 691\6916551.pdf

Bore Hole Information

Bore Hole ID:	10507027	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	620180.70
Code OB Desc:		North83:	4859229.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	15-Jan-1982 00:00:00	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	wwr
Loc Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781002			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		6.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781005			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		18.0			
Formation End Depth:		24.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781004			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		63			
Mat2 Desc:		COARSE-GRAINED			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		12.0			
Formation End Depth:		18.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781009			
Layer:		8			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3 Desc:					
Formation Top Depth:		43.0			
Formation End Depth:		57.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781010			
Layer:		9			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		86			
Mat3 Desc:		STICKY			
Formation Top Depth:		57.0			
Formation End Depth:		61.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781008			
Layer:		7			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		41.0			
Formation End Depth:		43.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781003			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		6.0			
Formation End Depth:		12.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781006			
Layer:		5			
Color:		6			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		24.0			
Formation End Depth:		30.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932781007			
Layer:		6			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		30.0			
Formation End Depth:		41.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well</u> <u>Use</u>					
Method Construction ID:		966916551			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11055597			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930820343			
Layer:		2			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:		39.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Casing</u>					
Casing ID:		930820342			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth To:		3.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933394556			
Layer:		1			
Slot:		010			
Screen Top Depth:		38.0			
Screen End Depth:		44.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		996916551			
Pump Set At:					
Static Level:		37.0			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		No			
 <u>Links</u>					
Bore Hole ID:	10507027			Tag No:	
Depth M:	18.5928			Contractor:	2801
Year Completed:	1982			Path:	691\6916551.pdf
Well Completed Dt:	1982/01/15			Latitude:	43.8763683753232
Audit No:				Longitude:	-79.5041133145805
25	1 of 1	W/61.3	291.0 / 5.59	lot 26 con 3 ON	WWIS
Well ID:	6916542			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Not Used			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Unfinished			Date Received:	22-Feb-1983 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2801
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	026
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: Site Info:				Easting NAD83: Northing NAD83: Zone: UTM Reliability:	
		VAUGHAN TOWN (VAUGHAN TWP)			
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6916542.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		1981/12/15			
Year Completed:		1981			
Depth (m):		16.1544			
Latitude:		43.8770389830488			
Longitude:		-79.5044450505676			
Path:		691\6916542.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10507018		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	620152.70
Code OB Desc:				North83:	4859303.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:		15-Dec-1981 00:00:00		UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	wwr
Loc Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932780940			
Layer:		2			
Color:					
General Color:					
Mat1:		35			
Most Common Material:		WOOD FRAGMENTS			
Mat2:		01			
Mat2 Desc:		FILL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		1.0			
Formation End Depth:		7.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932780943			
Layer:		5			
Color:		6			
General Color:		BROWN			
Mat1:		08			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Most Common Material:		FINE SAND			
Mat2:		84			
Mat2 Desc:		SILTY			
Mat3:		74			
Mat3 Desc:		LAYERED			
Formation Top Depth:		35.0			
Formation End Depth:		41.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932780944			
Layer:		6			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		08			
Mat2 Desc:		FINE SAND			
Mat3:		11			
Mat3 Desc:		GRAVEL			
Formation Top Depth:		41.0			
Formation End Depth:		53.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932780941			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:		79			
Mat2 Desc:		PACKED			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		7.0			
Formation End Depth:		14.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932780939			
Layer:		1			
Color:					
General Color:					
Mat1:		01			
Most Common Material:		FILL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		1.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		932780942			
Layer:		4			
Color:		8			
General Color:		BLACK			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		84			
Mat2 Desc:		SILTY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		14.0			
Formation End Depth:		35.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966916542			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11055588			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930820321			
Layer:		2			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:		20.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930820322			
Layer:		3			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:		27.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930820320			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		13.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Diameter:		16.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933394547			
Layer:		1			
Slot:		010			
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		1.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996916542			
Pump Set At:					
Static Level:		22.0			
Final Level After Pumping:		31.0			
Recommended Pump Depth:		32.0			
Pumping Rate:		20.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:		1			
Pumping Duration HR:		48			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934629914			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		27.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		935144617			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		27.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934362648			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		27.0			
Test Level UOM:		ft			
<u>Links</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:			932781053		
Layer:			1		
Color:					
General Color:					
Mat1:			28		
Most Common Material:			SAND		
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:			0.0		
Formation End Depth:			4.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			932781055		
Layer:			3		
Color:					
General Color:					
Mat1:			08		
Most Common Material:			FINE SAND		
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:			20.0		
Formation End Depth:			28.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			932781060		
Layer:			8		
Color:					
General Color:					
Mat1:			06		
Most Common Material:			SILT		
Mat2:			08		
Mat2 Desc:			FINE SAND		
Mat3:			73		
Mat3 Desc:			HARD		
Formation Top Depth:			41.0		
Formation End Depth:			43.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			932781058		
Layer:			6		
Color:					
General Color:					
Mat1:			08		
Most Common Material:			FINE SAND		
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:		31.0			
Formation End Depth:		36.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781054			
Layer:		2			
Color:					
General Color:					
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		4.0			
Formation End Depth:		20.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781057			
Layer:		5			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		84			
Mat2 Desc:		SILTY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		30.0			
Formation End Depth:		31.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781059			
Layer:		7			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		84			
Mat2 Desc:		SILTY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		36.0			
Formation End Depth:		41.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781056			
Layer:		4			
Color:					
General Color:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat1:		06			
Most Common Material:		SILT			
Mat2:		61			
Mat2 Desc:		CLAYEY			
Mat3:		73			
Mat3 Desc:		HARD			
Formation Top Depth:		28.0			
Formation End Depth:		30.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966916558			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11055604			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930820356			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		9.0			
Casing Diameter:		12.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930820357			
Layer:		2			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:		22.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933394563			
Layer:		1			
Slot:		010			
Screen Top Depth:		22.0			
Screen End Depth:		40.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996916558			
Pump Set At:					
Static Level:		25.0			
Final Level After Pumping:		30.0			
Recommended Pump Depth:		38.0			
Pumping Rate:		19.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:		1			
Pumping Duration HR:		6			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934362652			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		28.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		935144621			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		28.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934629918			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		28.0			
Test Level UOM:		ft			
<u>Links</u>					
Bore Hole ID:	10507034			Tag No:	
Depth M:	13.1064			Contractor:	2801
Year Completed:	1982			Path:	691\6916558.pdf
Well Completed Dt:	1982/07/29			Latitude:	43.8769162314306
Audit No:				Longitude:	-79.5046970609778

27	1 of 1	NNE/257.9	257.2 / -28.19	2000 Teston Road lot 26 con 3 Vaughan ON	WWIS
Well ID:	7326888			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:				Date Received:	25-Jan-2019 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	Yes

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Audit No:	Z303823			Contractor:	7238
Tag:				Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliability:				Lot:	026
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		VAUGHAN TOWN (VAUGHAN TWP)			
Site Info:					
PDF URL (Map):					
 <u>Additional Detail(s) (Map)</u>					
Well Completed Date:	2018/12/19				
Year Completed:	2018				
Depth (m):					
Latitude:	43.8797455046813				
Longitude:	-79.5007389133455				
Path:					
 <u>Bore Hole Information</u>					
Bore Hole ID:	1007345610			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	620445.00
Code OB Desc:				North83:	4859609.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	19-Dec-2018 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Loc Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1007793903				
Layer:	1				
Plug From:					
Plug To:					
Plug Depth UOM:					
 <u>Pipe Information</u>					
Pipe ID:	1007791398				
Casing No:	0				
Comment:					
Alt Name:					
 <u>Results of Well Yield Testing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Test Method Desc: Pump Test ID:1007797327 Pump Set At: Static Level: Final Level After Pumping: Recommended Pump Depth: Pumping Rate: Flowing Rate: Recommended Pump Rate: Levels UOM:ft Rate UOM:GPM Water State After Test Code: Water State After Test: Pumping Test Method:0 Pumping Duration HR: Pumping Duration MIN: Flowing:					
Links Bore Hole ID:1007345610 Depth M: Year Completed:2018 Well Completed Dt:2018/12/19 Audit No:Z303823 Tag No: Contractor:7238 Path:732\7326888.pdf Latitude:43.8797455046813 Longitude:-79.5007389133455					
28	1 of 1	W/35.8	291.1 / 5.69	lot 26 con 3 ON	WWIS
Well ID:6917150 Construction Date: Use 1st:Not Used Use 2nd: Final Well Status:Observation Wells Water Type: Casing Material: Audit No: Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality:VAUGHAN TOWN (VAUGHAN TWP) Site Info: Flowing (Y/N): Flow Rate: Data Entry Status: Data Src:1 Date Received:10-Jul-1984 00:00:00 Selected Flag:TRUE Abandonment Rec: Contractor:2801 Form Version:1 Owner: County:YORK Lot:026 Concession:03 Concession Name:CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6917150.pdf			
Additional Detail(s) (Map) Well Completed Date:1982/12/13 Year Completed:1982 Depth (m):32.3088 Latitude:43.8767023331279 Longitude:-79.5048642212209 Path:691\6917150.pdf					
Bore Hole Information					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID:	10507499			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	620119.70
Code OB Desc:				North83:	4859265.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	13-Dec-1982 00:00:00			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	wwr
Loc Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932783656				
Layer:	1				
Color:					
General Color:					
Mat1:	00				
Most Common Material:	UNKNOWN TYPE				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	6.0				
Formation End Depth UOM:	ft				
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932783658				
Layer:	3				
Color:					
General Color:					
Mat1:	06				
Most Common Material:	SILT				
Mat2:	08				
Mat2 Desc:	FINE SAND				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	94.0				
Formation End Depth:	106.0				
Formation End Depth UOM:	ft				
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932783657				
Layer:	2				
Color:					
General Color:					
Mat1:	08				
Most Common Material:	FINE SAND				
Mat2:					
Mat2 Desc:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3:					
Mat3 Desc:					
Formation Top Depth:		6.0			
Formation End Depth:		94.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933212234			
Layer:		1			
Plug From:		80.0			
Plug To:		80.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966917150			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11056069			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930820916			
Layer:		2			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:		98.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930820915			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		90.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933394849			
Layer:		1			
Slot:		010			
Screen Top Depth:		90.0			
Screen End Depth:		98.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
Results of Well Yield Testing					
Pumping Test Method Desc:					
Pump Test ID:		996917150			
Pump Set At:					
Static Level:		90.0			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		No			
Links					
Bore Hole ID:	10507499			Tag No:	
Depth M:	32.3088			Contractor:	2801
Year Completed:	1982			Path:	691\6917150.pdf
Well Completed Dt:	1982/12/13			Latitude:	43.8767023331279
Audit No:				Longitude:	-79.5048642212209
29	1 of 1	ESE/219.2	273.7 / -11.72	lot 25 con 3 ON	WWIS
Well ID: 6913504					
Construction Date:					
Use 1st:					
Use 2nd:					
Final Well Status: Abandoned-Supply					
Water Type:					
Casing Material:					
Audit No:					
Tag:					
Constructn Method:					
Elevation (m):					
Elevatn Reliability:					
Depth to Bedrock:					
Well Depth:					
Overburden/Bedrock:					
Pump Rate:					
Static Water Level:					
Clear/Cloudy:					
Municipality: VAUGHAN TOWN (VAUGHAN TWP)					
Site Info:					
PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6913504.pdf					
Additional Detail(s) (Map)					
Well Completed Date: 1976/03/16					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Year Completed:		1976			
Depth (m):		28.0416			
Latitude:		43.8758737047659			
Longitude:		-79.4979769924939			
Path:		691\6913504.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10504088		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	620674.70
Code OB Desc:				North83:	4859183.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:		16-Mar-1976 00:00:00		UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Loc Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932765588			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		75.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932765590			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		84			
Mat2 Desc:		SILTY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		91.0			
Formation End Depth:		92.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID: 932765589 Layer: 2 Color: 6 General Color: BROWN Mat1: 08 Most Common Material: FINE SAND Mat2: 05 Mat2 Desc: CLAY Mat3: Mat3 Desc: Formation Top Depth: 75.0 Formation End Depth: 91.0 Formation End Depth UOM: ft					
<u>Method of Construction & Well Use</u>					
Method Construction ID: 966913504 Method Construction Code: 2 Method Construction: Rotary (Convent.) Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID: 11052658 Casing No: 1 Comment: Alt Name:					
<u>Links</u>					
Bore Hole ID: 10504088 Depth M: 28.0416 Year Completed: 1976 Well Completed Dt: 1976/03/16 Audit No:					
Tag No: Contractor: 2801 Path: 691\6913504.pdf Latitude: 43.8758737047659 Longitude: -79.4979769924939					
30	1 of 1	W/56.7	292.0 / 6.60	lot 26 con 3 ON	WWIS
Well ID: 6916540 Construction Date: Use 1st: Not Used Use 2nd: Final Well Status: Unfinished Water Type: Casing Material: Audit No: Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: VAUGHAN TOWN (VAUGHAN TWP) Site Info:					
Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: 1 Date Received: 22-Feb-1983 00:00:00 Selected Flag: TRUE Abandonment Rec: Contractor: 2801 Form Version: 1 Owner: County: YORK Lot: 026 Concession: 03 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6916540.pdf					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	1981/10/20				
Year Completed:	1981				
Depth (m):	19.5072				
Latitude:	43.8768662983967				
Longitude:	-79.5050094841205				
Path:	691\6916540.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10507016			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	620107.70
Code OB Desc:				North83:	4859283.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	20-Oct-1981 00:00:00			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	www
Loc Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932780929				
Layer:	5				
Color:	2				
General Color:	GREY				
Mat1:	09				
Most Common Material:	MEDIUM SAND				
Mat2:	06				
Mat2 Desc:	SILT				
Mat3:	18				
Mat3 Desc:	SANDSTONE				
Formation Top Depth:	33.0				
Formation End Depth:	41.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932780925				
Layer:	1				
Color:					
General Color:					
Mat1:	01				
Most Common Material:	FILL				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	1.0				
Formation End Depth UOM:	ft				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932780933			
Layer:		9			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:		73			
Mat3 Desc:		HARD			
Formation Top Depth:		59.0			
Formation End Depth:		64.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932780927			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		10.0			
Formation End Depth:		15.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932780931			
Layer:		7			
Color:		2			
General Color:		GREY			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		84			
Mat2 Desc:		SILTY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		46.0			
Formation End Depth:		53.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932780926			
Layer:		2			
Color:					
General Color:					
Mat1:		35			
Most Common Material:		WOOD FRAGMENTS			
Mat2:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		1.0			
Formation End Depth:		10.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932780930			
Layer:		6			
Color:		2			
General Color:		GREY			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		90			
Mat2 Desc:		VERY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		41.0			
Formation End Depth:		46.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932780928			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		78			
Mat2 Desc:		MEDIUM-GRAINED			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		15.0			
Formation End Depth:		33.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932780932			
Layer:		8			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		53.0			
Formation End Depth:		59.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966916540			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11055586			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930820316			
Layer:		2			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:		25.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930820315			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		11.0			
Casing Diameter:		16.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933394545			
Layer:		1			
Slot:		010			
Screen Top Depth:		25.0			
Screen End Depth:		42.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996916540			
Pump Set At:					
Static Level:		26.0			
Final Level After Pumping:		38.0			
Recommended Pump Depth:		38.0			
Pumping Rate:		15.0			
Flowing Rate:					
Recommended Pump Rate:		0.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Test Method:	1				
Pumping Duration HR:	24				
Pumping Duration MIN:	0				
Flowing:	No				
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:	934629913				
Test Type:	Draw Down				
Test Duration:	30				
Test Level:	33.0				
Test Level UOM:	ft				
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:	935144616				
Test Type:	Draw Down				
Test Duration:	60				
Test Level:	33.0				
Test Level UOM:	ft				
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:	934362646				
Test Type:	Draw Down				
Test Duration:	15				
Test Level:	32.0				
Test Level UOM:	ft				
 <u>Links</u>					
Bore Hole ID:	10507016			Tag No:	
Depth M:	19.5072			Contractor:	2801
Year Completed:	1981			Path:	691\6916540.pdf
Well Completed Dt:	1981/10/20			Latitude:	43.8768662983967
Audit No:				Longitude:	-79.5050094841205

31	1 of 13	WNW/211.6	288.5 / 3.08	Teston View Holdings Inc. Part of Lot 26, Concession 3 Vaughan ON M3J 1M8	WDS
Approval No:	A230604			Total Area (ha):	
Mob Unit Cert No:				Landfill Cap (m³):	
EBR Registry No:				Transfer Area (ha):	
Status:	Approved			Transfer Cap (m³):	
Facility Type:				Transfer Cert No:	
Record Type:	ECA			Inciner. Area (ha):	
Link Source:	IDS			Inciner. Cap (t):	
Project Type:	WASTE DISPOSAL SITES			Process Area (m³):	
Application Status:				Process Cap (m³/d):	
Issue Date:	2003-03-31			Process Vol (m³):	
Input Date:				Process Feed (m³):	
Date Received:				Site Concession:	
Est Closure Date:				Site Region/County:	
Mobile Capacity:				SWP Area Name:	Toronto
Mobile Units:				MOE District:	York-Durham
Mobile Description:				District Office:	
Prop City:				Latitude:	43.8784
Prop Postal:				Longitude:	-79.5047
Prop Phone:				Geometry X:	
Serial Link:				Geometry Y:	
Approval Type:	ECA-WASTE DISPOSAL SITES				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Proponent: Prop Address: Proponent County/District: Full Address: Part of Lot 26, Concession 3 Site Lot: Waste Class Code: Waste Class: Waste Type: Waste Type Other: Waste Description: Landfill Monitoring: Landfill Ctrl Type: Site Closing Description: Project Description: Municipalities Served: Approval Description: Other Approvals/Permits: PDF URL: https://www.accessenvironment.ene.gov.on.ca/instruments/2608-5HTNRU-14.pdf PDF Site Location:					
31	2 of 13	WNW/211.6	288.5 / 3.08	Teston View Holdings Inc. Vaughan ON M3J 1M8	WDS
Approval No: A230604 Mob Unit Cert No: EBR Registry No: Status: Approved Facility Type: Record Type: ECA Link Source: IDS Project Type: WASTE DISPOSAL SITES Application Status: Issue Date: 2016-04-15 Input Date: Date Received: Est Closure Date: Mobile Capacity: Mobile Units: Mobile Description: Prop City: Prop Postal: Prop Phone: Serial Link: Approval Type: ECA-WASTE DISPOSAL SITES Proponent: Prop Address: Proponent County/District: Full Address: Site Lot: Waste Class Code: Waste Class: Waste Type: Waste Type Other: Waste Description: Landfill Monitoring: Landfill Ctrl Type: Site Closing Description: Project Description: Municipalities Served: Approval Description: Other Approvals/Permits: PDF URL: https://www.accessenvironment.ene.gov.on.ca/instruments/4261-A2ZRCP-14.pdf PDF Site Location:					
Total Area (ha): Landfill Cap (m³): Transfer Area (ha): Transfer Cap (m³): Transfer Cert No: Inciner. Area (ha): Inciner. Cap (t): Process Area (m³): Process Cap (m³/d): Process Vol (m³): Process Feed (m³): Site Concession: Site Region/County: SWP Area Name: Toronto MOE District: York-Durham District Office: Latitude: 43.8784 Longitude: -79.5047 Geometry X: Geometry Y:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
31	3 of 13	WNW/211.6	288.5 / 3.08	York Major Holdings Inc. Vaughan ON L6A 1S3	ECA
Approval No: 0617-6NMJCC Approval Date: 2006-04-08 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Toronto Approval Type: ECA-Municipal Drinking Water Systems Project Type: Municipal Drinking Water Systems Business Name: York Major Holdings Inc. Address: Full Address: Full PDF Link: PDF Site Location:		MOE District: York-Durham City: Longitude: -79.5047 Latitude: 43.8784 Geometry X: Geometry Y:			
31	4 of 13	WNW/211.6	288.5 / 3.08	Dufferin Heights Estates Inc. Vaughan ON L4K 1J1	ECA
Approval No: 7695-7Q8LZP Approval Date: 2009-03-18 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Toronto Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS Business Name: Dufferin Heights Estates Inc. Address: Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/5813-7PUPVR-14.pdf PDF Site Location:		MOE District: York-Durham City: Longitude: -79.5047 Latitude: 43.8784 Geometry X: Geometry Y:			
31	5 of 13	WNW/211.6	288.5 / 3.08	The Regional Municipality of York Vaughan ON L3Y 6Z1	ECA
Approval No: 3959-6CBPY3 Approval Date: 2005-05-16 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Toronto Approval Type: ECA-Municipal Drinking Water Systems Project Type: Municipal Drinking Water Systems Business Name: The Regional Municipality of York Address: Full Address: Full PDF Link: PDF Site Location:		MOE District: York-Durham City: Longitude: -79.5047 Latitude: 43.8784 Geometry X: Geometry Y:			
31	6 of 13	WNW/211.6	288.5 / 3.08	First Gulf Capital Corporation Vaughan ON L5N 2W5	ECA

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval No: 3584-5FWLR6 Approval Date: 2002-11-15 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Toronto Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS Business Name: First Gulf Capital Corporation Address: Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/1614-5F9QCH-14.pdf PDF Site Location:					
31	7 of 13	WNW/211.6	288.5 / 3.08	Dufferin Heights Estates Inc. Vaughan ON L4K 1J1	ECA
Approval No: 2569-7Q8MUM Approval Date: 2009-03-18 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Toronto Approval Type: ECA-Municipal Drinking Water Systems Project Type: Municipal Drinking Water Systems Business Name: Dufferin Heights Estates Inc. Address: Full Address: Full PDF Link: PDF Site Location:					
31	8 of 13	WNW/211.6	288.5 / 3.08	Teston View Holdings Inc. Part of Lot 26, Concession 3 Vaughan ON M3J 1M8	ECA
Approval No: 4898-59AHZ7 Approval Date: 2002-08-21 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Toronto Approval Type: ECA-AIR Project Type: AIR Business Name: Teston View Holdings Inc. Address: Part of Lot 26, Concession 3 Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/7771-55JLR2-14.pdf PDF Site Location:					
31	9 of 13	WNW/211.6	288.5 / 3.08	York Major Holdings Inc. Vaughan ON L6A 1S3	ECA
Approval No: 4458-6NMJHM Approval Date: 2006-04-08 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Toronto MOE District: York-Durham City: Longitude: -79.5047 Latitude: 43.8784 Geometry X: Geometry Y:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SWP Area Name: Toronto Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS Business Name: The Regional Municipality of York Address: Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/3812-AHCL9F-14.pdf PDF Site Location:					
31	12 of 13	WNW/211.6	288.5 / 3.08	Teston View Holdings Inc. Vaughan ON L6A 1S3	WDS
Approval No: A230604 Mob Unit Cert No: EBR Registry No: Status: Approved Facility Type: Record Type: ECA Link Source: IDS Project Type: WASTE DISPOSAL SITES Application Status: Issue Date: 2018-12-13 Input Date: Date Received: Est Closure Date: Mobile Capacity: Mobile Units: Mobile Description: Prop City: Prop Postal: Prop Phone: Serial Link: Approval Type: ECA-WASTE DISPOSAL SITES Proponent: Prop Address: Proponent County/District: Full Address: Site Lot: Waste Class Code: Waste Class: Waste Type: Waste Type Other: Waste Description: Landfill Monitoring: Landfill Ctrl Type: Site Closing Description: Project Description: Municipalities Served: Approval Description: Other Approvals/Permits: PDF URL: https://www.accessenvironment.ene.gov.on.ca/instruments/1844-ABEPT7-13.pdf PDF Site Location:					
31	13 of 13	WNW/211.6	288.5 / 3.08	The Corporation of the City of Vaughan Vaughan ON L6A 1T1	WDS
Approval No: A230601 Mob Unit Cert No: EBR Registry No: Status: Approved					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		1997/04/09			
Year Completed:		1997			
Depth (m):		7.3152			
Latitude:		43.8783756365636			
Longitude:		-79.5047601344485			
Path:		692\6923872.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10514173			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	620124.70
Code OB Desc:				North83:	4859451.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	9
Date Completed:	09-Apr-1997 00:00:00			UTMRC Desc:	unknown UTM
Remarks:				Location Method:	lot
Loc Method Desc:		Lot centroid			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932821542			
Layer:		1			
Color:					
General Color:					
Mat1:		23			
Most Common Material:		PREVIOUSLY DUG			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		24.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933217112			
Layer:		2			
Plug From:		21.0			
Plug To:		19.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933217111			
Layer:		1			
Plug From:		24.0			
Plug To:		16.0			
Plug Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

**Annular Space/Abandonment
Sealing Record**

Plug ID: 933217113
Layer: 3
Plug From: 19.0
Plug To: 0.0
Plug Depth UOM: ft

**Method of Construction & Well
Use**

Method Construction ID: 966923872
Method Construction Code: B
Method Construction: Other Method
Other Method Construction:

Pipe Information

Pipe ID: 11062743
Casing No: 1
Comment:
Alt Name:

Links

Bore Hole ID:	10514173	Tag No:	
Depth M:	7.3152	Contractor:	1508
Year Completed:	1997	Path:	692\6923872.pdf
Well Completed Dt:	1997/04/09	Latitude:	43.8783756365636
Audit No:	160333	Longitude:	-79.5047601344485

32	2 of 2	WNW/210.5	289.0 / 3.60	lot 26 con 3 ON	WWIS
Well ID:	6923873	Flowing (Y/N):			
Construction Date:		Flow Rate:			
Use 1st:	Not Used	Data Entry Status:			
Use 2nd:		Data Src:	1		
Final Well Status:	Abandoned-Other	Date Received:	21-Apr-1997 00:00:00		
Water Type:		Selected Flag:	TRUE		
Casing Material:		Abandonment Rec:			
Audit No:	160332	Contractor:	1508		
Tag:		Form Version:	1		
Constructn Method:		Owner:			
Elevation (m):		County:	YORK		
Elevatn Reliabilty:		Lot:	026		
Depth to Bedrock:		Concession:	03		
Well Depth:		Concession Name:	CON		
Overburden/Bedrock:		Easting NAD83:			
Pump Rate:		Northing NAD83:			
Static Water Level:		Zone:			
Clear/Cloudy:		UTM Reliability:			
Municipality:	VAUGHAN TOWN (VAUGHAN TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6923873.pdf				

Additional Detail(s) (Map)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well Completed Date:		1997/04/09			
Year Completed:		1997			
Depth (m):		16.4592			
Latitude:		43.8783756365636			
Longitude:		-79.5047601344485			
Path:		692\6923873.pdf			
 <u>Bore Hole Information</u>					
Bore Hole ID:	10514174			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	620124.70
Code OB Desc:				North83:	4859451.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	9
Date Completed:	09-Apr-1997 00:00:00			UTMRC Desc:	unknown UTM
Remarks:				Location Method:	lot
Loc Method Desc:	Lot centroid				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932821543				
Layer:	1				
Color:					
General Color:					
Mat1:	23				
Most Common Material:	PREVIOUSLY DUG				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	54.0				
Formation End Depth UOM:	ft				
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	933217114				
Layer:	1				
Plug From:	54.0				
Plug To:	51.0				
Plug Depth UOM:	ft				
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	933217115				
Layer:	2				
Plug From:	51.0				
Plug To:	49.0				
Plug Depth UOM:	ft				
 <u>Annular Space/Abandonment</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Sealing Record</u>					
Plug ID:		933217116			
Layer:		3			
Plug From:		49.0			
Plug To:		0.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966923873			
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11062744			
Casing No:		1			
Comment:					
Alt Name:					
<u>Links</u>					
Bore Hole ID:	10514174			Tag No:	
Depth M:	16.4592			Contractor:	1508
Year Completed:	1997			Path:	692\6923873.pdf
Well Completed Dt:	1997/04/09			Latitude:	43.8783756365636
Audit No:	160332			Longitude:	-79.5047601344485
33	1 of 1	W/33.3	291.4 / 6.03	lot 26 con 3 ON	WWIS
Well ID:	6916546			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Not Used			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Observation Wells			Date Received:	22-Feb-1983 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2801
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	026
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	VAUGHAN TOWN (VAUGHAN TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6916546.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	1981/09/28				
Year Completed:	1981				
Depth (m):	20.4216				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Latitude:		43.8766329331396			
Longitude:		-79.5050651075857			
Path:		691\6916546.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10507022			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	620103.70
Code OB Desc:				North83:	4859257.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	28-Sep-1981 00:00:00			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	www
Loc Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932780968				
Layer:	3				
Color:	6				
General Color:	BROWN				
Mat1:	08				
Most Common Material:	FINE SAND				
Mat2:	05				
Mat2 Desc:	CLAY				
Mat3:	06				
Mat3 Desc:	SILT				
Formation Top Depth:	28.0				
Formation End Depth:	46.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932780970				
Layer:	5				
Color:					
General Color:					
Mat1:	28				
Most Common Material:	SAND				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	67.0				
Formation End Depth:	67.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932780966				
Layer:	1				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:					
General Color:					
Mat1:		35			
Most Common Material:		WOOD FRAGMENTS			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		10.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932780967			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:		35			
Mat2 Desc:		WOOD FRAGMENTS			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		10.0			
Formation End Depth:		28.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932780969			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		84			
Mat2 Desc:		SILTY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		46.0			
Formation End Depth:		67.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966916546			
Method Construction Code:		4			
Method Construction:		Rotary (Air)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11055592			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID: 930820332					
Layer: 3					
Material:					
Open Hole or Material:					
Depth From:					
Depth To: 65.0					
Casing Diameter: 2.0					
Casing Diameter UOM: inch					
Casing Depth UOM: ft					
<u>Construction Record - Casing</u>					
Casing ID: 930820330					
Layer: 1					
Material: 1					
Open Hole or Material: STEEL					
Depth From:					
Depth To: 13.0					
Casing Diameter: 10.0					
Casing Diameter UOM: inch					
Casing Depth UOM: ft					
<u>Construction Record - Casing</u>					
Casing ID: 930820331					
Layer: 2					
Material:					
Open Hole or Material:					
Depth From:					
Depth To: 37.0					
Casing Diameter: 2.0					
Casing Diameter UOM: inch					
Casing Depth UOM: ft					
<u>Construction Record - Screen</u>					
Screen ID: 933394551					
Layer: 1					
Slot: 010					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM: ft					
Screen Diameter UOM: inch					
Screen Diameter: 2.0					
<u>Links</u>					
Bore Hole ID: 10507022					
Depth M: 20.4216					
Year Completed: 1981					
Well Completed Dt: 1981/09/28					
Audit No:					
Tag No:					
Contractor: 2801					
Path: 691\6916546.pdf					
Latitude: 43.8766329331396					
Longitude: -79.5050651075857					
34	1 of 2	WNW/211.3	289.0 / 3.60	lot 26 con 3 ON	WWIS
Well ID: 6926927					
Construction Date:					
Use 1st:					
Use 2nd:					
Flowing (Y/N):					
Flow Rate:					
Data Entry Status:					
Data Src: 1					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Final Well Status:	Abandoned-Other			Date Received:	12-Mar-2003 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	249682			Contractor:	1737
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	026
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	VAUGHAN TOWN (VAUGHAN TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6926927.pdf				
 <u>Additional Detail(s) (Map)</u>					
Well Completed Date:	2002/03/25				
Year Completed:	2002				
Depth (m):					
Latitude:	43.8783760762407				
Longitude:	-79.5047937311129				
Path:	692\6926927.pdf				
 <u>Bore Hole Information</u>					
Bore Hole ID:	10542509			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	620122.00
Code OB Desc:				North83:	4859451.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	7
Date Completed:	25-Mar-2002 00:00:00			UTMRC Desc:	margin of error : 1 km - 3 km
Remarks:				Location Method:	lot
Loc Method Desc:	Lot centroid				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Method of Construction & Well Use</u>					
<u>Use</u>					
Method Construction ID:	966926927				
Method Construction Code:	0				
Method Construction:	Not Known				
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:	11091079				
Casing No:	1				
Comment:					
Alt Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Links</u>					
Bore Hole ID:	10542509			Tag No:	
Depth M:				Contractor:	1737
Year Completed:	2002			Path:	692\6926927.pdf
Well Completed Dt:	2002/03/25			Latitude:	43.8783760762407
Audit No:	249682			Longitude:	-79.5047937311129
34	2 of 2	WNW/211.3	289.0 / 3.60	lot 26 con 3 ON	WWIS
Well ID:	6926928			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Abandoned-Other			Date Received:	12-Mar-2003 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	249681			Contractor:	1737
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	026
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	VAUGHAN TOWN (VAUGHAN TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6926928.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	2002/03/21				
Year Completed:	2002				
Depth (m):					
Latitude:	43.8783760762407				
Longitude:	-79.5047937311129				
Path:	692\6926928.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10542510			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	620122.00
Code OB Desc:				North83:	4859451.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	7
Date Completed:	21-Mar-2002 00:00:00			UTMRC Desc:	margin of error : 1 km - 3 km
Remarks:				Location Method:	lot
Loc Method Desc:	Lot centroid				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Method of Construction & Well Use</u>					
Method Construction ID:	966926928				
Method Construction Code:	0				
Method Construction:	Not Known				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	11091080				
Casing No:	1				
Comment:					
Alt Name:					
<u>Links</u>					
Bore Hole ID:	10542510			Tag No:	
Depth M:				Contractor:	1737
Year Completed:	2002			Path:	692\6926928.pdf
Well Completed Dt:	2002/03/21			Latitude:	43.8783760762407
Audit No:	249681			Longitude:	-79.5047937311129
35	1 of 1	W/38.4	291.6 / 6.24	lot 26 con 3 ON	WWIS
Well ID:	6916557			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Not Used			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Unfinished			Date Received:	22-Feb-1983 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2801
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	026
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	VAUGHAN TOWN (VAUGHAN TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6916557.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	1982/08/04				
Year Completed:	1982				
Depth (m):	14.0208				
Latitude:	43.8766525624113				
Longitude:	-79.5051890859663				
Path:	691\6916557.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10507033			Elevation:	
DP2BR:				Elevrc:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Spatial Status:				Zone:	17
Code OB:				East83:	620093.70
Code OB Desc:				North83:	4859259.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	04-Aug-1982 00:00:00			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	www
Loc Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932781047			
Layer:		2			
Color:					
General Color:					
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		5.0			
Formation End Depth:		22.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932781051			
Layer:		6			
Color:					
General Color:					
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		39.0			
Formation End Depth:		41.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932781048			
Layer:		3			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		22.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		34.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781052			
Layer:		7			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		41.0			
Formation End Depth:		46.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781049			
Layer:		4			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		79			
Mat3 Desc:		PACKED			
Formation Top Depth:		34.0			
Formation End Depth:		35.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781046			
Layer:		1			
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		5.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781050			
Layer:		5			
Color:					
General Color:					
Mat1:		08			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Most Common Material:		FINE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		35.0			
Formation End Depth:		39.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966916557			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11055603			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930820355			
Layer:		2			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:		26.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930820354			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		9.0			
Casing Diameter:		12.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933394562			
Layer:		1			
Slot:		010			
Screen Top Depth:		26.0			
Screen End Depth:		45.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
<u>Results of Well Yield Testing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	025
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		VAUGHAN TOWN (VAUGHAN TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6923487.pdf			
 <u>Additional Detail(s) (Map)</u>					
Well Completed Date:		1995/10/05			
Year Completed:		1995			
Depth (m):		39.624			
Latitude:		43.8747446772942			
Longitude:		-79.5038801171777			
Path:		692\6923487.pdf			
 <u>Bore Hole Information</u>					
Bore Hole ID:	10513789			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	620202.70
Code OB Desc:				North83:	4859049.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	9
Date Completed:	05-Oct-1995 00:00:00			UTMRC Desc:	unknown UTM
Remarks:				Location Method:	lot
Loc Method Desc:		Lot centroid			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932819495			
Layer:		6			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		74			
Mat3 Desc:		LAYERED			
Formation Top Depth:		115.0			
Formation End Depth:		130.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		932819494			
Layer:		5			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		90			
Mat2 Desc:		VERY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		100.0			
Formation End Depth:		115.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932819492			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:		74			
Mat3 Desc:		LAYERED			
Formation Top Depth:		24.0			
Formation End Depth:		90.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932819493			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		73			
Mat2 Desc:		HARD			
Mat3:		79			
Mat3 Desc:		PACKED			
Formation Top Depth:		90.0			
Formation End Depth:		100.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932819490			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		74			
Mat3 Desc:		LAYERED			
Formation Top Depth:		0.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		10.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932819491			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		77			
Mat2 Desc:		LOOSE			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		10.0			
Formation End Depth:		24.0			
Formation End Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933216567			
Layer:		3			
Plug From:		80.0			
Plug To:		117.0			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933216565			
Layer:		1			
Plug From:		0.0			
Plug To:		30.0			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933216566			
Layer:		2			
Plug From:		30.0			
Plug To:		90.0			
Plug Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		966923487			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11062359			
Casing No:		1			
Comment:					
Alt Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Casing</u>					
Casing ID:		930828083			
Layer:		2			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		2.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930828082			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		91.0			
Casing Diameter:		12.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933399205			
Layer:		1			
Slot:		010			
Screen Top Depth:		91.0			
Screen End Depth:		117.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996923487			
Pump Set At:					
Static Level:		89.0			
Final Level After Pumping:		99.0			
Recommended Pump Depth:		114.0			
Pumping Rate:		10.0			
Flowing Rate:					
Recommended Pump Rate:		10.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		24			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934637335			
Test Type:		Draw Down			
Test Duration:		30			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Level:		99.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934362378			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		99.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		935150332			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		99.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934877174			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		99.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		934006009			
Layer:		1			
Kind Code:		5			
Kind:		Not stated			
Water Found Depth:		112.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:		10513789		Tag No:	
Depth M:		39.624		Contractor:	3903
Year Completed:		1995		Path:	692\6923487.pdf
Well Completed Dt:		1995/10/05		Latitude:	43.8747446772942
Audit No:		165966		Longitude:	-79.5038801171777

36	2 of 5	SW/195.4	288.9 / 3.52	lot 25 con 3 ON	WWIS
Well ID:		6923488		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Municipal		Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:		Replacement Well		Date Received:	11-Mar-1996 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:		165964		Contractor:	3903
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	025
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		VAUGHAN TOWN (VAUGHAN TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6923488.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		1995/09/15			
Year Completed:		1995			
Depth (m):		35.052			
Latitude:		43.8747446772942			
Longitude:		-79.5038801171777			
Path:		692\6923488.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10513790		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	620202.70
Code OB Desc:				North83:	4859049.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	9
Date Completed:		15-Sep-1995 00:00:00		UTMRC Desc:	unknown UTM
Remarks:				Location Method:	lot
Loc Method Desc:		Lot centroid			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932819498			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		73			
Mat3 Desc:		HARD			
Formation Top Depth:		25.0			
Formation End Depth:		90.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932819497			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		09			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Most Common Material:		MEDIUM SAND			
Mat2:		77			
Mat2 Desc:		LOOSE			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		13.0			
Formation End Depth:		25.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932819499			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		05			
Mat3 Desc:		CLAY			
Formation Top Depth:		90.0			
Formation End Depth:		115.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932819496			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:		74			
Mat3 Desc:		LAYERED			
Formation Top Depth:		0.0			
Formation End Depth:		13.0			
Formation End Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933216568			
Layer:		1			
Plug From:		0.0			
Plug To:		40.0			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933216569			
Layer:		2			
Plug From:		40.0			
Plug To:		78.0			
Plug Depth UOM:		ft			
 <u>Method of Construction & Well</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Use</u>					
Method Construction ID:		966923488			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11062360			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930828084			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		2.0			
Casing Diameter:		12.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930828085			
Layer:		2			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		2.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933399206			
Layer:		1			
Slot:		010			
Screen Top Depth:		84.0			
Screen End Depth:		99.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996923488			
Pump Set At:					
Static Level:		83.0			
Final Level After Pumping:		90.0			
Recommended Pump Depth:		102.0			
Pumping Rate:		3.0			
Flowing Rate:					
Recommended Pump Rate:		3.0			
Levels UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		10			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934877175			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		90.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934362379			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		90.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		935150333			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		90.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934637336			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		90.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		934006010			
Layer:		1			
Kind Code:		5			
Kind:		Not stated			
Water Found Depth:		103.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:		10513790		Tag No:	
Depth M:		35.052		Contractor:	
Year Completed:		1995		Path:	
Well Completed Dt:		1995/09/15		Latitude:	
Audit No:		165964		Longitude:	
36	3 of 5	SW/195.4	288.9 / 3.52	lot 25 con 3 ON	WWIS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well ID:	6923489			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Municipal			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Replacement Well			Date Received:	11-Mar-1996 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	165963			Contractor:	3903
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	025
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	VAUGHAN TOWN (VAUGHAN TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6923489.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	1995/09/05				
Year Completed:	1995				
Depth (m):	35.052				
Latitude:	43.8747446772942				
Longitude:	-79.5038801171777				
Path:	692\6923489.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10513791			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	620202.70
Code OB Desc:				North83:	4859049.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	9
Date Completed:	05-Sep-1995 00:00:00			UTMRC Desc:	unknown UTM
Remarks:				Location Method:	lot
Loc Method Desc:	Lot centroid				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	932819500				
Layer:	1				
Color:	2				
General Color:	GREY				
Mat1:	28				
Most Common Material:	SAND				
Mat2:	05				
Mat2 Desc:	CLAY				
Mat3:	74				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3 Desc:		LAYERED			
Formation Top Depth:		0.0			
Formation End Depth:		12.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932819502			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:		77			
Mat2 Desc:		LOOSE			
Mat3:		73			
Mat3 Desc:		HARD			
Formation Top Depth:		24.0			
Formation End Depth:		65.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932819501			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		74			
Mat2 Desc:		LAYERED			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		12.0			
Formation End Depth:		24.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932819503			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		90			
Mat2 Desc:		VERY			
Mat3:		73			
Mat3 Desc:		HARD			
Formation Top Depth:		65.0			
Formation End Depth:		115.0			
Formation End Depth UOM:		ft			
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933216570			
Layer:		1			
Plug From:		0.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug To:		30.0			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933216571			
Layer:		2			
Plug From:		26.0			
Plug To:		105.0			
Plug Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		966923489			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11062361			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930828086			
Layer:		1			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		30.0			
Casing Diameter:		16.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Casing</u>					
Casing ID:		930828087			
Layer:		2			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		2.0			
Casing Diameter:		12.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Casing</u>					
Casing ID:		930828088			
Layer:		3			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		26.0			
Casing Diameter:		12.0			
Casing Diameter UOM:		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930828089			
Layer:		4			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		2.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933399207			
Layer:		1			
Slot:		010			
Screen Top Depth:		85.0			
Screen End Depth:		100.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996923489			
Pump Set At:					
Static Level:		78.0			
Final Level After Pumping:		93.0			
Recommended Pump Depth:		103.0			
Pumping Rate:		3.0			
Flowing Rate:					
Recommended Pump Rate:		3.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		10			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934637337			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		89.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934362380			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		87.0			
Test Level UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Draw Down & Recovery

Pump Test Detail ID: 934877176
Test Type: Draw Down
Test Duration: 45
Test Level: 90.0
Test Level UOM: ft

Draw Down & Recovery

Pump Test Detail ID: 935150334
Test Type: Draw Down
Test Duration: 60
Test Level: 90.0
Test Level UOM: ft

Water Details

Water ID: 934006011
Layer: 1
Kind Code: 5
Kind: Not stated
Water Found Depth: 105.0
Water Found Depth UOM: ft

Links

Bore Hole ID:	10513791	Tag No:	
Depth M:	35.052	Contractor:	3903
Year Completed:	1995	Path:	692\6923489.pdf
Well Completed Dt:	1995/09/05	Latitude:	43.8747446772942
Audit No:	165963	Longitude:	-79.5038801171777

36	4 of 5	SW/195.4	288.9 / 3.52	lot 25 con 3 ON	WWIS
Well ID:	6923490	Flowing (Y/N):			
Construction Date:		Flow Rate:			
Use 1st:	Municipal	Data Entry Status:			
Use 2nd:		Data Src:	1		
Final Well Status:	Replacement Well	Date Received:	11-Mar-1996 00:00:00		
Water Type:		Selected Flag:	TRUE		
Casing Material:		Abandonment Rec:			
Audit No:	165965	Contractor:	3903		
Tag:		Form Version:	1		
Constructn Method:		Owner:			
Elevation (m):		County:	YORK		
Elevatn Reliabilty:		Lot:	025		
Depth to Bedrock:		Concession:	03		
Well Depth:		Concession Name:	CON		
Overburden/Bedrock:		Easting NAD83:			
Pump Rate:		Northing NAD83:			
Static Water Level:		Zone:			
Clear/Cloudy:		UTM Reliability:			
Municipality:	VAUGHAN TOWN (VAUGHAN TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6923490.pdf				

Additional Detail(s) (Map)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well Completed Date:		1995/09/28			
Year Completed:		1995			
Depth (m):		51.816			
Latitude:		43.8747446772942			
Longitude:		-79.5038801171777			
Path:		692\6923490.pdf			
 <u>Bore Hole Information</u>					
Bore Hole ID:	10513792			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	620202.70
Code OB Desc:				North83:	4859049.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	9
Date Completed:	28-Sep-1995 00:00:00			UTMRC Desc:	unknown UTM
Remarks:				Location Method:	lot
Loc Method Desc:	Lot centroid				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932819506				
Layer:	3				
Color:	6				
General Color:	BROWN				
Mat1:	09				
Most Common Material:	MEDIUM SAND				
Mat2:	05				
Mat2 Desc:	CLAY				
Mat3:	74				
Mat3 Desc:	LAYERED				
Formation Top Depth:	75.0				
Formation End Depth:	130.0				
Formation End Depth UOM:	ft				
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932819504				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	28				
Mat2 Desc:	SAND				
Mat3:	74				
Mat3 Desc:	LAYERED				
Formation Top Depth:	0.0				
Formation End Depth:	27.0				
Formation End Depth UOM:	ft				
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		932819508			
Layer:		5			
Color:		2			
General Color:		GREY			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		90			
Mat2 Desc:		VERY			
Mat3:		06			
Mat3 Desc:		SILT			
Formation Top Depth:		165.0			
Formation End Depth:		170.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932819505			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:		77			
Mat3 Desc:		LOOSE			
Formation Top Depth:		27.0			
Formation End Depth:		75.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932819507			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		73			
Mat2 Desc:		HARD			
Mat3:		79			
Mat3 Desc:		PACKED			
Formation Top Depth:		130.0			
Formation End Depth:		165.0			
Formation End Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933216572			
Layer:		1			
Plug From:		0.0			
Plug To:		100.0			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933216573			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		2			
Plug From:		100.0			
Plug To:		148.0			
Plug Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		966923490			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11062362			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930828091			
Layer:		2			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		0.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Casing</u>					
Casing ID:		930828090			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		2.0			
Casing Diameter:		12.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933399208			
Layer:		1			
Slot:		010			
Screen Top Depth:		146.0			
Screen End Depth:		148.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996923490			
Pump Set At:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Static Level:		129.0			
Final Level After Pumping:		148.0			
Recommended Pump Depth:		170.0			
Pumping Rate:		15.0			
Flowing Rate:					
Recommended Pump Rate:		15.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		24			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934362381			
Test Type:					
Test Duration:		15			
Test Level:		147.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934637338			
Test Type:					
Test Duration:		30			
Test Level:		147.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		935150335			
Test Type:					
Test Duration:		60			
Test Level:		148.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934877177			
Test Type:					
Test Duration:		45			
Test Level:		147.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		934006012			
Layer:		1			
Kind Code:		5			
Kind:		Not stated			
Water Found Depth:		170.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:	10513792			Tag No:	
Depth M:	51.816			Contractor:	3903
Year Completed:	1995			Path:	692\6923490.pdf

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well Completed Dt:	1995/09/28			Latitude:	43.8747446772942
Audit No:	165965			Longitude:	-79.5038801171777

36	5 of 5	SW/195.4	288.9 / 3.52	lot 25 con 3 ON	WWIS
Well ID:	6923866			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Municipal			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Unfinished			Date Received:	03-Apr-1997 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	165719			Contractor:	3903
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	025
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		VAUGHAN TOWN (VAUGHAN TWP)			
Site Info:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6923866.pdf

Additional Detail(s) (Map)

Well Completed Date: 1996/06/28
Year Completed: 1996
Depth (m): 32.004
Latitude: 43.8747446772942
Longitude: -79.5038801171777
Path: 692\6923866.pdf

Bore Hole Information

Bore Hole ID:	10514167	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	620202.70
Code OB Desc:		North83:	4859049.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	9
Date Completed:	28-Jun-1996 00:00:00	UTMRC Desc:	unknown UTM
Remarks:		Location Method:	lot
Loc Method Desc:	Lot centroid		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock

Materials Interval

Formation ID: 932821503
Layer: 4

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:		2			
General Color:		GREY			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		73			
Mat2 Desc:		HARD			
Mat3:		79			
Mat3 Desc:		PACKED			
Formation Top Depth:		67.0			
Formation End Depth:		100.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932821504			
Layer:		5			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		74			
Mat3 Desc:		LAYERED			
Formation Top Depth:		100.0			
Formation End Depth:		105.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932821501			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		74			
Mat3 Desc:		LAYERED			
Formation Top Depth:		7.0			
Formation End Depth:		25.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932821502			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:		73			
Mat2 Desc:		HARD			
Mat3:		79			
Mat3 Desc:		PACKED			
Formation Top Depth:		25.0			
Formation End Depth:		67.0			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932821500			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		7.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933217100			
Layer:		2			
Plug From:		26.0			
Plug To:					
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933217099			
Layer:		1			
Plug From:		85.0			
Plug To:		25.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966923866			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11062737			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930828529			
Layer:		2			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		87.0			
Casing Diameter:		12.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Casing</u>					
Casing ID:		930828528			
Layer:		1			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		26.0			
Casing Diameter:		16.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930828530			
Layer:		3			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		105.0			
Casing Diameter:		10.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933399463			
Layer:		1			
Slot:		006			
Screen Top Depth:		87.0			
Screen End Depth:		102.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		7.0			
<u>Water Details</u>					
Water ID:		934006323			
Layer:		1			
Kind Code:		5			
Kind:		Not stated			
Water Found Depth:		100.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:	10514167			Tag No:	
Depth M:	32.004			Contractor:	3903
Year Completed:	1996			Path:	692\6923866.pdf
Well Completed Dt:	1996/06/28			Latitude:	43.8747446772942
Audit No:	165719			Longitude:	-79.5038801171777
37	1 of 1	W/33.8	292.2 / 6.85	lot 26 con 3 ON	WWIS
Well ID:	6916556			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Not Used			Data Entry Status:	
Use 2nd:				Data Src:	1

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Final Well Status:	Observation Wells			Date Received:	22-Feb-1983 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2801
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	026
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	VAUGHAN TOWN (VAUGHAN TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6916556.pdf				
 <u>Additional Detail(s) (Map)</u>					
Well Completed Date:	1982/08/05				
Year Completed:	1982				
Depth (m):	15.8496				
Latitude:	43.8764798739895				
Longitude:	-79.5057535137902				
Path:	691\6916556.pdf				
 <u>Bore Hole Information</u>					
Bore Hole ID:	10507032			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	620048.70
Code OB Desc:				North83:	4859239.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	8
Date Completed:	05-Aug-1982 00:00:00			UTMRC Desc:	margin of error : 3 km - 10 km
Remarks:				Location Method:	wwr
Loc Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932781041				
Layer:	1				
Color:					
General Color:					
Mat1:	10				
Most Common Material:	COARSE SAND				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	18.0				
Formation End Depth UOM:	ft				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781042			
Layer:		2			
Color:					
General Color:					
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		18.0			
Formation End Depth:		27.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781043			
Layer:		3			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		84			
Mat2 Desc:		SILTY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		27.0			
Formation End Depth:		39.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781044			
Layer:		4			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		39.0			
Formation End Depth:		48.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781045			
Layer:		5			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		48.0			
Formation End Depth:		52.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966916556			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11055602			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930820353			
Layer:		2			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:		30.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930820352			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		7.0			
Casing Diameter:		12.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933394561			
Layer:		1			
Slot:		010			
Screen Top Depth:		30.0			
Screen End Depth:		48.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test ID:		996916556			
Pump Set At:					
Static Level:		37.0			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		No			
 <u>Links</u>					
Bore Hole ID:		10507032		Tag No:	
Depth M:		15.8496		Contractor:	
Year Completed:		1982		2801	
Well Completed Dt:		1982/08/05		Path:	
Audit No:				691\6916556.pdf	
				Latitude:	
				43.8764798739895	
				Longitude:	
				-79.5057535137902	
38	1 of 1	WSW/84.4	291.0 / 5.57	lot 25 con 3 ON	WWIS
Well ID:		6917149		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Not Used		Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:		Observation Wells		1	
Water Type:				Date Received:	
Casing Material:				10-Jul-1984 00:00:00	
Audit No:				Selected Flag:	
Tag:				TRUE	
Constructn Method:				Abandonment Rec:	
Elevation (m):				Contractor:	
Elevatn Reliabilty:				2801	
Depth to Bedrock:				Form Version:	
Well Depth:				1	
Overburden/Bedrock:				Owner:	
Pump Rate:				County:	
Static Water Level:				YORK	
Clear/Cloudy:				Lot:	
Municipality:		VAUGHAN TOWN (VAUGHAN TWP)		025	
Site Info:				03	
				Concession Name:	
				CON	
				Easting NAD83:	
				Northing NAD83:	
				Zone:	
				UTM Reliability:	
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6917149.pdf			
 <u>Additional Detail(s) (Map)</u>					
Well Completed Date:		1982/12/14			
Year Completed:		1982			
Depth (m):		7.62			
Latitude:		43.8754741301906			
Longitude:		-79.5052683373678			
Path:		691\6917149.pdf			

Bore Hole Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID:	10507498			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	620089.70
Code OB Desc:				North83:	4859128.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	14-Dec-1982 00:00:00			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	wwr
Loc Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932783655			
Layer:		1			
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:		78			
Mat2 Desc:		MEDIUM-GRAINED			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		25.0			
Formation End Depth UOM:		ft			
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		933212233			
Layer:		1			
Plug From:		10.0			
Plug To:		11.0			
Plug Depth UOM:		ft			
 <u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966917149			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11056068			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930820913			
Layer:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		18.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930820914			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		23.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933394848			
Layer:		1			
Slot:					
Screen Top Depth:		18.0			
Screen End Depth:		23.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Links</u>					
Bore Hole ID:	10507498			Tag No:	
Depth M:	7.62			Contractor:	2801
Year Completed:	1982			Path:	691\6917149.pdf
Well Completed Dt:	1982/12/14			Latitude:	43.8754741301906
Audit No:				Longitude:	-79.5052683373678
39	1 of 1	WSW/35.4	290.8 / 5.44	lot 25 con 3 ON	WWIS
Well ID:	6917129			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Not Used			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Observation Wells			Date Received:	10-Jul-1984 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2801
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	025
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	VAUGHAN TOWN (VAUGHAN TWP)				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6917129.pdf			
Additional Detail(s) (Map)					
Well Completed Date:		1982/12/16			
Year Completed:		1982			
Depth (m):		22.86			
Latitude:		43.8758398522681			
Longitude:		-79.5056948299993			
Path:		691\6917129.pdf			
Bore Hole Information					
Bore Hole ID:		10507478		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	
Code OB:				East83:	
Code OB Desc:				North83:	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	
Date Completed:		16-Dec-1982 00:00:00		UTMRC Desc:	
Remarks:				Location Method:	
Loc Method Desc:		on Water Well Record		margin of error : 100 m - 300 m	
Elevrc Desc:				wwr	
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
Overburden and Bedrock					
Materials Interval					
Formation ID:		932783441			
Layer:		2			
Color:					
General Color:					
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		6.0			
Formation End Depth:		75.0			
Formation End Depth UOM:		ft			
Overburden and Bedrock					
Materials Interval					
Formation ID:		932783440			
Layer:		1			
Color:					
General Color:					
Mat1:		01			
Most Common Material:		FILL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:		0.0			
Formation End Depth:		6.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		966917129			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11056048			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930820881			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		53.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Casing</u>					
Casing ID:		930820882			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		58.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933394833			
Layer:		1			
Slot:					
Screen Top Depth:		53.0			
Screen End Depth:		58.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
 <u>Links</u>					
Bore Hole ID:	10507478			Tag No:	
Depth M:	22.86			Contractor:	2801
Year Completed:	1982			Path:	691\6917129.pdf
Well Completed Dt:	1982/12/16			Latitude:	43.8758398522681

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Audit No:				Longitude:	-79.5056948299993
40	1 of 1	W/22.5	292.2 / 6.85	lot 26 con 3 ON	WWIS
Well ID:		6916555		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Not Used		Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:		Unfinished		Date Received:	
Water Type:				Selected Flag:	
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	
Tag:				Form Version:	
Constructn Method:				Owner:	
Elevation (m):				County:	
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		VAUGHAN TOWN (VAUGHAN TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6916555.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		1982/08/10			
Year Completed:		1982			
Depth (m):		16.4592			
Latitude:		43.8763293039497			
Longitude:		-79.5059439800342			
Path:		691\6916555.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10507031		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	
Code OB:				East83:	
Code OB Desc:				North83:	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	
Date Completed:		10-Aug-1982 00:00:00		UTMRC Desc:	
Remarks:				Location Method:	
Loc Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781034			
Layer:		1			
Color:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:					
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:		29			
Mat2 Desc:		FINE GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		13.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781036			
Layer:		3			
Color:					
General Color:					
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		15.0			
Formation End Depth:		24.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781038			
Layer:		5			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		79			
Mat2 Desc:		PACKED			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		42.0			
Formation End Depth:		48.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781037			
Layer:		4			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		90			
Mat2 Desc:		VERY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		24.0			
Formation End Depth:		42.0			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781040			
Layer:		7			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		84			
Mat2 Desc:		SILTY			
Mat3:		05			
Mat3 Desc:		CLAY			
Formation Top Depth:		51.0			
Formation End Depth:		54.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781035			
Layer:		2			
Color:					
General Color:					
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:		79			
Mat2 Desc:		PACKED			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		13.0			
Formation End Depth:		15.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781039			
Layer:		6			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		84			
Mat2 Desc:		SILTY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		48.0			
Formation End Depth:		51.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966916555			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11055601			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing No: Comment: Alt Name:		1			
<u>Construction Record - Casing</u>					
Casing ID:		930820351			
Layer:		2			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:		33.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930820350			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		7.0			
Casing Diameter:		12.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933394560			
Layer:		1			
Slot:		010			
Screen Top Depth:		33.0			
Screen End Depth:		50.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996916555			
Pump Set At:					
Static Level:		32.0			
Final Level After Pumping:		39.0			
Recommended Pump Depth:		45.0			
Pumping Rate:		25.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:		1			
Pumping Duration HR:		6			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test Detail ID:		934362650			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		39.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		935144619			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		39.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934629916			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		39.0			
Test Level UOM:		ft			
<u>Links</u>					
Bore Hole ID:	10507031			Tag No:	
Depth M:	16.4592			Contractor:	2801
Year Completed:	1982			Path:	691\6916555.pdf
Well Completed Dt:	1982/08/10			Latitude:	43.8763293039497
Audit No:				Longitude:	-79.5059439800342
41	1 of 1	W/141.9	303.4 / 18.03	ON	WWIS
Well ID:	7178749			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Not Used			Data Entry Status:	
Use 2nd:	Other			Data Src:	
Final Well Status:	Abandoned-Supply			Date Received:	02-Apr-2012 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	Yes
Audit No:	Z127390			Contractor:	3406
Tag:				Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	VAUGHAN TOWN (VAUGHAN TWP)				
Site Info:	KEELE VALLEY LANDFILL				
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/717\7178749.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	2011/01/10				
Year Completed:	2011				
Depth (m):					
Latitude:	43.8773952352338				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Longitude:		-79.5062123362105			
Path:		717\7178749.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	1003707498			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	620010.00
Code OB Desc:				North83:	4859340.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	5
Date Completed:	10-Jan-2011 00:00:00			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	wwr
Loc Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1004176036				
Layer:	1				
Plug From:	0.0				
Plug To:	50.900001525878906				
Plug Depth UOM:	m				
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:	1004176035				
Layer:	1				
Plug From:					
Plug To:					
Plug Depth UOM:	m				
<u>Method of Construction & Well Use</u>					
Method Construction ID:	1004176034				
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	1004176025				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1004176029				
Layer:	1				
Material:	5				
Open Hole or Material:	PLASTIC				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth From: 0.30000001192092896					
Depth To: 36.27000045776367					
Casing Diameter: 15.239999771118164					
Casing Diameter UOM: cm					
Casing Depth UOM: m					
<u>Construction Record - Casing</u>					
Casing ID: 1004176030					
Layer: 2					
Material: 1					
Open Hole or Material: STEEL					
Depth From: 0.30000001192092896					
Depth To: 14.020000457763672					
Casing Diameter: 30.479999542236328					
Casing Diameter UOM: cm					
Casing Depth UOM: m					
<u>Construction Record - Screen</u>					
Screen ID: 1004176031					
Layer: 1					
Slot: 10					
Screen Top Depth: 36.27000045776367					
Screen End Depth: 50.900001525878906					
Screen Material: 1					
Screen Depth UOM: m					
Screen Diameter UOM: cm					
Screen Diameter: 15.239999771118164					
<u>Water Details</u>					
Water ID: 1004176028					
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM: m					
<u>Hole Diameter</u>					
Hole ID: 1004176027					
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM: m					
Hole Diameter UOM: cm					
<u>Links</u>					
Bore Hole ID: 1003707498					
Depth M:					
Year Completed: 2011					
Well Completed Dt: 2011/01/10					
Audit No: Z127390					
Tag No:					
Contractor: 3406					
Path: 717\7178749.pdf					
Latitude: 43.8773952352338					
Longitude: -79.5062123362105					
42	1 of 1	W/43.0	293.2 / 7.86	CITY OF TORONTO ON	WWIS
Well ID: 7178753					
Construction Date:					
Flowing (Y/N):					
Flow Rate:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Use 1st:	Industrial			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Other Status			Date Received:	02-Apr-2012 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z127393			Contractor:	3406
Tag:	A076892			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		VAUGHAN TOWN (VAUGHAN TWP)			
Site Info:		KEELE VALLEY LANDFILL			
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/717\7178753.pdf				
Additional Detail(s) (Map)					
Well Completed Date:	2011/01/10				
Year Completed:	2011				
Depth (m):	51.81				
Latitude:	43.8764504934788				
Longitude:	-79.5062608362117				
Path:	717\7178753.pdf				
Bore Hole Information					
Bore Hole ID:	1003707510			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	620008.00
Code OB Desc:				North83:	4859235.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	5
Date Completed:	10-Jan-2011 00:00:00			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	wwr
Loc Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
Overburden and Bedrock Materials Interval					
Formation ID:	1004176171				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	28				
Most Common Material:	SAND				
Mat2:	06				
Mat2 Desc:	SILT				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	7.619999885559082				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		10.65999984741211			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1004176173			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		08			
Mat3 Desc:		FINE SAND			
Formation Top Depth:		29.260000228881836			
Formation End Depth:		36.56999969482422			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1004176170			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		7.619999885559082			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1004176174			
Layer:		5			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		69			
Mat3 Desc:		FINE-GRAINED			
Formation Top Depth:		36.56999969482422			
Formation End Depth:		49.68000030517578			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1004176172			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		06			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Most Common Material:		SILT			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		05			
Mat3 Desc:		CLAY			
Formation Top Depth:		10.65999984741211			
Formation End Depth:		29.260000228881836			
Formation End Depth UOM:		m			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1004176175			
Layer:		6			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		49.68000030517578			
Formation End Depth:		51.810001373291016			
Formation End Depth UOM:		m			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004176207			
Layer:		3			
Plug From:		33.52000045776367			
Plug To:		35.04999923706055			
Plug Depth UOM:		m			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004176208			
Layer:		4			
Plug From:		35.04999923706055			
Plug To:		51.810001373291016			
Plug Depth UOM:		m			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004176205			
Layer:		1			
Plug From:		0.0			
Plug To:		12.0			
Plug Depth UOM:		m			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004176206			
Layer:		2			
Plug From:		12.0			
Plug To:		33.52000045776367			
Plug Depth UOM:		m			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Method of Construction & Well Use</u>					
Method Construction ID:	1004176204				
Method Construction Code:	2				
Method Construction:	Rotary (Convent.)				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	1004176168				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	1004176179				
Layer:	1				
Material:	1				
Open Hole or Material:	STEEL				
Depth From:	0.550000011920929				
Depth To:	12.0				
Casing Diameter:	30.479999542236328				
Casing Diameter UOM:	cm				
Casing Depth UOM:	m				
<u>Construction Record - Casing</u>					
Casing ID:	1004176180				
Layer:	2				
Material:	5				
Open Hole or Material:	PLASTIC				
Depth From:	0.6000000238418579				
Depth To:	42.66999816894531				
Casing Diameter:	14.279999732971191				
Casing Diameter UOM:	cm				
Casing Depth UOM:	m				
<u>Construction Record - Screen</u>					
Screen ID:	1004176181				
Layer:	1				
Slot:	10				
Screen Top Depth:	42.66999816894531				
Screen End Depth:	51.83000183105469				
Screen Material:	1				
Screen Depth UOM:	m				
Screen Diameter UOM:	cm				
Screen Diameter:	15.239999771118164				
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:	1004176169				
Pump Set At:	50.0				
Static Level:	42.310001373291016				
Final Level After Pumping:	46.369998931884766				
Recommended Pump Depth:	50.0				
Pumping Rate:	9.0				
Flowing Rate:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Recommended Pump Rate:					
Levels UOM:		m			
Rate UOM:		LPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		0			
Pumping Duration HR:		8			
Pumping Duration MIN:		0			
Flowing:					
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176200			
Test Type:		Draw Down			
Test Duration:		40			
Test Level:		45.81999969482422			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176182			
Test Type:		Draw Down			
Test Duration:		1			
Test Level:		43.31999969482422			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176186			
Test Type:		Draw Down			
Test Duration:		3			
Test Level:		43.689998626708984			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176195			
Test Type:		Recovery			
Test Duration:		15			
Test Level:		43.119998931884766			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176197			
Test Type:		Recovery			
Test Duration:		20			
Test Level:		42.88999938964844			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176194			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		45.22999954223633			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test Detail ID:		1004176184			
Test Type:		Draw Down			
Test Duration:		2			
Test Level:		43.31999969482422			
Test Level UOM:		m			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176189			
Test Type:		Recovery			
Test Duration:		4			
Test Level:		44.720001220703125			
Test Level UOM:		m			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176192			
Test Type:		Draw Down			
Test Duration:		10			
Test Level:		44.68000030517578			
Test Level UOM:		m			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176199			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		45.779998779296875			
Test Level UOM:		m			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176183			
Test Type:		Recovery			
Test Duration:		1			
Test Level:		45.72999954223633			
Test Level UOM:		m			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176190			
Test Type:		Draw Down			
Test Duration:		5			
Test Level:		44.0			
Test Level UOM:		m			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176191			
Test Type:		Recovery			
Test Duration:		5			
Test Level:		4.46999979019165			
Test Level UOM:		m			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176201			
Test Type:		Draw Down			
Test Duration:		50			
Test Level:		45.970001220703125			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176187			
Test Type:		Recovery			
Test Duration:		3			
Test Level:		45.0			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176188			
Test Type:		Draw Down			
Test Duration:		4			
Test Level:		43.84000015258789			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176198			
Test Type:		Draw Down			
Test Duration:		25			
Test Level:		45.63999938964844			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176202			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		46.060001373291016			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176185			
Test Type:		Recovery			
Test Duration:		2			
Test Level:		45.29999923706055			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176193			
Test Type:		Recovery			
Test Duration:		10			
Test Level:		43.63999938964844			
Test Level UOM:		m			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		1004176196			
Test Type:		Draw Down			
Test Duration:		20			
Test Level:		45.470001220703125			
Test Level UOM:		m			
<u>Water Details</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Water ID:		1004176178			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		m			
 <u>Hole Diameter</u>					
Hole ID:		1004176176			
Diameter:		46.900001525878906			
Depth From:		0.0			
Depth To:		12.0			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
 <u>Hole Diameter</u>					
Hole ID:		1004176177			
Diameter:		29.84000015258789			
Depth From:		12.0			
Depth To:		51.810001373291016			
Hole Depth UOM:		m			
Hole Diameter UOM:		cm			
 <u>Links</u>					
Bore Hole ID:	1003707510			Tag No:	A076892
Depth M:	51.81			Contractor:	3406
Year Completed:	2011			Path:	717\7178753.pdf
Well Completed Dt:	2011/01/10			Latitude:	43.8764504934788
Audit No:	Z127393			Longitude:	-79.5062608362117
43	1 of 1	W/40.6	293.7 / 8.32	lot 26 con 3 ON	WWIS
Well ID:	6916554			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Not Used			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Unfinished			Date Received:	22-Feb-1983 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2801
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	026
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		VAUGHAN TOWN (VAUGHAN TWP)			
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6916554.pdf				
 <u>Additional Detail(s) (Map)</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well Completed Date:		1982/08/11			
Year Completed:		1982			
Depth (m):		15.8496			
Latitude:		43.8764151904126			
Longitude:		-79.50631523985			
Path:		691\6916554.pdf			
 <u>Bore Hole Information</u>					
Bore Hole ID:	10507030			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	620003.70
Code OB Desc:				North83:	4859231.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	11-Aug-1982 00:00:00			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	wwr
Loc Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932781028				
Layer:	1				
Color:					
General Color:					
Mat1:	28				
Most Common Material:	SAND				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	10.0				
Formation End Depth UOM:	ft				
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932781031				
Layer:	4				
Color:					
General Color:					
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	08				
Mat2 Desc:	FINE SAND				
Mat3:	74				
Mat3 Desc:	LAYERED				
Formation Top Depth:	38.0				
Formation End Depth:	44.0				
Formation End Depth UOM:	ft				
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		932781030			
Layer:		3			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		79			
Mat2 Desc:		PACKED			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		32.0			
Formation End Depth:		38.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932781029			
Layer:		2			
Color:					
General Color:					
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		10.0			
Formation End Depth:		32.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932781032			
Layer:		5			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		44.0			
Formation End Depth:		47.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932781033			
Layer:		6			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		08			
Mat2 Desc:		FINE SAND			
Mat3:		06			
Mat3 Desc:		SILT			
Formation Top Depth:		47.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		52.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		966916554			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11055600			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930820349			
Layer:		2			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:		36.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Casing</u>					
Casing ID:		930820348			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		14.0			
Casing Diameter:		12.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933394559			
Layer:		1			
Slot:		010			
Screen Top Depth:		36.0			
Screen End Depth:		50.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		16.0			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996916554			
Pump Set At:					
Static Level:		36.0			
Final Level After Pumping:		40.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Recommended Pump Depth: 45.0					
Pumping Rate: 17.0					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM: ft					
Rate UOM: GPM					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method: 1					
Pumping Duration HR: 6					
Pumping Duration MIN: 0					
Flowing: No					
<u>Draw Down & Recovery</u>					
Pump Test Detail ID: 935144618					
Test Type:					
Test Duration: 60					
Test Level: 39.0					
Test Level UOM: ft					
<u>Draw Down & Recovery</u>					
Pump Test Detail ID: 934362649					
Test Type:					
Test Duration: 15					
Test Level: 39.0					
Test Level UOM: ft					
<u>Draw Down & Recovery</u>					
Pump Test Detail ID: 934629915					
Test Type:					
Test Duration: 30					
Test Level: 39.0					
Test Level UOM: ft					
<u>Links</u>					
Bore Hole ID: 10507030					
Depth M: 15.8496					
Year Completed: 1982					
Well Completed Dt: 1982/08/11					
Audit No:					
Tag No:					
Contractor: 2801					
Path: 691\6916554.pdf					
Latitude: 43.8764151904126					
Longitude: -79.50631523985					
44	1 of 1	W/42.6	294.1 / 8.73	lot 26 con 3 ON	WWIS
Well ID: 6917130					
Construction Date:					
Use 1st: Not Used					
Use 2nd:					
Final Well Status: Observation Wells					
Water Type:					
Casing Material:					
Audit No:					
Tag:					
Constructn Method:					
Elevation (m):					
Elevatn Reliabilty:					
Depth to Bedrock:					
Well Depth:					
Flowing (Y/N):					
Flow Rate:					
Data Entry Status:					
Data Src: 1					
Date Received: 10-Jul-1984 00:00:00					
Selected Flag: TRUE					
Abandonment Rec:					
Contractor: 2801					
Form Version: 1					
Owner:					
County: YORK					
Lot: 026					
Concession: 03					
Concession Name: CON					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		VAUGHAN TOWN (VAUGHAN TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6917130.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		1983/05/05			
Year Completed:		1983			
Depth (m):		121.92			
Latitude:		43.8763991410747			
Longitude:		-79.5064650032918			
Path:		691\6917130.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10507479		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	619991.70
Code OB Desc:				North83:	4859229.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:		05-May-1983 00:00:00		UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	wwr
Loc Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932783445			
Layer:		4			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		100.0			
Formation End Depth:		160.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932783454			
Layer:		13			
Color:					
General Color:					
Mat1:		06			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Most Common Material:		SILT			
Mat2:		61			
Mat2 Desc:		CLAYEY			
Mat3:		08			
Mat3 Desc:		FINE SAND			
Formation Top Depth:		319.0			
Formation End Depth:		329.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783449			
Layer:		8			
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		63			
Mat3 Desc:		COARSE-GRAINED			
Formation Top Depth:		220.0			
Formation End Depth:		230.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783456			
Layer:		15			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		06			
Mat3 Desc:		SILT			
Formation Top Depth:		354.0			
Formation End Depth:		364.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783448			
Layer:		7			
Color:					
General Color:					
Mat1:		06			
Most Common Material:		SILT			
Mat2:		08			
Mat2 Desc:		FINE SAND			
Mat3:		05			
Mat3 Desc:		CLAY			
Formation Top Depth:		211.0			
Formation End Depth:		220.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		932783460			
Layer:		19			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		28			
Mat3 Desc:		SAND			
Formation Top Depth:		388.0			
Formation End Depth:		400.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932783446			
Layer:		5			
Color:					
General Color:					
Mat1:		06			
Most Common Material:		SILT			
Mat2:		08			
Mat2 Desc:		FINE SAND			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		160.0			
Formation End Depth:		170.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932783458			
Layer:		17			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		06			
Mat3 Desc:		SILT			
Formation Top Depth:		376.0			
Formation End Depth:		383.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932783444			
Layer:		3			
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		50.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		100.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783447			
Layer:		6			
Color:					
General Color:					
Mat1:		06			
Most Common Material:		SILT			
Mat2:		61			
Mat2 Desc:		CLAYEY			
Mat3:		10			
Mat3 Desc:		COARSE SAND			
Formation Top Depth:		170.0			
Formation End Depth:		211.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783459			
Layer:		18			
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		11			
Mat3 Desc:		GRAVEL			
Formation Top Depth:		383.0			
Formation End Depth:		388.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783453			
Layer:		12			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		302.0			
Formation End Depth:		319.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783443			
Layer:		2			
Color:					
General Color:					
Mat1:		28			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Most Common Material:		SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		31.0			
Formation End Depth:		50.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783452			
Layer:		11			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		11			
Mat3 Desc:		GRAVEL			
Formation Top Depth:		293.0			
Formation End Depth:		302.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783442			
Layer:		1			
Color:					
General Color:					
Mat1:		00			
Most Common Material:		UNKNOWN TYPE			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		31.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783450			
Layer:		9			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		230.0			
Formation End Depth:		254.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		932783451			
Layer:		10			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		254.0			
Formation End Depth:		293.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783455			
Layer:		14			
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		61			
Mat3 Desc:		CLAYEY			
Formation Top Depth:		329.0			
Formation End Depth:		354.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783457			
Layer:		16			
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		11			
Mat3 Desc:		GRAVEL			
Formation Top Depth:		364.0			
Formation End Depth:		376.0			
Formation End Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933212203			
Layer:		2			
Plug From:		265.0			
Plug To:		270.0			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933212204			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		3			
Plug From:		342.0			
Plug To:		348.0			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933212202			
Layer:		1			
Plug From:		174.0			
Plug To:		184.0			
Plug Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		966917130			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11056049			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930820884			
Layer:		2			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:		329.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Casing</u>					
Casing ID:		930820883			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		50.0			
Casing Diameter:		12.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Links</u>					
Bore Hole ID:	10507479			Tag No:	
Depth M:	121.92			Contractor:	2801
Year Completed:	1983			Path:	691\6917130.pdf
Well Completed Dt:	1983/05/05			Latitude:	43.8763991410747
Audit No:				Longitude:	-79.5064650032918

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
45	1 of 1	WSW/109.7	289.9 / 4.48	lot 25 con 3 ON	WWIS
Well ID:		6917146		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Not Used		Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:		Observation Wells		1	
Water Type:				Date Received:	
Casing Material:				10-Jul-1984 00:00:00	
Audit No:				Selected Flag:	
Tag:				TRUE	
Constructn Method:				Abandonment Rec:	
Elevation (m):				Contractor:	
Elevatn Reliabilty:				2801	
Depth to Bedrock:				Form Version:	
Well Depth:				1	
Overburden/Bedrock:				Owner:	
Pump Rate:				County:	
Static Water Level:				YORK	
Clear/Cloudy:				Lot:	
Municipality:		VAUGHAN TOWN (VAUGHAN TWP)		025	
Site Info:				Concession:	
				03	
				Concession Name:	
				CON	
				Easting NAD83:	
				Northing NAD83:	
				Zone:	
				UTM Reliability:	
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6917146.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		1983/05/09			
Year Completed:		1983			
Depth (m):		30.48			
Latitude:		43.8751205659501			
Longitude:		-79.5057713071827			
Path:		691\6917146.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10507495		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	
Code OB:				17	
Code OB Desc:				East83:	
Open Hole:				620050.00	
Cluster Kind:				North83:	
Date Completed:		09-May-1983 00:00:00		4859088.00	
Remarks:				Org CS:	
Loc Method Desc:				N83	
Elevrc Desc:				UTMRC:	
Location Source Date:				4	
Improvement Location Source:				UTMRC Desc:	
Improvement Location Method:				margin of error : 30 m - 100 m	
Source Revision Comment:				Location Method:	
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932783650			
Layer:		9			
Color:		2			
General Color:		GREY			
Mat1:		06			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Most Common Material:		SILT			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:		81			
Mat3 Desc:		SANDY			
Formation Top Depth:		92.0			
Formation End Depth:		97.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783647			
Layer:		6			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		08			
Mat2 Desc:		FINE SAND			
Mat3:		84			
Mat3 Desc:		SILTY			
Formation Top Depth:		67.0			
Formation End Depth:		72.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783651			
Layer:		10			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		97.0			
Formation End Depth:		100.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783645			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		44.0			
Formation End Depth:		56.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		932783642			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		15.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932783649			
Layer:		8			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		82.0			
Formation End Depth:		92.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932783643			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		63			
Mat2 Desc:		COARSE-GRAINED			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		15.0			
Formation End Depth:		34.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932783644			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		34.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		44.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783648			
Layer:		7			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		72.0			
Formation End Depth:		82.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783646			
Layer:		5			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		56.0			
Formation End Depth:		67.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		966917146			
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11056065			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930820908			
Layer:		1			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:		88.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933394845			
Layer:		1			
Slot:		020			
Screen Top Depth:		88.0			
Screen End Depth:		98.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		996917146			
Pump Set At:					
Static Level:		3.0			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		No			
<u>Links</u>					
Bore Hole ID:		10507495		Tag No:	
Depth M:		30.48		Contractor:	2801
Year Completed:		1983		Path:	691\6917146.pdf
Well Completed Dt:		1983/05/09		Latitude:	43.8751205659501
Audit No:				Longitude:	-79.5057713071827
46	1 of 1	W/33.5	293.7 / 8.29	lot 26 con 3 ON	WWIS
Well ID:		6916553		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Not Used		Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:		Observation Wells		Date Received:	22-Feb-1983 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2801
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	026
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Clear/Cloudy:		UTM Reliability:			
Municipality:		VAUGHAN TOWN (VAUGHAN TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6916553.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		1982/07/28			
Year Completed:		1982			
Depth (m):		15.24			
Latitude:		43.8762497082125			
Longitude:		-79.5067425669548			
Path:		691\6916553.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10507029		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	619969.70
Code OB Desc:				North83:	4859212.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:		28-Jul-1982 00:00:00		UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	wwr
Loc Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932781022			
Layer:		2			
Color:					
General Color:					
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		14.0			
Formation End Depth:		21.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932781023			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		81			
Mat2 Desc:		SANDY			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3:		06			
Mat3 Desc:		SILT			
Formation Top Depth:		21.0			
Formation End Depth:		28.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781024			
Layer:		4			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		28.0			
Formation End Depth:		38.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781027			
Layer:		7			
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:		79			
Mat2 Desc:		PACKED			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		47.0			
Formation End Depth:		50.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781021			
Layer:		1			
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		14.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781025			
Layer:		5			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:					
General Color:					
Mat1:		06			
Most Common Material:		SILT			
Mat2:		81			
Mat2 Desc:		SANDY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		38.0			
Formation End Depth:		41.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932781026			
Layer:		6			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		41.0			
Formation End Depth:		47.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966916553			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11055599			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930820347			
Layer:		2			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:		35.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930820346			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth From:					
Depth To:		19.0			
Casing Diameter:		12.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933394558			
Layer:		1			
Slot:		010			
Screen Top Depth:		35.0			
Screen End Depth:		46.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		996916553			
Pump Set At:					
Static Level:		37.0			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		No			
<u>Links</u>					
Bore Hole ID:		10507029		Tag No:	
Depth M:		15.24		Contractor:	2801
Year Completed:		1982		Path:	691\6916553.pdf
Well Completed Dt:		1982/07/28		Latitude:	43.8762497082125
Audit No:				Longitude:	-79.5067425669548

47	1 of 1	W/234.2	300.4 / 15.05	Maple Dump '09 1976	ANDR
Maple ON L6A 1					
Legal Description:		Vaughan Con 3 WYS Lot 26			
Location Description:		E of Keele St, N of Teston Sideroad, at the N end of an area of gravel pits			
Municipality:		Vaughan Town			
Current Municipality:		Vaughan City			
RM:		York Region			
Facility:		Dump			
Date Active:		1976			
Date Begun:					
Date Complete:					
Area (Ha):					
Landfill Type:		Sanitary landfill			
Group Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Operated By:					
Serial:		MOEE a230609 1976			
NTS:		30M13			
Diameter (m):		1000			
Historical Summary:					
Maple Dump A230609 1976	1978 NTS Map	Shown on 1978 NTS 1:50,000 map Brampton ON Sheet 30M13 Edition 5			
Waste Type:					
UTM X Nad 27:		619950			
UTM Y Nad 27:		4859200			
UTM Zone:		17			

48	1 of 1	E/82.4	249.2 / -36.22	lot 26 con 3 ON	WWIS
Well ID:	6916548	Flowing (Y/N):			
Construction Date:		Flow Rate:			
Use 1st:	Not Used	Data Entry Status:			
Use 2nd:		Data Src: 1			
Final Well Status:	Observation Wells	Date Received: 22-Feb-1983 00:00:00			
Water Type:		Selected Flag: TRUE			
Casing Material:		Abandonment Rec:			
Audit No:		Contractor: 2801			
Tag:		Form Version: 1			
Constructn Method:		Owner:			
Elevation (m):		County: YORK			
Elevatn Reliabilty:		Lot: 026			
Depth to Bedrock:		Concession: 03			
Well Depth:		Concession Name: CON			
Overburden/Bedrock:		Easting NAD83:			
Pump Rate:		Northing NAD83:			
Static Water Level:		Zone:			
Clear/Cloudy:		UTM Reliability:			
Municipality:	VAUGHAN TOWN (VAUGHAN TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6916548.pdf				

Additional Detail(s) (Map)

Well Completed Date: 1981/11/18
Year Completed: 1981
Depth (m): 16.1544
Latitude: 43.8777063958393
Longitude: -79.4956170221696
Path: 691\6916548.pdf

Bore Hole Information

Bore Hole ID:	10507024	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	620860.60
Code OB Desc:		North83:	4859390.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	18-Nov-1981 00:00:00	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	wwr
Loc Method Desc:	on Water Well Record		
Elevrc Desc:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932780977			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		84			
Mat2 Desc:		SILTY			
Mat3:		79			
Mat3 Desc:		PACKED			
Formation Top Depth:		12.0			
Formation End Depth:		30.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932780979			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		08			
Mat2 Desc:		FINE SAND			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		36.0			
Formation End Depth:		42.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932780980			
Layer:		5			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		86			
Mat3 Desc:		STICKY			
Formation Top Depth:		42.0			
Formation End Depth:		48.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932780981			
Layer:		6			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		29			
Mat2 Desc:		FINE GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		48.0			
Formation End Depth:		53.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932780976			
Layer:		1			
Color:					
General Color:					
Mat1:		35			
Most Common Material:		WOOD FRAGMENTS			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		12.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932780978			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		84			
Mat2 Desc:		SILTY			
Mat3:		74			
Mat3 Desc:		LAYERED			
Formation Top Depth:		30.0			
Formation End Depth:		36.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966916548			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11055594			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID: 930820337					
Layer: 2					
Material:					
Open Hole or Material:					
Depth From:					
Depth To: 22.0					
Casing Diameter: 2.0					
Casing Diameter UOM: inch					
Casing Depth UOM: ft					
<u>Construction Record - Casing</u>					
Casing ID: 930820336					
Layer: 1					
Material: 1					
Open Hole or Material: STEEL					
Depth From:					
Depth To: 18.0					
Casing Diameter: 10.0					
Casing Diameter UOM: inch					
Casing Depth UOM: ft					
<u>Construction Record - Screen</u>					
Screen ID: 933394553					
Layer: 1					
Slot: 010					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM: ft					
Screen Diameter UOM: inch					
Screen Diameter: 2.0					
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID: 996916548					
Pump Set At:					
Static Level: 20.0					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM: ft					
Rate UOM: GPM					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing: No					
<u>Links</u>					
Bore Hole ID: 10507024					
Depth M: 16.1544					
Year Completed: 1981					
Well Completed Dt: 1981/11/18					
Audit No:					
Tag No: 2801					
Contractor: 691\6916548.pdf					
Path: 43.8777063958393					
Latitude: -79.4956170221696					
Longitude:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
49	1 of 1	W/38.3	294.6 / 9.20	lot 26 con 3 ON	WWIS
Well ID: 6912326 Construction Date: Use 1st: Not Used Use 2nd: 0 Final Well Status: Observation Wells Water Type: Casing Material: Audit No: Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: Site Info: Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: 1 Date Received: 26-Nov-1974 00:00:00 Selected Flag: TRUE Abandonment Rec: Contractor: 5459 Form Version: 1 Owner: County: YORK Lot: 026 Concession: 03 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6912326.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		1974/10/16			
Year Completed:		1974			
Depth (m):		42.3672			
Latitude:		43.8762521474068			
Longitude:		-79.506929208633			
Path:		691\6912326.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10502947		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone: 17	
Code OB:				East83: 619954.70	
Code OB Desc:				North83: 4859212.00	
Open Hole:				Org CS:	
Cluster Kind:				UTMRC: 4	
Date Completed:		16-Oct-1974 00:00:00		UTMRC Desc: margin of error : 30 m - 100 m	
Remarks:				Location Method: p4	
Loc Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932759706			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		10			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Most Common Material:		COARSE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		70.0			
Formation End Depth:		74.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932759709			
Layer:		7			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		120.0			
Formation End Depth:		127.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932759704			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		30.0			
Formation End Depth:		60.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932759707			
Layer:		5			
Color:		2			
General Color:		GREY			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		74.0			
Formation End Depth:		82.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		932759710			
Layer:		8			
Color:		2			
General Color:		GREY			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		127.0			
Formation End Depth:		139.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932759708			
Layer:		6			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		82.0			
Formation End Depth:		120.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932759705			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		60.0			
Formation End Depth:		70.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932759703			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		30.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		966912326			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11051517			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930815854			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		129.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933391893			
Layer:		1			
Slot:		010			
Screen Top Depth:		129.0			
Screen End Depth:		139.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996912326			
Pump Set At:					
Static Level:		105.0			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:		7.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:		1			
Pumping Duration HR:		3			
Pumping Duration MIN:		0			
Flowing:		No			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Water Details</u>					
Water ID:		933995549			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		127.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:	10502947			Tag No:	
Depth M:	42.3672			Contractor:	5459
Year Completed:	1974			Path:	691\6912326.pdf
Well Completed Dt:	1974/10/16			Latitude:	43.8762521474068
Audit No:				Longitude:	-79.506929208633
50	1 of 1	ENE/82.8	259.0 / -26.39	1600 TESTON RD Vaughan ON	WWIS
Well ID:	7279678			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Observation Wells			Date Received:	25-Jan-2017 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z244649			Contractor:	7472
Tag:	A214652			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	VAUGHAN TOWN (VAUGHAN TWP)				
Site Info:					
PDF URL (Map):					
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	2016/10/20				
Year Completed:	2016				
Depth (m):	12.192				
Latitude:	43.8791704877983				
Longitude:	-79.49603575315				
Path:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1006343563			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	620824.00
Code OB Desc:				North83:	4859552.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	20-Oct-2016 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Remarks:				Location Method:	WWW
Loc Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006553673			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		40.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006553681			
Layer:		2			
Plug From:		29.0			
Plug To:		40.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006553680			
Layer:		1			
Plug From:		0.0			
Plug To:		29.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		1006553679			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006553672			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID: 1006553676					
Layer: 1					
Material: 5					
Open Hole or Material: PLASTIC					
Depth From: 0.0					
Depth To: 30.0					
Casing Diameter: 2.0					
Casing Diameter UOM: inch					
Casing Depth UOM: ft					
<u>Construction Record - Screen</u>					
Screen ID: 1006553677					
Layer: 1					
Slot: 10					
Screen Top Depth: 30.0					
Screen End Depth: 40.0					
Screen Material: 5					
Screen Depth UOM: ft					
Screen Diameter UOM: inch					
Screen Diameter: 2.5					
<u>Water Details</u>					
Water ID: 1006553675					
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM: ft					
<u>Hole Diameter</u>					
Hole ID: 1006553674					
Diameter: 6.0					
Depth From: 0.0					
Depth To: 40.0					
Hole Depth UOM: ft					
Hole Diameter UOM: inch					
<u>Links</u>					
Bore Hole ID:	1006343563			Tag No:	A214652
Depth M:	12.192			Contractor:	7472
Year Completed:	2016			Path:	
Well Completed Dt:	2016/10/20			Latitude:	43.8791704877983
Audit No:	Z244649			Longitude:	-79.49603575315
51	1 of 1	W/31.7	294.0 / 8.61	lot 62 con 3 ON	WWIS
Well ID:	6916543			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Not Used			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Observation Wells			Date Received:	22-Feb-1983 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2801
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK

268 erisinfo.com | Environmental Risk Information Services Order No: 22090200347

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color:					
General Color:					
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:		77			
Mat2 Desc:		LOOSE			
Mat3:		11			
Mat3 Desc:		GRAVEL			
Formation Top Depth:		11.0			
Formation End Depth:		16.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932780950			
Layer:		6			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		79			
Mat2 Desc:		PACKED			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		16.0			
Formation End Depth:		27.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932780946			
Layer:		2			
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:		84			
Mat2 Desc:		SILTY			
Mat3:		67			
Mat3 Desc:		DIRTY			
Formation Top Depth:		5.0			
Formation End Depth:		7.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932780948			
Layer:		4			
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:		84			
Mat2 Desc:		SILTY			
Mat3:		79			
Mat3 Desc:		PACKED			
Formation Top Depth:		8.0			
Formation End Depth:		11.0			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932780951			
Layer:		7			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		27.0			
Formation End Depth:		47.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932780945			
Layer:		1			
Color:					
General Color:					
Mat1:		35			
Most Common Material:		WOOD FRAGMENTS			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		5.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966916543			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11055589			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930820324			
Layer:		2			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:		38.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Casing</u>					
Casing ID:		930820323			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		2.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933394548			
Layer:		1			
Slot:		010			
Screen Top Depth:		38.0			
Screen End Depth:		47.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		996916543			
Pump Set At:					
Static Level:		36.0			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		No			
<u>Links</u>					
Bore Hole ID:	10507019			Tag No:	
Depth M:	14.3256			Contractor:	2801
Year Completed:				Path:	691\6916543.pdf
Well Completed Dt:				Latitude:	43.876172117208
Audit No:				Longitude:	-79.5070058882918

52	1 of 1	WSW/32.8	290.9 / 5.50	lot 25 con 3 ON	WWIS
Well ID:	6917147			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Not Used			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Observation Wells			Date Received:	10-Jul-1984 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Audit No:			Contractor:	2801	
Tag:			Form Version:	1	
Constructn Method:			Owner:		
Elevation (m):			County:	YORK	
Elevatn Reliability:			Lot:	025	
Depth to Bedrock:			Concession:	03	
Well Depth:			Concession Name:	CON	
Overburden/Bedrock:			Easting NAD83:		
Pump Rate:			Northing NAD83:		
Static Water Level:			Zone:		
Clear/Cloudy:			UTM Reliability:		
Municipality:			VAUGHAN TOWN (VAUGHAN TWP)		
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6917147.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		1982/12/15			
Year Completed:		1982			
Depth (m):		25.908			
Latitude:		43.875611150421			
Longitude:		-79.5067958565222			
Path:		691\6917147.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10507496		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	619966.70
Code OB Desc:				North83:	4859141.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:		15-Dec-1982 00:00:00		UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	wwr
Loc Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932783652			
Layer:		1			
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		74.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		932783653			
Layer:		2			
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:		84			
Mat2 Desc:		SILTY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		74.0			
Formation End Depth:		85.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933212231			
Layer:		1			
Plug From:		51.0			
Plug To:		51.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966917147			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11056066			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930820909			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		77.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930820910			
Layer:		2			
Material:		4			
Open Hole or Material:		OPEN HOLE			
Depth From:					
Depth To:		82.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:	933394846				
Layer:	1				
Slot:					
Screen Top Depth:	77.0				
Screen End Depth:	82.0				
Screen Material:					
Screen Depth UOM:	ft				
Screen Diameter UOM:	inch				
Screen Diameter:					
<u>Links</u>					
Bore Hole ID:	10507496			Tag No:	
Depth M:	25.908			Contractor:	2801
Year Completed:	1982			Path:	691\6917147.pdf
Well Completed Dt:	1982/12/15			Latitude:	43.875611150421
Audit No:				Longitude:	-79.5067958565222
53	1 of 2	WSW/105.7	289.9 / 4.48	lot 25 con 3 ON	WWIS
Well ID:	6917144			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Not Used			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Observation Wells			Date Received:	10-Jul-1984 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2801
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	025
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	VAUGHAN TOWN (VAUGHAN TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6917144.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	1983/05/11				
Year Completed:	1983				
Depth (m):	17.3736				
Latitude:	43.8750118548359				
Longitude:	-79.5064087998576				
Path:	691\6917144.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10507493			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Code OB:				East83:	619999.00
Code OB Desc:				North83:	4859075.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	3
Date Completed:	11-May-1983 00:00:00			UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	gps
Loc Method Desc:		from gps			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932783625			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		63			
Mat3 Desc:		COARSE-GRAINED			
Formation Top Depth:		0.0			
Formation End Depth:		15.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932783630			
Layer:		6			
Color:					
General Color:					
Mat1:		06			
Most Common Material:		SILT			
Mat2:		08			
Mat2 Desc:		FINE SAND			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		54.0			
Formation End Depth:		57.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932783626			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:		81			
Mat3 Desc:		SANDY			
Formation Top Depth:		15.0			
Formation End Depth:		25.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783628			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:		08			
Mat3 Desc:		FINE SAND			
Formation Top Depth:		35.0			
Formation End Depth:		48.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783629			
Layer:		5			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		08			
Mat2 Desc:		FINE SAND			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		48.0			
Formation End Depth:		54.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783627			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		25.0			
Formation End Depth:		35.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966917144			
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:					

Pipe Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pipe ID: 11056063 Casing No: 1 Comment: Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID: 930820906 Layer: 1 Material: Open Hole or Material: Depth From: Depth To: 49.0 Casing Diameter: 2.0 Casing Diameter UOM: inch Casing Depth UOM: ft					
<u>Construction Record - Screen</u>					
Screen ID: 933394843 Layer: 1 Slot: 010 Screen Top Depth: 49.0 Screen End Depth: 54.0 Screen Material: Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 2.0					
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc: Pump Test ID: 996917144 Pump Set At: Static Level: 4.0 Final Level After Pumping: Recommended Pump Depth: Pumping Rate: Flowing Rate: Recommended Pump Rate: Levels UOM: ft Rate UOM: GPM Water State After Test Code: Water State After Test: Pumping Test Method: Pumping Duration HR: Pumping Duration MIN: Flowing: No					
<u>Links</u>					
Bore Hole ID: 10507493 Depth M: 17.3736 Year Completed: 1983 Well Completed Dt: 1983/05/11 Audit No:					
Tag No: Contractor: 2801 Path: 691\6917144.pdf Latitude: 43.8750118548359 Longitude: -79.5064087998576					
53	2 of 2	WSW/105.7	289.9 / 4.48	lot 25 con 3 ON	WWIS
Well ID: 6917145 Flowing (Y/N):					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Construction Date:				Flow Rate:	
Use 1st:	Not Used			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Observation Wells			Date Received:	10-Jul-1984 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2801
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	025
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		VAUGHAN TOWN (VAUGHAN TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6917145.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		1983/05/10			
Year Completed:		1983			
Depth (m):		30.48			
Latitude:		43.8750118548359			
Longitude:		-79.5064087998576			
Path:		691\6917145.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10507494		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	619999.00
Code OB Desc:				North83:	4859075.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	3
Date Completed:		10-May-1983 00:00:00		UTMRC Desc:	margin of error : 10 - 30 m
Remarks:				Location Method:	gps
Loc Method Desc:		from gps			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783635			
Layer:		5			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		08			
Mat3 Desc:		FINE SAND			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:		44.0			
Formation End Depth:		58.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783641			
Layer:		11			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		08			
Mat3 Desc:		FINE SAND			
Formation Top Depth:		89.0			
Formation End Depth:		100.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783637			
Layer:		7			
Color:		6			
General Color:		BROWN			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		08			
Mat2 Desc:		FINE SAND			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		65.0			
Formation End Depth:		72.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783633			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		78			
Mat2 Desc:		MEDIUM-GRAINED			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		25.0			
Formation End Depth:		35.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783640			
Layer:		10			
Color:					
General Color:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		08			
Mat3 Desc:		FINE SAND			
Formation Top Depth:		82.0			
Formation End Depth:		89.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783631			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		10			
Mat3 Desc:		COARSE SAND			
Formation Top Depth:		0.0			
Formation End Depth:		15.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783636			
Layer:		6			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		58.0			
Formation End Depth:		65.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783639			
Layer:		9			
Color:		2			
General Color:		GREY			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		77.0			
Formation End Depth:		82.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		932783634			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		08			
Mat3 Desc:		FINE SAND			
Formation Top Depth:		35.0			
Formation End Depth:		44.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932783638			
Layer:		8			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		72.0			
Formation End Depth:		77.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932783632			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:		81			
Mat3 Desc:		SANDY			
Formation Top Depth:		15.0			
Formation End Depth:		25.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966917145			
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11056064			
Casing No:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Comment: Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930820907			
Layer:		1			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:		85.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933394844			
Layer:		1			
Slot:		010			
Screen Top Depth:		85.0			
Screen End Depth:		95.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		996917145			
Pump Set At:					
Static Level:		6.0			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		No			
<u>Links</u>					
Bore Hole ID:	10507494			Tag No:	
Depth M:	30.48			Contractor:	2801
Year Completed:	1983			Path:	691\6917145.pdf
Well Completed Dt:	1983/05/10			Latitude:	43.8750118548359
Audit No:				Longitude:	-79.5064087998576
54	1 of 1	WSW/136.1	289.8 / 4.40	lot 25 con 3 ON	WWIS
Well ID:	6917151			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Not Used			Data Entry Status:	
Use 2nd:				Data Src:	1

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Final Well Status:	Observation Wells			Date Received:	10-Jul-1984 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2801
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	025
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	VAUGHAN TOWN (VAUGHAN TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6917151.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	1983/05/06				
Year Completed:	1983				
Depth (m):	30.48				
Latitude:	43.8747663975021				
Longitude:	-79.5062282339255				
Path:	691\6917151.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	10507500			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	620014.00
Code OB Desc:				North83:	4859048.00
Open Hole:				Org CS:	N83
Cluster Kind:				UTMRC:	4
Date Completed:	06-May-1983 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	
Loc Method Desc:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932783664				
Layer:	6				
Color:	2				
General Color:	GREY				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	84				
Mat2 Desc:	SILTY				
Mat3:	73				
Mat3 Desc:	HARD				
Formation Top Depth:	85.0				
Formation End Depth:	97.0				
Formation End Depth UOM:	ft				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783660			
Layer:		2			
Color:		2			
General Color:		GREY			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		57.0			
Formation End Depth:		60.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783662			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		81			
Mat2 Desc:		SANDY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		64.0			
Formation End Depth:		75.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783661			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		60.0			
Formation End Depth:		64.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783665			
Layer:		7			
Color:		2			
General Color:		GREY			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		84			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2 Desc:		SILTY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		97.0			
Formation End Depth:		100.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783659			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		84			
Mat2 Desc:		SILTY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		57.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783663			
Layer:		5			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		61			
Mat2 Desc:		CLAYEY			
Mat3:		08			
Mat3 Desc:		FINE SAND			
Formation Top Depth:		75.0			
Formation End Depth:		85.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966917151			
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11056070			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930820917			
Layer:		1			
Material:					
Open Hole or Material:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth From:					
Depth To:		82.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933394850			
Layer:		1			
Slot:		010			
Screen Top Depth:		82.0			
Screen End Depth:		98.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		996917151			
Pump Set At:					
Static Level:		5.0			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		No			
<u>Links</u>					
Bore Hole ID:		10507500		Tag No:	
Depth M:		30.48		Contractor:	2801
Year Completed:		1983		Path:	691\6917151.pdf
Well Completed Dt:		1983/05/06		Latitude:	43.8747663975021
Audit No:				Longitude:	-79.5062282339255
55	1 of 1	W/26.6	293.5 / 8.15	lot 26 con 3 ON	WWIS
Well ID:		6916539		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Not Used		Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:		Unfinished		Date Received:	22-Feb-1983 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2801
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	026
Depth to Bedrock:				Concession:	03

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		VAUGHAN TOWN (VAUGHAN TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6916539.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		1981/12/02			
Year Completed:		1981			
Depth (m):		19.5072			
Latitude:		43.8761099256553			
Longitude:		-79.5070696754669			
Path:		691\6916539.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10507015		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	619943.70
Code OB Desc:				North83:	4859196.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:		02-Dec-1981 00:00:00		UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	wwr
Loc Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932780924			
Layer:		7			
Color:		2			
General Color:		GREY			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		79			
Mat3 Desc:		PACKED			
Formation Top Depth:		54.0			
Formation End Depth:		64.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932780923			
Layer:		6			
Color:		6			
General Color:		BROWN			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		35			
Mat2 Desc:		WOOD FRAGMENTS			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		39.0			
Formation End Depth:		54.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932780920			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		10.0			
Formation End Depth:		21.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932780918			
Layer:		1			
Color:					
General Color:					
Mat1:		35			
Most Common Material:		WOOD FRAGMENTS			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		4.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932780921			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		35			
Mat3 Desc:		WOOD FRAGMENTS			
Formation Top Depth:		21.0			
Formation End Depth:		28.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		932780919			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		4.0			
Formation End Depth:		10.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932780922			
Layer:		5			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		35			
Mat2 Desc:		WOOD FRAGMENTS			
Mat3:		79			
Mat3 Desc:		PACKED			
Formation Top Depth:		28.0			
Formation End Depth:		39.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966916539			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11055585			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930820313			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		6.0			
Casing Diameter:		14.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID:		930820314			
Layer:		2			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		38.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933394544			
Layer:		1			
Slot:		010			
Screen Top Depth:		38.0			
Screen End Depth:		57.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996916539			
Pump Set At:					
Static Level:		36.0			
Final Level After Pumping:		50.0			
Recommended Pump Depth:		50.0			
Pumping Rate:		8.0			
Flowing Rate:					
Recommended Pump Rate:		0.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:		1			
Pumping Duration HR:		24			
Pumping Duration MIN:		0			
Flowing:		No			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		935144615			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		47.0			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934879622			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		46.0			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934629912			
Test Type:		Draw Down			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Test Duration:		30			
Test Level:		45.0			
Test Level UOM:		ft			
Links					
Bore Hole ID:	10507015			Tag No:	
Depth M:	19.5072			Contractor:	2801
Year Completed:	1981			Path:	691\6916539.pdf
Well Completed Dt:	1981/12/02			Latitude:	43.8761099256553
Audit No:				Longitude:	-79.5070696754669

56	1 of 1	ENE/59.1	255.2 / -30.22	1600 TESTON RD Vaughan ON	WWIS
Well ID:	7279679			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Observation Wells			Date Received:	25-Jan-2017 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z244650			Contractor:	7472
Tag:	A214710			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	VAUGHAN TOWN (VAUGHAN TWP)				
Site Info:					

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 2016/10/20
Year Completed: 2016
Depth (m): 12.192
Latitude: 43.8790135461958
Longitude: -79.4957409637889
Path:

Bore Hole Information

Bore Hole ID:	1006343566	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	620848.00
Code OB Desc:		North83:	4859535.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	20-Oct-2016 00:00:00	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Loc Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Improvement Location Method: Source Revision Comment: Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006553683			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		40.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006553690			
Layer:		1			
Plug From:		0.0			
Plug To:		29.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006553691			
Layer:		2			
Plug From:		29.0			
Plug To:		40.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		1006553689			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006553682			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006553686			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth To:		30.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		1006553687			
Layer:		1			
Slot:		10			
Screen Top Depth:		30.0			
Screen End Depth:		40.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.5			
 <u>Water Details</u>					
Water ID:		1006553685			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
 <u>Hole Diameter</u>					
Hole ID:		1006553684			
Diameter:		6.0			
Depth From:		0.0			
Depth To:		40.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
 <u>Links</u>					
Bore Hole ID:	1006343566			Tag No:	A214710
Depth M:	12.192			Contractor:	7472
Year Completed:	2016			Path:	
Well Completed Dt:	2016/10/20			Latitude:	43.8790135461958
Audit No:	Z244650			Longitude:	-79.4957409637889
57	1 of 1	WSW/10.0	291.6 / 6.22	lot 25 con 3 ON	WWIS
Well ID:	6917137			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Not Used			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Observation Wells			Date Received:	10-Jul-1984 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2801
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	025
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Static Water Level: Clear/Cloudy: Municipality: Site Info:				Zone: UTM Reliability:	
		VAUGHAN TOWN (VAUGHAN TWP)			
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6917137.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		1983/04/12			
Year Completed:		1983			
Depth (m):		134.4168			
Latitude:		43.8757760888778			
Longitude:		-79.5070157782989			
Path:		691\6917137.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10507486		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	619948.70
Code OB Desc:				North83:	4859159.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:		12-Apr-1983 00:00:00		UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	wwr
Loc Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932783552			
Layer:		19			
Color:					
General Color:					
Mat1:		06			
Most Common Material:		SILT			
Mat2:		61			
Mat2 Desc:		CLAYEY			
Mat3:		09			
Mat3 Desc:		MEDIUM SAND			
Formation Top Depth:		351.0			
Formation End Depth:		382.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932783539			
Layer:		6			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2 Desc:		SILT			
Mat3:		05			
Mat3 Desc:		CLAY			
Formation Top Depth:		152.0			
Formation End Depth:		167.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783534			
Layer:		1			
Color:					
General Color:					
Mat1:		01			
Most Common Material:		FILL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		17.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783538			
Layer:		5			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		84			
Mat2 Desc:		SILTY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		135.0			
Formation End Depth:		152.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783536			
Layer:		3			
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:		84			
Mat2 Desc:		SILTY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		41.0			
Formation End Depth:		51.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783550			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		17			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		329.0			
Formation End Depth:		331.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932783547			
Layer:		14			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		281.0			
Formation End Depth:		291.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932783542			
Layer:		9			
Color:					
General Color:					
Mat1:		06			
Most Common Material:		SILT			
Mat2:		61			
Mat2 Desc:		CLAYEY			
Mat3:		09			
Mat3 Desc:		MEDIUM SAND			
Formation Top Depth:		189.0			
Formation End Depth:		201.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932783549			
Layer:		16			
Color:					
General Color:					
Mat1:		06			
Most Common Material:		SILT			
Mat2:		61			
Mat2 Desc:		CLAYEY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		306.0			
Formation End Depth:		329.0			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783541			
Layer:		8			
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:		08			
Mat2 Desc:		FINE SAND			
Mat3:		05			
Mat3 Desc:		CLAY			
Formation Top Depth:		177.0			
Formation End Depth:		189.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783554			
Layer:		21			
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:		08			
Mat2 Desc:		FINE SAND			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		401.0			
Formation End Depth:		441.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783553			
Layer:		20			
Color:					
General Color:					
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:		18			
Mat3 Desc:		SANDSTONE			
Formation Top Depth:		382.0			
Formation End Depth:		401.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783537			
Layer:		4			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		51.0			
Formation End Depth:		135.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783548			
Layer:		15			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		291.0			
Formation End Depth:		306.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783551			
Layer:		18			
Color:					
General Color:					
Mat1:		06			
Most Common Material:		SILT			
Mat2:		61			
Mat2 Desc:		CLAYEY			
Mat3:		12			
Mat3 Desc:		STONES			
Formation Top Depth:		331.0			
Formation End Depth:		351.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783540			
Layer:		7			
Color:					
General Color:					
Mat1:		06			
Most Common Material:		SILT			
Mat2:		61			
Mat2 Desc:		CLAYEY			
Mat3:		08			
Mat3 Desc:		FINE SAND			
Formation Top Depth:		167.0			
Formation End Depth:		177.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783543			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		10			
Color:					
General Color:					
Mat1:		06			
Most Common Material:		SILT			
Mat2:		08			
Mat2 Desc:		FINE SAND			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		201.0			
Formation End Depth:		241.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932783544			
Layer:		11			
Color:					
General Color:					
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		241.0			
Formation End Depth:		251.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932783535			
Layer:		2			
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		11			
Mat3 Desc:		GRAVEL			
Formation Top Depth:		17.0			
Formation End Depth:		41.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932783545			
Layer:		12			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		251.0			
Formation End Depth:		261.0			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783546			
Layer:		13			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		261.0			
Formation End Depth:		281.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933212216			
Layer:		1			
Plug From:		160.0			
Plug To:		255.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933212217			
Layer:		2			
Plug From:		263.0			
Plug To:		344.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933212218			
Layer:		3			
Plug From:		349.0			
Plug To:					
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966917137			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11056056			
Casing No:		1			
Comment:					
Alt Name:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Casing</u>					
Casing ID:		930820895			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		111.0			
Casing Diameter:		12.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930820896			
Layer:		2			
Material:		3			
Open Hole or Material:		CONCRETE			
Depth From:					
Depth To:		270.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933394838			
Layer:		1			
Slot:		010			
Screen Top Depth:		270.0			
Screen End Depth:		286.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Links</u>					
Bore Hole ID:	10507486			Tag No:	
Depth M:	134.4168			Contractor:	2801
Year Completed:	1983			Path:	691\6917137.pdf
Well Completed Dt:	1983/04/12			Latitude:	43.8757760888778
Audit No:				Longitude:	-79.5070157782989
58	1 of 1	W/23.8	293.8 / 8.41	lot 26 con 3 ON	WWIS
Well ID:	6916538			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Not Used			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Unfinished			Date Received:	22-Feb-1983 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2801
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	026
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		VAUGHAN TOWN (VAUGHAN TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6916538.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		1981/12/14			
Year Completed:		1981			
Depth (m):		20.4216			
Latitude:		43.8760573850179			
Longitude:		-79.5071830087136			
Path:		691\6916538.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10507014		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	619934.70
Code OB Desc:				North83:	4859190.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:		14-Dec-1981 00:00:00		UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	www
Loc Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932780912			
Layer:		4			
Color:					
General Color:					
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		74			
Mat3 Desc:		LAYERED			
Formation Top Depth:		32.0			
Formation End Depth:		36.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932780915			
Layer:		7			
Color:		2			
General Color:		GREY			
Mat1:		18			
Most Common Material:		SANDSTONE			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		86			
Mat3 Desc:		STICKY			
Formation Top Depth:		53.0			
Formation End Depth:		57.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932780914			
Layer:		6			
Color:		2			
General Color:		GREY			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		84			
Mat2 Desc:		SILTY			
Mat3:		18			
Mat3 Desc:		SANDSTONE			
Formation Top Depth:		46.0			
Formation End Depth:		53.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932780917			
Layer:		9			
Color:		2			
General Color:		GREY			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		62.0			
Formation End Depth:		67.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932780909			
Layer:		1			
Color:					
General Color:					
Mat1:		35			
Most Common Material:		WOOD FRAGMENTS			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		4.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		932780910			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		78			
Mat2 Desc:		MEDIUM-GRAINED			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		4.0			
Formation End Depth:		12.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932780916			
Layer:		8			
Color:		2			
General Color:		GREY			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:		84			
Mat2 Desc:		SILTY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		57.0			
Formation End Depth:		62.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932780913			
Layer:		5			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		18			
Mat2 Desc:		SANDSTONE			
Mat3:		06			
Mat3 Desc:		SILT			
Formation Top Depth:		36.0			
Formation End Depth:		46.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932780911			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		12.0			
Formation End Depth:		32.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966916538			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11055584			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930820311			
Layer:		2			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		36.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930820312			
Layer:		3			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		42.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930820310			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		6.0			
Casing Diameter:		16.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933394543			
Layer:		1			
Slot:		010			
Screen Top Depth:					
Screen End Depth:					
Screen Material:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996916538			
Pump Set At:					
Static Level:		36.0			
Final Level After Pumping:		49.0			
Recommended Pump Depth:					
Pumping Rate:		28.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:		1			
Pumping Duration HR:		24			
Pumping Duration MIN:		0			
Flowing:		No			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934629911			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		42.0			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934879621			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		42.0			
Test Level UOM:		ft			
 <u>Draw Down & Recovery</u>					
Pump Test Detail ID:		935144614			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		42.0			
Test Level UOM:		ft			
 <u>Links</u>					
Bore Hole ID:	10507014			Tag No:	
Depth M:	20.4216			Contractor:	2801
Year Completed:	1981			Path:	691\6916538.pdf
Well Completed Dt:	1981/12/14			Latitude:	43.8760573850179
Audit No:				Longitude:	-79.5071830087136
59	1 of 1	WSW/136.9	289.3 / 3.88	lot 25 con 3 ON	WWIS
Well ID:	6906481			Flowing (Y/N):	
Construction Date:				Flow Rate:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	22-Jun-1953 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	1622
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	025
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	VAUGHAN TOWN (VAUGHAN TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6906481.pdf				
Additional Detail(s) (Map)					
Well Completed Date:	1953/02/09				
Year Completed:	1953				
Depth (m):	42.3672				
Latitude:	43.8747148824074				
Longitude:	-79.5064199527844				
Path:	690\6906481.pdf				
Bore Hole Information					
Bore Hole ID:	10497180			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	619998.70
Code OB Desc:				North83:	4859042.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	9
Date Completed:	09-Feb-1953 00:00:00			UTMRC Desc:	unknown UTM
Remarks:				Location Method:	p9
Loc Method Desc:	Original Pre1985 UTM Rel Code 9: unknown UTM				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
Overburden and Bedrock Materials Interval					
Formation ID:	932733953				
Layer:	2				
Color:					
General Color:					
Mat1:	09				
Most Common Material:	MEDIUM SAND				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	10.0				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		100.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932733954			
Layer:		3			
Color:					
General Color:					
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		100.0			
Formation End Depth:		139.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932733952			
Layer:		1			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		10.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well</u> <u>Use</u>					
Method Construction ID:		966906481			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11045750			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930809548			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		134.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933388791			
Layer:		1			
Slot:					
Screen Top Depth:		134.0			
Screen End Depth:		139.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		4.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996906481			
Pump Set At:					
Static Level:		99.0			
Final Level After Pumping:		130.0			
Recommended Pump Depth:					
Pumping Rate:		5.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		3			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933989912			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		139.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:	10497180			Tag No:	
Depth M:	42.3672			Contractor:	1622
Year Completed:	1953			Path:	690\6906481.pdf
Well Completed Dt:	1953/02/09			Latitude:	43.8747148824074
Audit No:				Longitude:	-79.5064199527844

60	1 of 1	NE/216.6	280.3 / -5.04	1600 TESTON RD Vaughan ON	WWIS
Well ID:	7280873			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Observation Wells			Date Received:	10-Feb-2017 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z228792			Contractor:	7015

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Tag:	A202255			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		VAUGHAN TOWN (VAUGHAN TWP)			
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/728\7280873.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	2016/10/24				
Year Completed:	2016				
Depth (m):	33.528				
Latitude:	43.8802778947202				
Longitude:	-79.4967174081501				
Path:	728\7280873.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	1006350839			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	620767.00
Code OB Desc:				North83:	4859674.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	24-Oct-2016 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Loc Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	1006569854				
Layer:	2				
Color:	2				
General Color:	GREY				
Mat1:	28				
Most Common Material:	SAND				
Mat2:					
Mat2 Desc:					
Mat3:	77				
Mat3 Desc:	LOOSE				
Formation Top Depth:	5.0				
Formation End Depth:	75.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		1006569857			
Layer:		5			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					
Mat3:		73			
Mat3 Desc:		HARD			
Formation Top Depth:		90.0			
Formation End Depth:		110.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1006569853			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Mat2 Desc:					
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		0.0			
Formation End Depth:		5.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1006569856			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		85.0			
Formation End Depth:		90.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1006569855			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		75.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth:		85.0			
Formation End Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006569864			
Layer:		1			
Plug From:		0.0			
Plug To:		98.0			
Plug Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		1006569863			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		1006569852			
Casing No:		0			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		1006569860			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		100.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		1006569861			
Layer:		1			
Slot:		10			
Screen Top Depth:		100.0			
Screen End Depth:		110.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
 <u>Water Details</u>					
Water ID:		1006569859			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Hole Diameter</u>					
Hole ID:	1006569858				
Diameter:	8.0				
Depth From:	0.0				
Depth To:	110.0				
Hole Depth UOM:	ft				
Hole Diameter UOM:	inch				
<u>Links</u>					
Bore Hole ID:	1006350839			Tag No:	A202255
Depth M:	33.528			Contractor:	7015
Year Completed:	2016			Path:	728\7280873.pdf
Well Completed Dt:	2016/10/24			Latitude:	43.8802778947202
Audit No:	Z228792			Longitude:	-79.4967174081501
61	1 of 1	W/206.6	309.6 / 24.26	Maple Dump '01 1969	ANDR
				Maple ON L6A 1	
Legal Description:	Vaughan Con 3 WYS Lot 26 pt				
Location Description:					
Municipality:	Vaughan City				
Current Municipality:	Vaughan City				
RM:	York Region				
Facility:	Dump				
Date Active:	1969				
Date Begun:					
Date Complete:					
Area (Ha):	21.56				
Landfill Type:					
Group Name:					
Operated By:					
Serial:	MOEE a230601 1969				
NTS:	30M13				
Diameter (m):					
<u>Historical Summary:</u>					
Maple Dump '01 1969 MOEE 1994 Vaughan Con 3 WYS lot 26 pt cited as an approved but inactive waste disposal site in 1991 (Ontario Ministry of the Environment [1994] Waste disposal site inventory, [Toronto]: Ontario Environment, 1994., i, 196 pp., maps, ISBN 0772984093: 26). NTS 1:25,000 Map 30M14 Ed 3 Dump marked, 21.56 HA (via MapInfo).					
Waste Type:					
UTM X Nad 27:	619887.5				
UTM Y Nad 27:	4859149.99				
UTM Zone:	17				
62	1 of 2	ENE/209.6	277.3 / -8.04	1600 Teston Road Maple ON L6A 1S2	EHS
Order No:	21061800335			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	RSC Report - Quote			Client Prov/State:	ON
Report Date:	23-JUN-21			Search Radius (km):	.3
Date Received:	18-JUN-21			X:	-79.49623284
Previous Site Name:				Y:	43.8803221
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans; Topographic Maps; Aerial Photos				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
62	2 of 2	ENE/209.6	277.3 / -8.04	1600 Teston Road Maple ON L6A 1S2	EHS
Order No: 21061800335 Status: C Report Type: RSC Report - Quote Report Date: 23-JUN-21 Date Received: 18-JUN-21 Previous Site Name: Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans; Topographic Maps; Aerial Photos					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .3 X: -79.49623284 Y: 43.8803221					

63	1 of 1	W/30.0	294.0 / 8.66	lot 26 con 3 ON	WWIS
Well ID: 6916552 Construction Date: Use 1st: Not Used Use 2nd: Final Well Status: Observation Wells Water Type: Casing Material: Audit No: Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: VAUGHAN TOWN (VAUGHAN TWP) Site Info:					
Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: 1 Date Received: 22-Feb-1983 00:00:00 Selected Flag: TRUE Abandonment Rec: Contractor: 2801 Form Version: 1 Owner: County: YORK Lot: 026 Concession: 03 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6916552.pdf					

Additional Detail(s) (Map)

Well Completed Date: 1982/08/04
Year Completed: 1982
Depth (m): 16.1544
Latitude: 43.875966829947
Longitude: -79.5078325024945
Path: 691\6916552.pdf

Bore Hole Information

Bore Hole ID: 10507028 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 04-Aug-1982 00:00:00 Remarks: Loc Method Desc: on Water Well Record Elevrc Desc: Location Source Date: Improvement Location Source:	Elevation: Elevrc: Zone: 17 East83: 619882.70 North83: 4859179.00 Org CS: UTMRC: 5 UTMRC Desc: margin of error : 100 m - 300 m Location Method: wwr
--	--

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Improvement Location Method: Source Revision Comment: Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781011			
Layer:		1			
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		3.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781020			
Layer:		10			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		84			
Mat2 Desc:		SILTY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		51.0			
Formation End Depth:		53.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781019			
Layer:		9			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		08			
Mat2 Desc:		FINE SAND			
Mat3:		84			
Mat3 Desc:		SILTY			
Formation Top Depth:		46.0			
Formation End Depth:		51.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781017			
Layer:		7			
Color:					
General Color:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		84			
Mat2 Desc:		SILTY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		39.0			
Formation End Depth:		42.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781016			
Layer:		6			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		32.0			
Formation End Depth:		39.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781013			
Layer:		3			
Color:					
General Color:					
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		11.0			
Formation End Depth:		21.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781015			
Layer:		5			
Color:					
General Color:					
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		23.0			
Formation End Depth:		32.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:		932781012			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		81			
Mat2 Desc:		SANDY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		3.0			
Formation End Depth:		11.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932781014			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		81			
Mat2 Desc:		SANDY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		21.0			
Formation End Depth:		23.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932781018			
Layer:		8			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		42.0			
Formation End Depth:		46.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966916552			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11055598			
Casing No:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930820345			
Layer:		2			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:		35.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930820344			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		7.0			
Casing Diameter:		12.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933394557			
Layer:		1			
Slot:		010			
Screen Top Depth:		35.0			
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		996916552			
Pump Set At:					
Static Level:		5.0			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		No			
<u>Links</u>					
Bore Hole ID:	10507028			Tag No:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth M:	16.1544			Contractor:	2801
Year Completed:	1982			Path:	691\6916552.pdf
Well Completed Dt:	1982/08/04			Latitude:	43.875966829947
Audit No:				Longitude:	-79.5078325024945

64	1 of 1	W/29.0	294.0 / 8.66	lot 26 con 3 ON	WWIS
Well ID:	6917136			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Not Used			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Observation Wells			Date Received:	10-Jul-1984 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	2801
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	026
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	VAUGHAN TOWN (VAUGHAN TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6917136.pdf				

Additional Detail(s) (Map)

Well Completed Date:	1983/04/26
Year Completed:	1983
Depth (m):	122.2248
Latitude:	43.8759578292998
Longitude:	-79.5078327271437
Path:	691\6917136.pdf

Bore Hole Information

Bore Hole ID:	10507485	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	619882.70
Code OB Desc:		North83:	4859178.00
Open Hole:		Org CS:	
Cluster Kind:		UTMRC:	5
Date Completed:	26-Apr-1983 00:00:00	UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:		Location Method:	wwr
Loc Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Overburden and Bedrock Materials Interval

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		932783517			
Layer:		7			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		08			
Mat2 Desc:		FINE SAND			
Mat3:		84			
Mat3 Desc:		SILTY			
Formation Top Depth:		125.0			
Formation End Depth:		141.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783521			
Layer:		11			
Color:					
General Color:					
Mat1:		06			
Most Common Material:		SILT			
Mat2:		08			
Mat2 Desc:		FINE SAND			
Mat3:		11			
Mat3 Desc:		GRAVEL			
Formation Top Depth:		182.0			
Formation End Depth:		191.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783516			
Layer:		6			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		84			
Mat2 Desc:		SILTY			
Mat3:		29			
Mat3 Desc:		FINE GRAVEL			
Formation Top Depth:		96.0			
Formation End Depth:		125.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783513			
Layer:		3			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		10			
Mat2 Desc:		COARSE SAND			
Mat3:		31			
Mat3 Desc:		COARSE GRAVEL			
Formation Top Depth:		51.0			
Formation End Depth:		57.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783520			
Layer:		10			
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:		61			
Mat2 Desc:		CLAYEY			
Mat3:		08			
Mat3 Desc:		FINE SAND			
Formation Top Depth:		168.0			
Formation End Depth:		182.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783527			
Layer:		17			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		84			
Mat2 Desc:		SILTY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		261.0			
Formation End Depth:		318.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783532			
Layer:		22			
Color:					
General Color:					
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:		81			
Mat3 Desc:		SANDY			
Formation Top Depth:		361.0			
Formation End Depth:		382.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783525			
Layer:		15			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		231.0			
Formation End Depth:		251.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932783530			
Layer:		20			
Color:					
General Color:					
Mat1:		06			
Most Common Material:		SILT			
Mat2:		61			
Mat2 Desc:		CLAYEY			
Mat3:		09			
Mat3 Desc:		MEDIUM SAND			
Formation Top Depth:		341.0			
Formation End Depth:		351.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932783526			
Layer:		16			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		251.0			
Formation End Depth:		261.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932783524			
Layer:		14			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		78			
Mat2 Desc:		MEDIUM-GRAINED			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		221.0			
Formation End Depth:		231.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		932783528			
Layer:		18			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:		06			
Mat3 Desc:		SILT			
Formation Top Depth:		318.0			
Formation End Depth:		331.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783519			
Layer:		9			
Color:					
General Color:					
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:		28			
Mat3 Desc:		SAND			
Formation Top Depth:		153.0			
Formation End Depth:		168.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783531			
Layer:		21			
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		09			
Mat2 Desc:		MEDIUM SAND			
Mat3:		06			
Mat3 Desc:		SILT			
Formation Top Depth:		351.0			
Formation End Depth:		361.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783515			
Layer:		5			
Color:					
General Color:					
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:		29			
Mat2 Desc:		FINE GRAVEL			
Mat3:		06			
Mat3 Desc:		SILT			
Formation Top Depth:		80.0			
Formation End Depth:		96.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783518			
Layer:		8			
Color:					
General Color:					
Mat1:		06			
Most Common Material:		SILT			
Mat2:		81			
Mat2 Desc:		SANDY			
Mat3:		05			
Mat3 Desc:		CLAY			
Formation Top Depth:		141.0			
Formation End Depth:		153.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783522			
Layer:		12			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		29			
Mat2 Desc:		FINE GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		191.0			
Formation End Depth:		211.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783511			
Layer:		1			
Color:					
General Color:					
Mat1:		34			
Most Common Material:		TILL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		15.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783512			
Layer:		2			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:		84			
Mat3 Desc:		SILTY			
Formation Top Depth:		15.0			
Formation End Depth:		51.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783514			
Layer:		4			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		31			
Mat2 Desc:		COARSE GRAVEL			
Mat3:		06			
Mat3 Desc:		SILT			
Formation Top Depth:		57.0			
Formation End Depth:		80.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783523			
Layer:		13			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		84			
Mat2 Desc:		SILTY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		211.0			
Formation End Depth:		221.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932783529			
Layer:		19			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:		05			
Mat3 Desc:		CLAY			
Formation Top Depth:		331.0			
Formation End Depth:		341.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		932783533			
Layer:		23			
Color:					
General Color:					
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:		08			
Mat3 Desc:		FINE SAND			
Formation Top Depth:		382.0			
Formation End Depth:		401.0			
Formation End Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933212213			
Layer:		1			
Plug From:		140.0			
Plug To:		150.0			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933212214			
Layer:		2			
Plug From:		218.0			
Plug To:		223.0			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933212215			
Layer:		3			
Plug From:		315.0			
Plug To:		320.0			
Plug Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		966917136			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11056055			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930820894			
Layer:		2			
Material:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:					
Construction Record - Casing					
Casing ID:					
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:					
Casing Depth UOM:					
Links					
Bore Hole ID:					
Depth M:					
Year Completed:					
Well Completed Dt:					
Audit No:					
Tag No:					
Contractor:					
Path:					
Latitude:					
Longitude:					

65	1 of 1	SW/254.8	287.9 / 2.49	lot 25 con 3 ON	WWIS
Well ID:					
Construction Date:					
Use 1st:					
Use 2nd:					
Final Well Status:					
Water Type:					
Casing Material:					
Audit No:					
Tag:					
Constructn Method:					
Elevation (m):					
Elevatn Reliabilty:					
Depth to Bedrock:					
Well Depth:					
Overburden/Bedrock:					
Pump Rate:					
Static Water Level:					
Clear/Cloudy:					
Municipality:					
Site Info:					

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date:	1979/06/01
Year Completed:	1979
Depth (m):	61.5696
Latitude:	43.8736412031945
Longitude:	-79.5062476336987
Path:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	10505645			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	620014.70
Code OB Desc:				North83:	4858923.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	01-Jun-1979 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Loc Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932773703				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	28				
Most Common Material:	SAND				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	6.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932773705				
Layer:	3				
Color:	6				
General Color:	BROWN				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	08				
Mat2 Desc:	FINE SAND				
Mat3:	72				
Mat3 Desc:	GRAVELLY				
Formation Top Depth:	49.0				
Formation End Depth:	148.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932773706				
Layer:	4				
Color:	3				
General Color:	BLUE				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	81				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2 Desc:		SANDY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		148.0			
Formation End Depth:		192.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932773707			
Layer:		5			
Color:		3			
General Color:		BLUE			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		192.0			
Formation End Depth:		202.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932773704			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		81			
Mat2 Desc:		SANDY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		6.0			
Formation End Depth:		49.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966915076			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11054215			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930818752			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth From:					
Depth To:		195.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933393605			
Layer:		1			
Slot:		006			
Screen Top Depth:		196.0			
Screen End Depth:		202.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996915076			
Pump Set At:					
Static Level:		80.0			
Final Level After Pumping:		195.0			
Recommended Pump Depth:		200.0			
Pumping Rate:		35.0			
Flowing Rate:					
Recommended Pump Rate:		7.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933998265			
Layer:		1			
Kind Code:		5			
Kind:		Not stated			
Water Found Depth:		194.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:		10505645		Tag No:	
Depth M:		61.5696		Contractor:	3108
Year Completed:		1979		Path:	
Well Completed Dt:		1979/06/01		Latitude:	43.8736412031945
Audit No:				Longitude:	-79.5062476336987
66	1 of 1	ENE/104.0	262.5 / -22.85	1600 TESTON RD VAUGHAN ON	WWIS
Well ID:		7312186		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Monitoring		Data Entry Status:	
Use 2nd:				Data Src:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Final Well Status:	0			Date Received:	07-Jun-2018 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z274672			Contractor:	7464
Tag:	A238417			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		VAUGHAN TOWN (VAUGHAN TWP)			
Site Info:					
 PDF URL (Map):					
 <u>Additional Detail(s) (Map)</u>					
Well Completed Date:	2018/03/28				
Year Completed:	2018				
Depth (m):	9.144				
Latitude:	43.8796240989907				
Longitude:	-79.4949289568775				
Path:					
 <u>Bore Hole Information</u>					
Bore Hole ID:	1007089273			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	620912.00
Code OB Desc:				North83:	4859604.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	28-Mar-2018 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Loc Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1007178536				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	28				
Most Common Material:	SAND				
Mat2:					
Mat2 Desc:					
Mat3:	91				
Mat3 Desc:	WATER-BEARING				
Formation Top Depth:	0.0				
Formation End Depth:	30.0				
Formation End Depth UOM:	ft				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007178543			
Layer:		1			
Plug From:		0.0			
Plug To:		19.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1007178542			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1007178535			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1007178539			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		20.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1007178540			
Layer:		1			
Slot:		10			
Screen Top Depth:		20.0			
Screen End Depth:		30.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Water Details</u>					
Water ID:		1007178538			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole ID: 1007178537 Diameter: Depth From: 0.0 Depth To: 30.0 Hole Depth UOM: ft Hole Diameter UOM: inch					
<u>Links</u>					
Bore Hole ID: 1007089273 Depth M: 9.144 Year Completed: 2018 Well Completed Dt: 2018/03/28 Audit No: Z274672					
Tag No: A238417 Contractor: 7464 Path: 731\7312186.pdf Latitude: 43.8796240989907 Longitude: -79.4949289568775					
67	1 of 1	WSW/44.1	291.6 / 6.18	lot 25 con 3 ON	WWIS
Well ID: 6916550 Construction Date: Use 1st: Not Used Use 2nd: Final Well Status: Observation Wells Water Type: Casing Material: Audit No: Tag: Constructn Method: Elevation (m): Elevatn Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: VAUGHAN TOWN (VAUGHAN TWP) Site Info:					
Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: 1 Date Received: 22-Feb-1983 00:00:00 Selected Flag: TRUE Abandonment Rec: Contractor: 2801 Form Version: 1 Owner: County: YORK Lot: 025 Concession: 03 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6916550.pdf					
<u>Additional Detail(s) (Map)</u>					
Well Completed Date: 1981/10/05 Year Completed: 1981 Depth (m): 14.0208 Latitude: 43.8751454316543 Longitude: -79.5083633145321 Path: 691\6916550.pdf					
<u>Bore Hole Information</u>					
Bore Hole ID: 10507026 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 05-Oct-1981 00:00:00 Remarks: Loc Method Desc: on Water Well Record					
Elevation: Elevrc: Zone: 17 East83: 619841.70 North83: 4859087.00 Org CS: UTMRC: 5 UTMRC Desc: margin of error : 100 m - 300 m Location Method: wwr					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932780996			
Layer:		4			
Color:					
General Color:					
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		18.0			
Formation End Depth:		24.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932780999			
Layer:		7			
Color:		2			
General Color:		GREY			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		34.0			
Formation End Depth:		36.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781000			
Layer:		8			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		36.0			
Formation End Depth:		46.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781001			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		9			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:		08			
Mat3 Desc:		FINE SAND			
Formation Top Depth:		46.0			
Formation End Depth:		46.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932780994			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		63			
Mat2 Desc:		COARSE-GRAINED			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		6.0			
Formation End Depth:		12.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932780995			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		12.0			
Formation End Depth:		18.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932780997			
Layer:		5			
Color:		6			
General Color:		BROWN			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		24.0			
Formation End Depth:		31.0			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932780998			
Layer:		6			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		31.0			
Formation End Depth:		34.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932780993			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		08			
Mat2 Desc:		FINE SAND			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		6.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966916550			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11055596			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930820340			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		4.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Casing</u>					
Casing ID:		930820341			
Layer:		2			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:		39.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933394555			
Layer:		1			
Slot:		010			
Screen Top Depth:		39.0			
Screen End Depth:		45.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		996916550			
Pump Set At:					
Static Level:		33.0			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		No			
<u>Links</u>					
Bore Hole ID:	10507026			Tag No:	
Depth M:	14.0208			Contractor:	2801
Year Completed:	1981			Path:	691\6916550.pdf
Well Completed Dt:	1981/10/05			Latitude:	43.8751454316543
Audit No:				Longitude:	-79.5083633145321
68	1 of 1	WSW/37.4	291.8 / 6.46	lot 25 con 3 ON	WWIS
Well ID:	6916549			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Not Used			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Observation Wells			Date Received:	22-Feb-1983 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Audit No:				Contractor:	2801
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliability:				Lot:	025
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		VAUGHAN TOWN (VAUGHAN TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6916549.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		1981/09/28			
Year Completed:		1981			
Depth (m):		20.4216			
Latitude:		43.8751999228835			
Longitude:		-79.5083992948589			
Path:		691\6916549.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10507025		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	619838.70
Code OB Desc:				North83:	4859093.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:		28-Sep-1981 00:00:00		UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	wwr
Loc Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932780990			
Layer:		9			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		06			
Mat3 Desc:		SILT			
Formation Top Depth:		45.0			
Formation End Depth:		54.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:			932780982		
Layer:			1		
Color:			6		
General Color:			BROWN		
Mat1:			06		
Most Common Material:			SILT		
Mat2:			28		
Mat2 Desc:			SAND		
Mat3:					
Mat3 Desc:					
Formation Top Depth:			0.0		
Formation End Depth:			6.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			932780988		
Layer:			7		
Color:			6		
General Color:			BROWN		
Mat1:			28		
Most Common Material:			SAND		
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:			34.0		
Formation End Depth:			36.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			932780987		
Layer:			6		
Color:			6		
General Color:			BROWN		
Mat1:			08		
Most Common Material:			FINE SAND		
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:			31.0		
Formation End Depth:			34.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			932780983		
Layer:			2		
Color:			6		
General Color:			BROWN		
Mat1:			28		
Most Common Material:			SAND		
Mat2:			78		
Mat2 Desc:			MEDIUM-GRAINED		
Mat3:					
Mat3 Desc:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:		6.0			
Formation End Depth:		12.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932780991			
Layer:		10			
Color:		2			
General Color:		GREY			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		54.0			
Formation End Depth:		59.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932780984			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		12.0			
Formation End Depth:		18.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932780992			
Layer:		11			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		63			
Mat2 Desc:		COARSE-GRAINED			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		59.0			
Formation End Depth:		67.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932780989			
Layer:		8			
Color:		6			
General Color:		BROWN			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		36.0			
Formation End Depth:		45.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932780985			
Layer:		4			
Color:					
General Color:					
Mat1:		28			
Most Common Material:		SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		18.0			
Formation End Depth:		24.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932780986			
Layer:		5			
Color:		6			
General Color:		BROWN			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		24.0			
Formation End Depth:		31.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966916549			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11055595			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930820339			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		2			
Material:					
Open Hole or Material:					
Depth From:					
Depth To:		54.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Casing</u>					
Casing ID:		930820338			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		3.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933394554			
Layer:		1			
Slot:		010			
Screen Top Depth:		54.0			
Screen End Depth:		60.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
 <u>Links</u>					
Bore Hole ID:	10507025			Tag No:	
Depth M:	20.4216			Contractor:	2801
Year Completed:	1981			Path:	691\6916549.pdf
Well Completed Dt:	1981/09/28			Latitude:	43.8751999228835
Audit No:				Longitude:	-79.5083992948589
69	1 of 1	ENE/173.8	271.7 / -13.68	lot 26 con 3 ON	WWIS
Well ID:	6906488			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	22-Sep-1965 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	1622
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliability:				Lot:	026
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Municipality:		VAUGHAN TOWN (VAUGHAN TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6906488.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		1965/08/06			
Year Completed:		1965			
Depth (m):		44.196			
Latitude:		43.8803836403449			
Longitude:		-79.4944915898199			
Path:		690\6906488.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		10497187		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	
Code OB:				17	
Code OB Desc:				East83:	
Open Hole:				620945.60	
Cluster Kind:				North83:	
Date Completed:		06-Aug-1965 00:00:00		4859689.00	
Remarks:				Org CS:	
Loc Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m		UTMRC:	
Elevrc Desc:				5	
Location Source Date:				UTMRC Desc:	
Improvement Location Source:				margin of error : 100 m - 300 m	
Improvement Location Method:				Location Method:	
Source Revision Comment:				p5	
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932733986			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		65.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932733987			
Layer:		2			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3 Desc:					
Formation Top Depth:		65.0			
Formation End Depth:		135.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932733988			
Layer:		3			
Color:					
General Color:					
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		135.0			
Formation End Depth:		140.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932733989			
Layer:		4			
Color:					
General Color:					
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		140.0			
Formation End Depth:		145.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966906488			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11045757			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930809555			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		141.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933388797			
Layer:		1			
Slot:		025			
Screen Top Depth:		141.0			
Screen End Depth:		145.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		4.0			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996906488			
Pump Set At:					
Static Level:		100.0			
Final Level After Pumping:		135.0			
Recommended Pump Depth:		140.0			
Pumping Rate:		15.0			
Flowing Rate:					
Recommended Pump Rate:		10.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		6			
Pumping Duration MIN:		0			
Flowing:		No			
 <u>Water Details</u>					
Water ID:		933989921			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		141.0			
Water Found Depth UOM:		ft			
 <u>Links</u>					
Bore Hole ID:	10497187			Tag No:	
Depth M:	44.196			Contractor:	1622
Year Completed:	1965			Path:	690\6906488.pdf
Well Completed Dt:	1965/08/06			Latitude:	43.8803836403449
Audit No:				Longitude:	-79.4944915898199

70	1 of 1	ENE/206.9	274.3 / -11.07	1600 TESTON RD Vaughan ON	WWIS
Well ID:	7279677			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Observation Wells			Date Received:	25-Jan-2017 00:00:00
Water Type:				Selected Flag:	TRUE

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Material:					
Audit No:	Z244648			Abandonment Rec:	
Tag:	A214651			Contractor:	7472
Constructn Method:				Form Version:	7
Elevation (m):				Owner:	
Elevatn Reliabilty:				County:	YORK
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Clear/Cloudy:				Zone:	
Municipality:		VAUGHAN TOWN (VAUGHAN TWP)		UTM Reliability:	
Site Info:					
PDF URL (Map):					
Additional Detail(s) (Map)					
Well Completed Date:	2016/10/20				
Year Completed:	2016				
Depth (m):	12.192				
Latitude:	43.8806645604528				
Longitude:	-79.4946289083861				
Path:					
Bore Hole Information					
Bore Hole ID:	1006343560			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	620934.00
Code OB Desc:				North83:	4859720.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	20-Oct-2016 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Loc Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
Overburden and Bedrock					
Materials Interval					
Formation ID:	1006553663				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	08				
Most Common Material:	FINE SAND				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	40.0				
Formation End Depth UOM:	ft				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006553670			
Layer:		1			
Plug From:		0.0			
Plug To:		29.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006553671			
Layer:		2			
Plug From:		29.0			
Plug To:		40.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006553669			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006553662			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006553666			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		30.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006553667			
Layer:		1			
Slot:		10			
Screen Top Depth:		30.0			
Screen End Depth:		40.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.5			
<u>Water Details</u>					
Water ID:		1006553665			
Layer:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Kind Code: Kind: Water Found Depth: Water Found Depth UOM: ft					
<u>Hole Diameter</u>					
Hole ID: 1006553664 Diameter: 6.0 Depth From: 0.0 Depth To: 40.0 Hole Depth UOM: ft Hole Diameter UOM: inch					
<u>Links</u>					
Bore Hole ID: 1006343560 Depth M: 12.192 Year Completed: 2016 Well Completed Dt: 2016/10/20 Audit No: Z244648					
Tag No: A214651 Contractor: 7472 Path: 727\7279677.pdf Latitude: 43.8806645604528 Longitude: -79.4946289083861					
71	1 of 4	WSW/214.9	285.4 / 0.03	lot 25 con 3 ON	WWIS
Well ID: 6919996 Construction Date: Use 1st: Use 2nd: Final Well Status: Water Type: Casing Material: Audit No: NA Tag: Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: VAUGHAN TOWN (VAUGHAN TWP) Site Info:					
Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: 1 Date Received: 28-Nov-1988 00:00:00 Selected Flag: TRUE Abandonment Rec: Contractor: 4006 Form Version: 1 Owner: County: YORK Lot: 025 Concession: 03 Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6919996.pdf					
<u>Additional Detail(s) (Map)</u>					
Well Completed Date: 1983/12/01 Year Completed: 1983 Depth (m): Latitude: 43.8736359380327 Longitude: -79.5079118349356 Path: 691\6919996.pdf					
<u>Bore Hole Information</u>					
Bore Hole ID: 10510315 DP2BR: Spatial Status:					
Elevation: Elevrc: Zone: 17					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Code OB:				East83:	619881.00
Code OB Desc:				North83:	4858920.00
Open Hole:				Org CS:	N83
Cluster Kind:				UTMRC:	4
Date Completed:	01-Dec-1983 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	
Loc Method Desc:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:	966919996				
Method Construction Code:	0				
Method Construction:	Not Known				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	11058885				
Casing No:	1				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	930824161				
Layer:	1				
Material:	1				
Open Hole or Material:	STEEL				
Depth From:					
Depth To:	28.0				
Casing Diameter:	10.0				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Construction Record - Casing</u>					
Casing ID:	930824162				
Layer:	2				
Material:	5				
Open Hole or Material:	PLASTIC				
Depth From:					
Depth To:	240.0				
Casing Diameter:	2.0				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Construction Record - Screen</u>					
Screen ID:	933396802				
Layer:	1				
Slot:	010				
Screen Top Depth:	240.0				
Screen End Depth:	260.0				
Screen Material:					
Screen Depth UOM:	ft				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		996919996			
Pump Set At:					
Static Level:		101.0			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		No			
<u>Links</u>					
Bore Hole ID:		10510315		Tag No:	
Depth M:				Contractor:	4006
Year Completed:		1983		Path:	691\6919996.pdf
Well Completed Dt:		1983/12/01		Latitude:	43.8736359380327
Audit No:		NA		Longitude:	-79.5079118349356
71	2 of 4	WSW/214.9	285.4 / 0.03	lot 25 con 3 ON	WWIS
Well ID:		6919998		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:				Date Received:	28-Nov-1988 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:		NA		Contractor:	4006
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	025
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		VAUGHAN TOWN (VAUGHAN TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6919998.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		1983/12/01			
Year Completed:		1983			
Depth (m):					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Latitude:		43.8736359380327			
Longitude:		-79.5079118349356			
Path:		691\6919998.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:	10510317			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	619881.00
Code OB Desc:				North83:	4858920.00
Open Hole:				Org CS:	N83
Cluster Kind:				UTMRC:	4
Date Completed:	01-Dec-1983 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	
Loc Method Desc:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:	966919998				
Method Construction Code:	0				
Method Construction:	Not Known				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	11058887				
Casing No:	1				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:	930824165				
Layer:	1				
Material:					
Open Hole or Material:					
Depth From:					
Depth To:	121.0				
Casing Diameter:	2.0				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				
<u>Construction Record - Casing</u>					
Casing ID:	930824166				
Layer:	2				
Material:	1				
Open Hole or Material:	STEEL				
Depth From:					
Depth To:	28.0				
Casing Diameter:	10.0				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Screen</u>					
Screen ID:	933396804				
Layer:	1				
Slot:	010				
Screen Top Depth:	121.0				
Screen End Depth:	145.0				
Screen Material:					
Screen Depth UOM:	ft				
Screen Diameter UOM:	inch				
Screen Diameter:	2.0				
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:	996919998				
Pump Set At:					
Static Level:	100.0				
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:	ft				
Rate UOM:	GPM				
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:	No				
<u>Links</u>					
Bore Hole ID:	10510317			Tag No:	
Depth M:				Contractor:	4006
Year Completed:	1983			Path:	691\6919998.pdf
Well Completed Dt:	1983/12/01			Latitude:	43.8736359380327
Audit No:	NA			Longitude:	-79.5079118349356
71	3 of 4	WSW/214.9	285.4 / 0.03	lot 25 con 3 ON	WWIS
Well ID:	6919999			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Not Used			Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:	Observation Wells			Date Received:	28-Nov-1988 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	NA			Contractor:	4006
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	025
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	VAUGHAN TOWN (VAUGHAN TWP)				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6919999.pdf				
Additional Detail(s) (Map)					
Well Completed Date:	1983/12/01				
Year Completed:	1983				
Depth (m):	114.3				
Latitude:	43.8736359380327				
Longitude:	-79.5079118349356				
Path:	691\6919999.pdf				
Bore Hole Information					
Bore Hole ID:	10510318	Elevation:			
DP2BR:		Elevrc:			
Spatial Status:		Zone:		17	
Code OB:		East83:		619881.00	
Code OB Desc:		North83:		4858920.00	
Open Hole:		Org CS:		N83	
Cluster Kind:		UTMRC:		4	
Date Completed:	01-Dec-1983 00:00:00	UTMRC Desc:		margin of error : 30 m - 100 m	
Remarks:		Location Method:			
Loc Method Desc:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
Overburden and Bedrock					
Materials Interval					
Formation ID:	932799542				
Layer:	9				
Color:	2				
General Color:	GREY				
Mat1:	09				
Most Common Material:	MEDIUM SAND				
Mat2:	84				
Mat2 Desc:	SILTY				
Mat3:	10				
Mat3 Desc:	COARSE SAND				
Formation Top Depth:	230.0				
Formation End Depth:	238.0				
Formation End Depth UOM:	ft				
Overburden and Bedrock					
Materials Interval					
Formation ID:	932799534				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	08				
Most Common Material:	FINE SAND				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:		0.0			
Formation End Depth:		60.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932799537			
Layer:		4			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		130.0			
Formation End Depth:		148.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932799545			
Layer:		12			
Color:		2			
General Color:		GREY			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		06			
Mat2 Desc:		SILT			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		270.0			
Formation End Depth:		297.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932799538			
Layer:		5			
Color:		2			
General Color:		GREY			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:		08			
Mat3 Desc:		FINE SAND			
Formation Top Depth:		148.0			
Formation End Depth:		170.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932799541			
Layer:		8			
Color:		2			
General Color:		GREY			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		09			
Mat3 Desc:		MEDIUM SAND			
Formation Top Depth:		208.0			
Formation End Depth:		230.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932799535			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		60.0			
Formation End Depth:		110.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932799536			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:		84			
Mat2 Desc:		SILTY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		110.0			
Formation End Depth:		130.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932799540			
Layer:		7			
Color:		2			
General Color:		GREY			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		200.0			
Formation End Depth:		208.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:			932799546		
Layer:			13		
Color:			2		
General Color:			GREY		
Mat1:			06		
Most Common Material:			SILT		
Mat2:			08		
Mat2 Desc:			FINE SAND		
Mat3:			05		
Mat3 Desc:			CLAY		
Formation Top Depth:			297.0		
Formation End Depth:			375.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			932799543		
Layer:			10		
Color:			2		
General Color:			GREY		
Mat1:			10		
Most Common Material:			COARSE SAND		
Mat2:			09		
Mat2 Desc:			MEDIUM SAND		
Mat3:					
Mat3 Desc:					
Formation Top Depth:			238.0		
Formation End Depth:			259.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			932799544		
Layer:			11		
Color:			2		
General Color:			GREY		
Mat1:			10		
Most Common Material:			COARSE SAND		
Mat2:			08		
Mat2 Desc:			FINE SAND		
Mat3:			09		
Mat3 Desc:			MEDIUM SAND		
Formation Top Depth:			259.0		
Formation End Depth:			270.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			932799539		
Layer:			6		
Color:			2		
General Color:			GREY		
Mat1:			06		
Most Common Material:			SILT		
Mat2:			05		
Mat2 Desc:			CLAY		
Mat3:			28		
Mat3 Desc:			SAND		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation Top Depth:		170.0			
Formation End Depth:		200.0			
Formation End Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933213006			
Layer:		3			
Plug From:		150.0			
Plug To:		160.0			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933213005			
Layer:		2			
Plug From:		112.0			
Plug To:		117.0			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		933213004			
Layer:		1			
Plug From:		85.0			
Plug To:		90.0			
Plug Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		966919999			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11058888			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930824167			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		28.0			
Casing Diameter:		10.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID: 930824168					
Layer: 2					
Material: 5					
Open Hole or Material: PLASTIC					
Depth From:					
Depth To: 94.0					
Casing Diameter: 2.0					
Casing Diameter UOM: inch					
Casing Depth UOM: ft					
<u>Construction Record - Screen</u>					
Screen ID: 933396805					
Layer: 1					
Slot: 010					
Screen Top Depth: 94.0					
Screen End Depth:					
Screen Material:					
Screen Depth UOM: ft					
Screen Diameter UOM: inch					
Screen Diameter: 2.0					
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID: 996919999					
Pump Set At:					
Static Level: 91.0					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM: ft					
Rate UOM: GPM					
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing: No					
<u>Links</u>					
Bore Hole ID: 10510318					
Depth M: 114.3					
Year Completed: 1983					
Well Completed Dt: 1983/12/01					
Audit No: NA					
Tag No:					
Contractor: 4006					
Path: 691\6919999.pdf					
Latitude: 43.8736359380327					
Longitude: -79.5079118349356					
71	4 of 4	WSW/214.9	285.4 / 0.03	lot 25 con 1 ON	WWIS
Well ID: 6919997					
Construction Date:					
Use 1st:					
Use 2nd:					
Final Well Status:					
Water Type:					
Casing Material:					
Audit No: NA					
Tag:					
Flowing (Y/N):					
Flow Rate:					
Data Entry Status:					
Data Src: 1					
Date Received: 28-Nov-1988 00:00:00					
Selected Flag: TRUE					
Abandonment Rec:					
Contractor: 4006					
Form Version: 1					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:		200.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		930824164			
Layer:		2			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		293.0			
Casing Diameter:		10.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933396803			
Layer:		1			
Slot:		010			
Screen Top Depth:		200.0			
Screen End Depth:		228.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		996919997			
Pump Set At:					
Static Level:		100.0			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		No			
<u>Links</u>					
Bore Hole ID:	10510316			Tag No:	
Depth M:				Contractor:	4006
Year Completed:	1983			Path:	691\6919997.pdf
Well Completed Dt:	1983/12/01			Latitude:	43.8736359380327
Audit No:	NA			Longitude:	-79.5079118349356
72	1 of 1	WSW/190.2	285.6 / 0.18	RODINEA RD Vaughan ON	WWIS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well ID:	7321128			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Observation Wells			Date Received:	29-Oct-2018 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z293544			Contractor:	7360
Tag:	A253203			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		VAUGHAN TOWN (VAUGHAN TWP)			
Site Info:					
PDF URL (Map):					
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	2018/10/19				
Year Completed:	2018				
Depth (m):	6.096				
Latitude:	43.873784822511				
Longitude:	-79.5082815091806				
Path:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1007302525			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	619851.00
Code OB Desc:				North83:	4858936.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	19-Oct-2018 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Loc Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1007580781				
Layer:	2				
Color:					
General Color:					
Mat1:	28				
Most Common Material:	SAND				
Mat2:	68				
Mat2 Desc:	DRY				
Mat3:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3 Desc:					
Formation Top Depth:		5.0			
Formation End Depth:		20.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1007580780			
Layer:		1			
Color:					
General Color:					
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		01			
Mat2 Desc:		FILL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		5.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007580788			
Layer:		1			
Plug From:		0.0			
Plug To:		8.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1007580787			
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1007580779			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1007580784			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		10.0			
Casing Diameter:		0.75			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1007580785			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Layer:		1			
Slot:		.10			
Screen Top Depth:		10.0			
Screen End Depth:		20.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		0.75			
 <u>Water Details</u>					
Water ID:		1007580783			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
 <u>Hole Diameter</u>					
Hole ID:		1007580782			
Diameter:		6.0			
Depth From:		0.0			
Depth To:		20.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
 <u>Links</u>					
Bore Hole ID:	1007302525			Tag No:	A253203
Depth M:	6.096			Contractor:	7360
Year Completed:	2018			Path:	732\7321128.pdf
Well Completed Dt:	2018/10/19			Latitude:	43.873784822511
Audit No:	Z293544			Longitude:	-79.5082815091806
73	1 of 1	WSW/210.1	285.5 / 0.11	RODINEA RD Vaughan ON	WWIS
Well ID:	7321126			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Observation Wells			Date Received:	29-Oct-2018 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z293547			Contractor:	7360
Tag:	A245630			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	VAUGHAN TOWN (VAUGHAN TWP)				
Site Info:					
PDF URL (Map):					
 <u>Additional Detail(s) (Map)</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well Completed Date: 2018/10/09 Year Completed: 2018 Depth (m): 6.096 Latitude: 43.8736298619482 Longitude: -79.5081360198676 Path:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1007302519			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	619863.00
Code OB Desc:				North83:	4858919.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	09-Oct-2018 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Loc Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1007580761				
Layer:	2				
Color:					
General Color:					
Mat1:	28				
Most Common Material:	SAND				
Mat2:	68				
Mat2 Desc:	DRY				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	5.0				
Formation End Depth:	20.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1007580760				
Layer:	1				
Color:					
General Color:					
Mat1:	11				
Most Common Material:	GRAVEL				
Mat2:	01				
Mat2 Desc:	FILL				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	5.0				
Formation End Depth UOM:	ft				
<u>Annular Space/Abandonment</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Sealing Record</u>					
Plug ID:		1007580768			
Layer:		1			
Plug From:		0.0			
Plug To:		8.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1007580767			
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1007580759			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1007580764			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		10.0			
Casing Diameter:		0.75			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1007580765			
Layer:		1			
Slot:		.10			
Screen Top Depth:		10.0			
Screen End Depth:		20.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		0.75			
<u>Water Details</u>					
Water ID:		1007580763			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1007580762			
Diameter:		6.0			
Depth From:		0.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth To:		20.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
Links					
Bore Hole ID:	1007302519			Tag No:	A245630
Depth M:	6.096			Contractor:	7360
Year Completed:	2018			Path:	732\7321126.pdf
Well Completed Dt:	2018/10/09			Latitude:	43.8736298619482
Audit No:	Z293547			Longitude:	-79.5081360198676
74	1 of 1	E/56.3	272.2 / -13.16	See attached maps Vaughan ON L6A 1S3	EHS
Order No:	20080421006			Nearest Intersection:	Dufferin Street and Teston Road
Status:	C			Municipality:	
Report Type:	Complete Report			Client Prov/State:	ON
Report Date:	4/29/2008			Search Radius (km):	0.25
Date Received:	4/21/2008			X:	-79.492985
Previous Site Name:				Y:	43.878556
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps And /or Site Plans; Title Search				
75	1 of 1	WSW/225.6	284.5 / -0.91	ON	WWIS
Well ID:	7231487			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:				Data Entry Status:	Yes
Use 2nd:				Data Src:	
Final Well Status:				Date Received:	24-Aug-2012 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	C14002			Contractor:	6902
Tag:	A050967			Form Version:	5
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	VAUGHAN TOWN (VAUGHAN TWP)				
Site Info:					
PDF URL (Map):					
Additional Detail(s) (Map)					
Well Completed Date:	2012/06/14				
Year Completed:	2012				
Depth (m):					
Latitude:	43.8735027155416				
Longitude:	-79.5080520685517				
Path:					
Bore Hole Information					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID:	1005284432			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	619870.00
Code OB Desc:				North83:	4858905.00
Open Hole:				Org CS:	dmi83
Cluster Kind:				UTMRC:	4
Date Completed:	14-Jun-2012 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Loc Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Links</u>					
Bore Hole ID:	1005284432			Tag No:	A050967
Depth M:				Contractor:	6902
Year Completed:	2012			Path:	
Well Completed Dt:	2012/06/14			Latitude:	43.8735027155416
Audit No:	C14002			Longitude:	-79.5080520685517
76	1 of 1	ENE/38.3	276.7 / -8.72	lot 26 con 3 ON	WWIS
Well ID:	6910961			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	20-Sep-1972 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	3414
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliability:				Lot:	026
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	VAUGHAN TOWN (VAUGHAN TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6910961.pdf				
 <u>Additional Detail(s) (Map)</u>					
Well Completed Date:	1972/09/11				
Year Completed:	1972				
Depth (m):	38.1				
Latitude:	43.8793775009345				
Longitude:	-79.4932970763084				
Path:	691\6910961.pdf				

Bore Hole Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID:	10501604			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	621043.60
Code OB Desc:				North83:	4859579.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	4
Date Completed:	11-Sep-1972 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	p4
Loc Method Desc:		Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932753470				
Layer:	1				
Color:	6				
General Color:	BROWN				
Mat1:	28				
Most Common Material:	SAND				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	15.0				
Formation End Depth UOM:	ft				
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932753471				
Layer:	2				
Color:					
General Color:					
Mat1:	11				
Most Common Material:	GRAVEL				
Mat2:	28				
Mat2 Desc:	SAND				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	15.0				
Formation End Depth:	120.0				
Formation End Depth UOM:	ft				
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932753472				
Layer:	3				
Color:					
General Color:					
Mat1:	10				
Most Common Material:	COARSE SAND				
Mat2:	11				
Mat2 Desc:	GRAVEL				
Mat3:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3 Desc:					
Formation Top Depth:		120.0			
Formation End Depth:		125.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966910961			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11050174			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930814300			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		121.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933391128			
Layer:		1			
Slot:		014			
Screen Top Depth:		122.0			
Screen End Depth:		125.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		996910961			
Pump Set At:					
Static Level:		86.0			
Final Level After Pumping:		100.0			
Recommended Pump Depth:		115.0			
Pumping Rate:		6.0			
Flowing Rate:					
Recommended Pump Rate:		6.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		2			
Pumping Duration MIN:		0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934357156			
Test Type:		Draw Down			
Test Duration:		15			
Test Level:		86.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		935140516			
Test Type:		Draw Down			
Test Duration:		60			
Test Level:		86.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934628114			
Test Type:		Draw Down			
Test Duration:		30			
Test Level:		86.0			
Test Level UOM:		ft			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934878898			
Test Type:		Draw Down			
Test Duration:		45			
Test Level:		86.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933994198			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		125.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:	10501604			Tag No:	
Depth M:	38.1			Contractor:	3414
Year Completed:	1972			Path:	691\6910961.pdf
Well Completed Dt:	1972/09/11			Latitude:	43.8793775009345
Audit No:				Longitude:	-79.4932970763084
77	1 of 1	ENE/6.9	276.3 / -9.06	lot 25 con 3 ON	WWIS
Well ID:	6906482			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	19-Dec-1955 00:00:00
Water Type:				Selected Flag:	TRUE

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Material:			Abandonment Rec:		
Audit No:			Contractor: 4823		
Tag:			Form Version: 1		
Constructn Method:			Owner:		
Elevation (m):			County: YORK		
Elevatn Reliabilty:			Lot: 025		
Depth to Bedrock:			Concession: 03		
Well Depth:			Concession Name: CON		
Overburden/Bedrock:			Easting NAD83:		
Pump Rate:			Northing NAD83:		
Static Water Level:			Zone:		
Clear/Cloudy:			UTM Reliability:		
Municipality:			VAUGHAN TOWN (VAUGHAN TWP)		
Site Info:					
PDF URL (Map):			https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6906482.pdf		
Additional Detail(s) (Map)					
Well Completed Date:			1955/06/01		
Year Completed:			1955		
Depth (m):			34.4424		
Latitude:			43.8791315312878		
Longitude:			-79.4930792221871		
Path:			690\6906482.pdf		
Bore Hole Information					
Bore Hole ID:			10497181		
DP2BR:			Elevation:		
Spatial Status:			Elevrc:		
Code OB:			Zone: 17		
Code OB Desc:			East83: 621061.60		
Open Hole:			North83: 4859552.00		
Cluster Kind:			Org CS:		
Date Completed:			UTMRC: 9		
Remarks:			UTMRC Desc: unknown UTM		
Loc Method Desc:			Location Method: p9		
Elevrc Desc:			Original Pre1985 UTM Rel Code 9: unknown UTM		
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
Overburden and Bedrock					
Materials Interval					
Formation ID:			932733956		
Layer:			2		
Color:			5		
General Color:			YELLOW		
Mat1:			05		
Most Common Material:			CLAY		
Mat2:			13		
Mat2 Desc:			BOULDERS		
Mat3:					
Mat3 Desc:					
Formation Top Depth:			1.0		
Formation End Depth:			40.0		
Formation End Depth UOM:			ft		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932733957			
Layer:		3			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		09			
Mat2 Desc:		MEDIUM SAND			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		40.0			
Formation End Depth:		109.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932733955			
Layer:		1			
Color:					
General Color:					
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		1.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932733958			
Layer:		4			
Color:					
General Color:					
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		109.0			
Formation End Depth:		113.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966906482			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11045751			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing No: Comment: Alt Name:		1			
<u>Construction Record - Casing</u>					
Casing ID:		930809549			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		109.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933388792			
Layer:		1			
Slot:		018			
Screen Top Depth:		109.0			
Screen End Depth:		113.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		4.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996906482			
Pump Set At:					
Static Level:		65.0			
Final Level After Pumping:		72.0			
Recommended Pump Depth:					
Pumping Rate:		3.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		24			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933989913			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		109.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:	10497181			Tag No:	
Depth M:	34.4424			Contractor:	4823
Year Completed:	1955			Path:	690\6906482.pdf

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well Completed Dt:		1955/06/01		Latitude:	43.8791315312878
Audit No:				Longitude:	-79.4930792221871
78	1 of 1	WSW/33.6	289.1 / 3.68	Maple Dump '09	ANDR
				Maple ON L6A 1	
Legal Description:		Vaughan Con 3 WYS Lot 24 pt			
Location Description:					
Municipality:		Vaughan Town			
Current Municipality:		Vaughan City			
RM:		York Region			
Facility:		Dump			
Date Active:		1979			
Date Begun:					
Date Complete:		Sep 20 1979			
Area (Ha):					
Landfill Type:		Sanitary landfill			
Group Name:					
Operated By:					
Serial:		MOEE a230609			
NTS:		30M13			
Diameter (m):					
Historical Summary:					
Maple Dump A230609 MOEE 1994 Vaughan Con 3 WYS lot 24 pt cited as a closed waste disposal site (Ontario Ministry of the Environment [1994] Waste disposal site inventory, [Toronto]: Ontario Environment, 1994., i, 196 pp., maps, ISBN 0772984093: 123).					
Waste Type:					
UTM X Nad 27:		619750			
UTM Y Nad 27:		4858850			
UTM Zone:		17			
79	1 of 1	W/223.4	306.0 / 20.61	Maple Dump Site 1 1965	ANDR
				Maple ON L6A 1	
Legal Description:		Vaughan Con 3 WYS			
Location Description:		N of Teston Rd, slightly e of Keele St, E of RR tracks.			
Municipality:		Vaughan Town			
Current Municipality:		Vaughan City			
RM:		York Region			
Facility:		Dump			
Date Active:		1965			
Date Begun:					
Date Complete:					
Area (Ha):		8.117			
Landfill Type:					
Group Name:					
Operated By:					
Serial:		YKR16 1965			
NTS:		30M13			
Diameter (m):					
Historical Summary:					
Maple Dump Site 1 1965 This site identified by Lou Albano (GEOG 3420.03 1995) following a map prepared by Gartner Lee for the City of Vaughan Subwatershed Study (1992). 1965 Air Photos Area of active dumping marked, 8.117 HA (via MapInfo) [CTA: 1965 Air Photos]					
Waste Type:					
UTM X Nad 27:		619702.5			
UTM Y Nad 27:		4859105			

375 erisinfo.com | Environmental Risk Information Services Order No: 22090200347

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID: DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: Remarks: Loc Method Desc: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:	1004313809			Elevation: Elevrc: Zone: East83: North83: Org CS: UTMRC: UTMRC Desc: Location Method:	
	28-Nov-2012 00:00:00	on Water Well Record		17 619802.00 4858931.00 UTM83 4 margin of error : 30 m - 100 m wwr	

Links

Bore Hole ID: Depth M: Year Completed: Well Completed Dt: Audit No:	1004313809			Tag No: Contractor: Path: Latitude: Longitude:	A139552 7215 43.8737477775794 -79.5088923030759
--	------------	--	--	---	--

<u>82</u>	1 of 1	ENE/131.7	279.5 / -5.84	108000 DUFFERIN STREET MAPLE ON	WWIS
Well ID: Construction Date: Use 1st: Use 2nd: Final Well Status: Water Type: Casing Material: Audit No: Tag: Constructn Method: Elevation (m): Elevatn Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: Site Info:	7151751 Not Used Abandoned-Other Z116992			Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: Date Received: Selected Flag: Abandonment Rec: Contractor: Form Version: Owner: County: Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:	24-Sep-2010 00:00:00 TRUE Yes 1663 7 YORK

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/715\7151751.pdf

Additional Detail(s) (Map)

Well Completed Date: Year Completed: Depth (m): Latitude: Longitude: Path:	2010/08/05 2010 43.880268328733 -79.4932571953057 715\7151751.pdf
---	---

Bore Hole Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID:	1003338768			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	621045.00
Code OB Desc:				North83:	4859678.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	05-Aug-2010 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Loc Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1003480307				
Layer:	1				
Plug From:	0.0				
Plug To:	5.0				
Plug Depth UOM:	ft				
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1003480308				
Layer:	2				
Plug From:	5.0				
Plug To:	122.0				
Plug Depth UOM:	ft				
 <u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:	1003480313				
Method Construction Code:	B				
Method Construction:	Other Method				
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:	1003480303				
Casing No:	0				
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:	1003480310				
Layer:	1				
Material:	1				
Open Hole or Material:	STEEL				
Depth From:	0.0				
Depth To:	122.0				
Casing Diameter:	6.0				
Casing Diameter UOM:	inch				
Casing Depth UOM:	ft				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Screen</u>					
Screen ID:		1003480311			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1003480304			
Pump Set At:					
Static Level:		78.5999984741211			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		0			
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:		No			
<u>Water Details</u>					
Water ID:		1003480309			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1003480306			
Diameter:		5.0			
Depth From:		0.0			
Depth To:		122.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<u>Links</u>					
Bore Hole ID:	1003338768			Tag No:	
Depth M:				Contractor:	1663
Year Completed:	2010			Path:	715\7151751.pdf
Well Completed Dt:	2010/08/05			Latitude:	43.880268328733
Audit No:	Z116992			Longitude:	-79.4932571953057
83	1 of 1	ENE/114.4	279.8 / -5.54	lot 26 con 3 ON	WWIS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well ID:	6916675			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Domestic			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	10-May-1983 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	4743
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	026
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		VAUGHAN TOWN (VAUGHAN TWP)			
Site Info:					

PDF URL (Map):

Additional Detail(s) (Map)

Well Completed Date: 1983/05/05
Year Completed: 1983
Depth (m): 41.7576
Latitude: 43.8801317445789
Longitude: -79.4931411407664
Path:

Bore Hole Information

Bore Hole ID: 10507085
DP2BR:
Spatial Status:
Code OB:
Code OB Desc:
Open Hole:
Cluster Kind:
Date Completed: 05-May-1983 00:00:00
Remarks:
Loc Method Desc: Original Pre1985 UTM Rel Code 4: margin of error : 30 m - 100 m
Elevrc Desc:
Location Source Date:
Improvement Location Source:
Improvement Location Method:
Source Revision Comment:
Supplier Comment:

Elevation:
Elevrc:
Zone: 17
East83: 621054.60
North83: 4859663.00
Org CS:
UTMRC: 4
UTMRC Desc: margin of error : 30 m - 100 m
Location Method: p4

Overburden and Bedrock

Materials Interval

Formation ID: 932781283
Layer: 5
Color: 2
General Color: GREY
Mat1: 28
Most Common Material: SAND
Mat2: 11
Mat2 Desc: GRAVEL
Mat3: 62

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3 Desc:		CLEAN			
Formation Top Depth:		133.0			
Formation End Depth:		137.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781282			
Layer:		4			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		86			
Mat2 Desc:		STICKY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		60.0			
Formation End Depth:		133.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781281			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		11			
Most Common Material:		GRAVEL			
Mat2:		77			
Mat2 Desc:		LOOSE			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		50.0			
Formation End Depth:		60.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781279			
Layer:		1			
Color:		8			
General Color:		BLACK			
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932781280			
Layer:		2			
Color:		6			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		85			
Mat3 Desc:		SOFT			
Formation Top Depth:		2.0			
Formation End Depth:		50.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		966916675			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11055655			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930820416			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		134.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		933394594			
Layer:		1			
Slot:		020			
Screen Top Depth:		134.0			
Screen End Depth:		137.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
 <u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			
Pump Test ID:		996916675			
Pump Set At:					
Static Level:		80.0			
Final Level After Pumping:		90.0			
Recommended Pump Depth:		110.0			
Pumping Rate:		15.0			
Flowing Rate:					
Recommended Pump Rate:		15.0			
Levels UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		2			
Pumping Duration HR:		1			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Draw Down & Recovery</u>					
Pump Test Detail ID:		934362687			
Test Type:		Recovery			
Test Duration:		15			
Test Level:		80.0			
Test Level UOM:		ft			
<u>Water Details</u>					
Water ID:		933999710			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		133.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:	10507085			Tag No:	
Depth M:	41.7576			Contractor:	4743
Year Completed:	1983			Path:	
Well Completed Dt:	1983/05/05			Latitude:	43.8801317445789
Audit No:				Longitude:	-79.4931411407664

84	1 of 1	E/41.4	275.3 / -10.09	lot 25 con 3 ON	WWIS
Well ID:	6924147	Flowing (Y/N):			
Construction Date:		Flow Rate:			
Use 1st:	Not Used	Data Entry Status:			
Use 2nd:		Data Src: 1			
Final Well Status:	Abandoned-Other	Date Received: 15-Dec-1997 00:00:00			
Water Type:		Selected Flag: TRUE			
Casing Material:		Abandonment Rec:			
Audit No:	184900	Contractor: 3108			
Tag:		Form Version: 1			
Constructn Method:		Owner:			
Elevation (m):		County: YORK			
Elevatn Reliabilty:		Lot: 025			
Depth to Bedrock:		Concession: 03			
Well Depth:		Concession Name: CON			
Overburden/Bedrock:		Easting NAD83:			
Pump Rate:		Northing NAD83:			
Static Water Level:		Zone:			
Clear/Cloudy:		UTM Reliability:			
Municipality:	VAUGHAN TOWN (VAUGHAN TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6924147.pdf				
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	1997/12/03				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Year Completed:		1997			
Depth (m):					
Latitude:		43.8788172382651			
Longitude:		-79.4924597975909			
Path:		692\6924147.pdf			
 <u>Bore Hole Information</u>					
Bore Hole ID:	10514425			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	621112.00
Code OB Desc:				North83:	4859518.00
Open Hole:				Org CS:	N83
Cluster Kind:				UTMRC:	4
Date Completed:	03-Dec-1997 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	
Loc Method Desc:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Method of Construction & Well Use</u>					
Method Construction ID:	966924147				
Method Construction Code:	0				
Method Construction:	Not Known				
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:	11062995				
Casing No:	1				
Comment:					
Alt Name:					
 <u>Links</u>					
Bore Hole ID:	10514425			Tag No:	
Depth M:				Contractor:	3108
Year Completed:	1997			Path:	692\6924147.pdf
Well Completed Dt:	1997/12/03			Latitude:	43.8788172382651
Audit No:	184900			Longitude:	-79.4924597975909
85	1 of 4	ENE/116.3	279.8 / -5.54	CITY OF VAUGHAN 10800 DUFFERIN STREET VAUGHAN ON L6A 1S2	GEN
Generator No:	ON6782981				
SIC Code:					
SIC Description:					
Approval Years:	As of Dec 2018				
PO Box No:					
Country:	Canada				
Status:	Registered				
Co Admin:					
Choice of Contact:					
Phone No Admin:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Contaminated Facility: MHSW Facility:					
<u>Detail(s)</u>					
Waste Class:		251 L			
Waste Class Name:		Waste oils/sludges (petroleum based)			
85	2 of 4	ENE/116.3	279.8 / -5.54	CITY OF VAUGHAN 10800 DUFFERIN STREET VAUGHAN ON L6A 1S2	GEN
Generator No:		ON6782981			
SIC Code:					
SIC Description:					
Approval Years:		As of Jul 2020			
PO Box No:					
Country:		Canada			
Status:		Registered			
Co Admin:					
Choice of Contact:					
Phone No Admin:					
Contaminated Facility:					
MHSW Facility:					
<u>Detail(s)</u>					
Waste Class:		251 L			
Waste Class Name:		Waste oils/sludges (petroleum based)			
85	3 of 4	ENE/116.3	279.8 / -5.54	CITY OF VAUGHAN 10800 DUFFERIN STREET VAUGHAN ON L6A 1S2	GEN
Generator No:		ON6782981			
SIC Code:					
SIC Description:					
Approval Years:		As of Nov 2021			
PO Box No:					
Country:		Canada			
Status:		Registered			
Co Admin:					
Choice of Contact:					
Phone No Admin:					
Contaminated Facility:					
MHSW Facility:					
<u>Detail(s)</u>					
Waste Class:		251 L			
Waste Class Name:		Waste oils/sludges (petroleum based)			
85	4 of 4	ENE/116.3	279.8 / -5.54	CITY OF VAUGHAN 10800 DUFFERIN STREET VAUGHAN ON L6A 1S2	GEN
Generator No:		ON6782981			
SIC Code:					
SIC Description:					
Approval Years:		As of Oct 2022			
PO Box No:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Country: Status: Co Admin: Choice of Contact: Phone No Admin: Contaminated Facility: MHSW Facility:		Canada Registered			
<u>Detail(s)</u>					
Waste Class: Waste Class Name:		251 L OIL SKIMMINGS & SLUDGES			
86	1 of 33	WSW/143.3	285.2 / -0.20	2894131 ONTARIO INC. 45 RODINEA RD., UNIT "B",MAPLE VAUGHAN CITY ON	CA
Certificate #: Application Year: Issue Date: Approval Type: Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		8-3579-94- 94 1/18/1995 Industrial air Approved in 1995 BURN OFF OVEN, AFTER BURNER Suspended Particulate Matter, Methane (Incl. Hydrocarbons Expr. As Ch4, Carbon Monoxide, Nitrogen Oxides Thermal Incineration			
86	2 of 33	WSW/143.3	285.2 / -0.20	TEPPERMAN AND SONS 45 RODENEA RD., MAPLE VAUGHAN CITY ON	SPL
Ref No: Site No: Incident Dt: Year: Incident Cause: Incident Event: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Environment Impact: Nature of Impact: Receiving Medium: Receiving Env: MOE Response: Dt MOE Arvl on Scn: MOE Reported Dt: Dt Document Closed: Incident Reason: Site Name: Site County/District: Site Geo Ref Meth: Incident Summary: Contaminant Qty:		105975 10/5/1994 UNKNOWN POSSIBLE Soil contamination LAND 10/5/1994 UNKNOWN	Discharger Report: Material Group: Health/Env Conseq: Client Type: Sector Type: Agency Involved: Nearest Watercourse: Site Address: Site District Office: Site Postal Code: Site Region: Site Municipality: Site Lot: Site Conc: Northing: Easting: Site Geo Ref Accu: Site Map Datum: SAC Action Class: Source Type:	27101	
		TEPPERMAN & SONS.: 225 L OIL TO GROUND, NO SEWERS,CONTAINED & CLEANED UP			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
86	3 of 33	WSW/143.3	285.2 / -0.20	CLEARWAY CONSTRUCTION INC ATTN LAURA DI BATTISTA 45 RODINEA RD MAPLE ON	PRT
Location ID:		8426			
Type:		private			
Expiry Date:					
Capacity (L):		0.00			
Licence #:		0001060373			
86	4 of 33	WSW/143.3	285.2 / -0.20	D.C.L. COMPANY INC. 45 RODINEA RD MAPLE ON L6A 1R3	SCT
Established:		1979			
Plant Size (ft²):		1000			
Employment:		4			
--Details--					
Description:		ELECTRICAL APPARATUS & CONSTRUCTION MATERIALS			
SIC/NAICS Code:		5063			
Description:		ELECTRONIC PARTS & EQUIPMENT, N.E.C.			
SIC/NAICS Code:		5065			
Description:		HARDWARE			
SIC/NAICS Code:		5072			
86	5 of 33	WSW/143.3	285.2 / -0.20	L.A. Store Fixtures 45 Rodinea Rd Unit 6 Vaughan ON L6A 1R3	SCT
Established:		1990			
Plant Size (ft²):		5000			
Employment:		6			
86	6 of 33	WSW/143.3	285.2 / -0.20	J. CHEFERO SAND & GRAVEL LIMITED 45 RODINEA RD, UNIT 2&3 MAPLE ON L0J 1E0	GEN
Generator No:		ON0606400			
SIC Code:		0821			
SIC Description:		SAND & GRAVEL PITS			
Approval Years:		86,87,88,89,90			
PO Box No:					
Country:					
Status:					
Co Admin:					
Choice of Contact:					
Phone No Admin:					
Contaminated Facility:					
MHSW Facility:					
Detail(s)					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
86	7 of 33	WSW/143.3	285.2 / -0.20	J. CHEFERO (OUT OF BUS) 22-122 45 RODINEA RD, UNIT 2&3 MAPLE ON L0J 1E0	GEN
Generator No: ON0606400 SIC Code: 0821 SIC Description: SAND & GRAVEL PITS Approval Years: 92,93,94,95,96,97,98 PO Box No: Country: Status: Co Admin: Choice of Contact: Phone No Admin: Contaminated Facility: MHSW Facility:					
<u>Detail(s)</u>					
Waste Class: 252 Waste Class Name: WASTE OILS & LUBRICANTS					
86	8 of 33	WSW/143.3	285.2 / -0.20	CLEARWAY CONSTRUCTION LTD. 45 RODINEA ROAD C/O BOX 310 MAPLE ON L0J 1E0	GEN
Generator No: ON0849400 SIC Code: 4122 SIC Description: WATERWORKS & SEWAGE Approval Years: 86,87,88,89,90 PO Box No: Country: Status: Co Admin: Choice of Contact: Phone No Admin: Contaminated Facility: MHSW Facility:					
<u>Detail(s)</u>					
Waste Class: 213 Waste Class Name: PETROLEUM DISTILLATES					
Waste Class: 252 Waste Class Name: WASTE OILS & LUBRICANTS					
86	9 of 33	WSW/143.3	285.2 / -0.20	CLEARWAY CONSTRUCTION LTD 45 RODINEA ROAD VAUGHAN ON L0J 1E0	GEN
Generator No: ON0849400 SIC Code: 4122 SIC Description: WATERWORKS & SEWAGE Approval Years: 92,93 PO Box No: Country: Status: Co Admin: Choice of Contact: Phone No Admin:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Contaminated Facility: MHSW Facility:					
<u>Detail(s)</u>					
Waste Class:		213			
Waste Class Name:		PETROLEUM DISTILLATES			
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
86	10 of 33	WSW/143.3	285.2 / -0.20	CLEARWAY CONSTRUCTION LTD. 10-257 45 RODINEA ROAD C/O BOX 310 MAPLE ON L0J 1E0	GEN
Generator No: ON0849400 SIC Code: 4122 SIC Description: WATERWORKS & SEWAGE Approval Years: 94,95,96 PO Box No: Country: Status: Co Admin: Choice of Contact: Phone No Admin: Contaminated Facility: MHSW Facility:					
<u>Detail(s)</u>					
Waste Class:		213			
Waste Class Name:		PETROLEUM DISTILLATES			
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
86	11 of 33	WSW/143.3	285.2 / -0.20	CLEARWAY (OUT OF BUS) 45 RODINEA ROAD VAUGHAN ON L0J 1E0	GEN
Generator No: ON0849400 SIC Code: 4122 SIC Description: WATERWORKS & SEWAGE Approval Years: 97,98 PO Box No: Country: Status: Co Admin: Choice of Contact: Phone No Admin: Contaminated Facility: MHSW Facility:					
<u>Detail(s)</u>					
Waste Class:		213			
Waste Class Name:		PETROLEUM DISTILLATES			
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
86	12 of 33	WSW/143.3	285.2 / -0.20	TNT Metal Stripping Inc. 45 Rodinea RD Unit B Vaughan ON L6A1R3	GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country: Status: Co Admin: Choice of Contact: Phone No Admin: Contaminated Facility: MHSW Facility:		ON2019976 02,03,04			
<u>Detail(s)</u>					
Waste Class: Waste Class Name:		113 ACID WASTE - OTHER METALS			
86	13 of 33	WSW/143.3	285.2 / -0.20	L.A. Store Fixtures 45 Rodinea Rd Unit 6 Maple ON L6A 1R3	SCT
Established: Plant Size (ft²): Employment:		1990 5000			
<u>--Details--</u>					
Description: SIC/NAICS Code:		Wood Window and Door Manufacturing 321911			
Description: SIC/NAICS Code:		Wood Kitchen Cabinet and Counter Top Manufacturing 337110			
Description: SIC/NAICS Code:		Showcase, Partition, Shelving and Locker Manufacturing 337215			
86	14 of 33	WSW/143.3	285.2 / -0.20	TRIPLE M EXCLUSIVE AUTO PARTS 45 RODINEA RICHMOND HILL ON L6A 1R3	AUWR
Headcode: Headcode Desc: Phone: List Name: Description:		96400 Automobile Parts & Supplies-Used & Rebuilt 9054171900			
86	15 of 33	WSW/143.3	285.2 / -0.20	West York Auto Collision Ltd. 45 Rodinea Road Vaughan Regional Municipality of York CITY OF VAUGHAN ON	EBR
EBR Registry No: Ministry Ref No: Notice Type: Notice Stage: Notice Date:		010-0107 4135-6Z8KCH Instrument Decision February 29, 2008	Decision Posted: Exception Posted: Section: Act 1: Act 2:		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Proposal Date: March 16, 2007 Site Location Map: Year: 2007 Instrument Type: (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air) Off Instrument Name: Posted By: Company Name: West York Auto Collision Ltd. Site Address: Location Other: Proponent Name: Proponent Address: 45 B Rodinea Road, Postal Station Postal Station, Vaughan Ontario, Canada L6A 1R3 Comment Period: URL: Site Location Details: 45 Rodinea Road Vaughan Regional Municipality of York CITY OF VAUGHAN					
86	16 of 33	WSW/143.3	285.2 / -0.20	TRIPLE M EXCLUSIVE AUTO PARTS 45 RODINEA MAPLE ON L6A1R3	AUWR
Headcode: 00096400 Headcode Desc: AUTOMOBILE PARTS & SUPPLIES-USED & REBUILT Phone: List Name: Description:					
86	17 of 33	WSW/143.3	285.2 / -0.20	West York Auto Collision Ltd. 45 Rodinea Rd Vaughan ON	CA
Certificate #: 8609-7AWLSP Application Year: 2008 Issue Date: 1/17/2008 Approval Type: Air Status: Approved Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					
86	18 of 33	WSW/143.3	285.2 / -0.20	Accurate Industrial Waste Limited 45 Rodinea Rd Vaughan ON L4K 1V5	WDS
Approval No: A680085 Total Area (ha): Mob Unit Cert No: Landfill Cap (m³): EBR Registry No: Transfer Area (ha): Status: Revoked and/or Replaced Transfer Cap (m³): Facility Type: Transfer Cert No: Record Type: ECA Inciner. Area (ha): Link Source: IDS Inciner. Cap (t): Project Type: WASTE DISPOSAL SITES Process Area (m³): Application Status: Process Cap (m³/d): Issue Date: 2007-10-26 Process Vol (m³):					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Type Other: Waste Description: Landfill Monitoring: Landfill Ctrl Type: Site Closing Description: Project Description: Municipalities Served: Approval Description: Other Approvals/Permits: PDF URL: https://www.accessenvironment.ene.gov.on.ca/instruments/3986-7CDKM5-14.pdf PDF Site Location:					
86	20 of 33	WSW/143.3	285.2 / -0.20	Waste One Disposal Services Inc. 45 Rodinea Rd Maple Vaughan ON	CA
Certificate #: 8375-8GDJYQ Application Year: 2011 Issue Date: 5/5/2011 Approval Type: Waste Management Systems Status: Approved Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					
86	21 of 33	WSW/143.3	285.2 / -0.20	Stiege Signs Limited 45 Rodinea Road Unit 2-3 Vaughan, Regional Municipality of York L6A 1R3 CITY OF VAUGHAN ON	EBR
EBR Registry No: 011-5547 Ministry Ref No: 0697-8PQQPW Notice Type: Instrument Decision Notice Stage: Notice Date: January 25, 2013 Proposal Date: January 13, 2012 Year: 2012 Instrument Type: (EPA Part II.1-air) - Environmental Compliance Approval (project type: air) Off Instrument Name: Posted By: Company Name: Stiege Signs Limited Site Address: Location Other: Proponent Name: Proponent Address: 45 Rodinea Road , Unit 2-3, Vaughan Ontario, Canada L6A 1R3 Comment Period: URL: Site Location Details: 45 Rodinea Road Unit 2-3 Vaughan, Regional Municipality of York L6A 1R3 CITY OF VAUGHAN					
Decision Posted: Exception Posted: Section: Act 1: Act 2: Site Location Map:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
86	22 of 33	WSW/143.3	285.2 / -0.20	CLEARWAY CONSTRUCTION INC ATTN LAURA DI BATTISTA 45 RODINEA RD MAPLE ON	DTNK

Delisted Expired Fuel Safety
Facilities

Instance No:	9418677	Expired Date:
Status:	EXPIRED	Max Hazard Rank:
Instance ID:	381617	Facility Location:
Instance Type:	FS Facility	Facility Type:
Instance Creation Dt:		Fuel Type 2:
Instance Install Dt:		Fuel Type 3:
Item Description:		Panam Related:
Manufacturer:		Panam Venue Nm:
Model:		External Identifier:
Serial No:		Item:
ULC Standard:		Piping Steel:
Quantity:		Piping Galvanized:
Unit of Measure:		Tank Single Wall St:
Overfill Prot Type:		Piping Underground:
Creation Date:		Tank Underground:
Next Periodic Str DT:		Source:
TSSA Base Sched Cycle 2:		
TSSAMax Hazard Rank 1:		
TSSA Risk Based Periodic Yn:		
TSSA Volume of Directives:		
TSSA Periodic Exempt:		
TSSA Statutory Interval:		
TSSA Recd Insp Interva:		
TSSA Recd Tolerance:		
TSSA Program Area:		
TSSA Program Area 2:		
Description:	Fuels Safety Private Fuel Outlet - Self Serve	
Original Source:	EXP	
Record Date:	Up to Mar 2012	

86	23 of 33	WSW/143.3	285.2 / -0.20	CLEARWAY CONSTRUCTION INC ATTN LAURA DI BATTISTA 45 RODINEA RD MAPLE ON	DTNK
--------------------	----------	-----------	---------------	--	------

Delisted Expired Fuel Safety
Facilities

Instance No:	9891795	Expired Date:
Status:	EXPIRED	Max Hazard Rank:
Instance ID:	395685	Facility Location:
Instance Type:	FS Facility	Facility Type:
Instance Creation Dt:		Fuel Type 2:
Instance Install Dt:		Fuel Type 3:
Item Description:		Panam Related:
Manufacturer:		Panam Venue Nm:
Model:		External Identifier:
Serial No:		Item:
ULC Standard:		Piping Steel:
Quantity:		Piping Galvanized:
Unit of Measure:		Tank Single Wall St:
Overfill Prot Type:		Piping Underground:
Creation Date:		Tank Underground:

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Next Periodic Str DT: TSSA Base Sched Cycle 2: TSSAMax Hazard Rank 1: TSSA Risk Based Periodic Yn: TSSA Volume of Directives: TSSA Periodic Exempt: TSSA Statutory Interval: TSSA Recd Insp Interva: TSSA Recd Tolerance: TSSA Program Area: TSSA Program Area 2: Description: Original Source: Record Date:		Source: FS Propane Refill Cntr - Cylr Fill EXP Up to Mar 2012			
86	24 of 33	WSW/143.3	285.2 / -0.20	45 Rodinea Rd Vaughan ON	EHS
Order No: Status: Report Type: Report Date: Date Received: Previous Site Name: Lot/Building Size: Additional Info Ordered:		20121003001 C Standard Report 09-OCT-12 03-OCT-12 2 acres Fire Insur. Maps and/or Site Plans; City Directory		Nearest Intersection: Municipality: Client Prov/State: Search Radius (km): X: Y:	
				Vaughan ON .25 -79.509303 43.874065	
86	25 of 33	WSW/143.3	285.2 / -0.20	Stiege Signs Limited 45 Rodinea Rd Maple Vaughan ON	ECA
Approval No: Approval Date: Status: Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Business Name: Address: Full Address: Full PDF Link: PDF Site Location:		7053-93ULAU 1/17/2013 Approved Air/Noise		MOE District: City: Longitude: Latitude: Geometry X: Geometry Y:	
				Vaughan	
86	26 of 33	WSW/143.3	285.2 / -0.20	Quantum Murray LP 45 Rodinea Road Vaughn ON	GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country: Status: Co Admin: Choice of Contact: Phone No Admin: Contaminated Facility: MHSW Facility:		ON6763832 339990 All Other Miscellaneous Manufacturing 2010 			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Detail(s)					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
86	27 of 33	WSW/143.3	285.2 / -0.20	WEST YORK COLLISION CENTRE LTD. 45 RODINEA RD MAPLE ON L6A 1R3	EASR
Approval No:		R-001-1398041342		MOE District: York-Durham	
Status:		REGISTERED		Municipality: MAPLE	
Date:		2014-02-10		Latitude: 43.87388889	
Record Type:		EASR		Longitude: -79.51027778	
Link Source:		MOFA		Geometry X:	
Project Type:		Automotive Refinishing Facility		Geometry Y:	
Full Address:					
Approval Type:		EASR-Automotive Refinishing Facility			
SWP Area Name:		Toronto			
PDF URL:					
PDF Site Location:					
86	28 of 33	WSW/143.3	285.2 / -0.20	Accurate Industrial Waste Limited 45 Rodinea Rd Vaughan ON L4K 5X1	WDS
Approval No:		A680085		Total Area (ha):	
Mob Unit Cert No:				Landfill Cap (m³):	
EBR Registry No:				Transfer Area (ha):	
Status:		Revoked and/or Replaced		Transfer Cap (m³):	
Facility Type:				Transfer Cert No:	
Record Type:		ECA		Inciner. Area (ha):	
Link Source:		IDS		Inciner. Cap (t):	
Project Type:		WASTE DISPOSAL SITES		Process Area (m³):	
Application Status:				Process Cap (m³/d):	
Issue Date:		2008-07-16		Process Vol (m³):	
Input Date:				Process Feed (m³):	
Date Received:				Site Concession:	
Est Closure Date:				Site Region/County:	
Mobile Capacity:				SWP Area Name: Toronto	
Mobile Units:				MOE District: York-Durham	
Mobile Description:				District Office:	
Prop City:				Latitude: 43.874012	
Prop Postal:				Longitude: -79.509224	
Prop Phone:				Geometry X:	
Serial Link:				Geometry Y:	
Approval Type:		ECA-WASTE DISPOSAL SITES			
Proponent:					
Prop Address:					
Proponent County/District:					
Full Address:		45 Rodinea Rd			
Site Lot:					
Waste Class Code:					
Waste Class:					
Waste Type:					
Waste Type Other:					
Waste Description:					
Landfill Monitoring:					
Landfill Ctrl Type:					
Site Closing Description:					
Project Description:					
Municipalities Served:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Approval Description: Other Approvals/Permits: PDF URL: PDF Site Location:					
86	29 of 33	WSW/143.3	285.2 / -0.20	Stiege Signs Limited 45 Rodinea Rd Maple Vaughan ON L6A 1R3	ECA
Approval No: 7053-93ULAU Approval Date: 2013-01-17 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Toronto Approval Type: ECA-AIR Project Type: AIR Business Name: Stiege Signs Limited Address: 45 Rodinea Rd Maple Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/0697-8PQQPW-14.pdf PDF Site Location:		MOE District: York-Durham City: Longitude: -79.509224 Latitude: 43.874012 Geometry X: Geometry Y:			
86	30 of 33	WSW/143.3	285.2 / -0.20	West York Auto Collision Ltd. 45 Rodinea Rd Vaughan ON L6A 1R3	ECA
Approval No: 8609-7AWLSP Approval Date: 2008-01-17 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Toronto Approval Type: ECA-AIR Project Type: AIR Business Name: West York Auto Collision Ltd. Address: 45 Rodinea Rd Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/4135-6Z8KCH-13.pdf PDF Site Location:		MOE District: York-Durham City: Longitude: -79.509224 Latitude: 43.874012 Geometry X: Geometry Y:			
86	31 of 33	WSW/143.3	285.2 / -0.20	Waste One Disposal Services Inc. 45 Rodinea Rd Maple Vaughan ON L6A 1S1	ECA
Approval No: 8375-8GDJYQ Approval Date: 2011-05-05 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Toronto Approval Type: ECA-WASTE MANAGEMENT SYSTEMS Project Type: WASTE MANAGEMENT SYSTEMS Business Name: Waste One Disposal Services Inc. Address: 45 Rodinea Rd Maple Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/6585-8FPK89-14.pdf PDF Site Location:		MOE District: York-Durham City: Longitude: -79.509224 Latitude: 43.874012 Geometry X: Geometry Y:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
86	32 of 33	WSW/143.3	285.2 / -0.20	Accurate Industrial Waste Limited 45 Rodinea Rd Vaughan ON L4K 5X1	WDS
Approval No: A680085 Mob Unit Cert No: EBR Registry No: Status: Revoked and/or Replaced Facility Type: Record Type: ECA Link Source: IDS Project Type: WASTE DISPOSAL SITES Application Status: Issue Date: 2008-07-16 Input Date: Date Received: Est Closure Date: Mobile Capacity: Mobile Units: Mobile Description: Prop City: Prop Postal: Prop Phone: Serial Link: Approval Type: ECA-WASTE DISPOSAL SITES Proponent: Prop Address: Proponent County/District: Full Address: 45 Rodinea Rd Site Lot: Waste Class Code: Waste Class: Waste Type: Waste Type Other: Waste Description: Landfill Monitoring: Landfill Ctrl Type: Site Closing Description: Project Description: Municipalities Served: Approval Description: Other Approvals/Permits: PDF URL: PDF Site Location: Total Area (ha): Landfill Cap (m³): Transfer Area (ha): Transfer Cap (m³): Transfer Cert No: Inciner. Area (ha): Inciner. Cap (t): Process Area (m³): Process Cap (m³/d): Process Vol (m³): Process Feed (m³): Site Concession: Site Region/County: SWP Area Name: Toronto MOE District: York-Durham District Office: Latitude: 43.874012 Longitude: -79.509224 Geometry X: Geometry Y:					
86	33 of 33	WSW/143.3	285.2 / -0.20	ACCURATE INDUSTRIAL WASTE LIMITED 45 RODINEA ROAD, UNITS 1-3 VAUGHAN ON L6A 1R3	REC
ID: 551 Company ID: Receiver No: A680085 County Out: Mail Addr: Site PO Box: Rec Div: Rec Op Div: Rec Op Name: ACCURATE INDUSTRIAL WASTE LIMITED Site Bldg: Facility Type: TRANSFER STN - PROCESSING Approval Yrs: 1995; 1996; 1997; 1998; 1999; 2000; 2001; 2002; 2003; 2004; 2005; 2006; 2007; 2008; 2009; 2010; 2011; 2012; 2013; 2014; 2015; 2016; 2017; 2018; 2019 Phone No: Province In: ONTARIO Province Out: Co Admin: Choice of Contact: CO_OFFICIAL					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>1999 Receiver Waste Information Details</u>					
Waste Code:		270			
Waste Desc:		OTHER SPECIFIED ORGANICS			
<u>2015 Receiver Waste Information Details</u>					
Waste Code:		270			
Waste Class Name:		OTHER SPECIFIED ORGANICS			
<u>2019 Receiver Waste Information Details</u>					
Rec No:		A680085			
Waste Code:		270			
Waste Class Name:		OTHER SPECIFIED ORGANICS			
<u>87</u>	1 of 1	WSW/143.3	285.2 / -0.20	45 Rodinea Road Maple ON L6A 1R3	EHS
Order No:	20190418219			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	26-APR-19			Search Radius (km):	.25
Date Received:	18-APR-19			X:	-79.509216
Previous Site Name:				Y:	43.874013
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans				
<u>88</u>	1 of 2	ENE/177.4	281.0 / -4.40	Nulook Developments Inc. 10820 Dufferin St Vaughan ON L4B 3K3	ECA
Approval No:	4251-ATRLPA			MOE District:	
Approval Date:	2018-03-09			City:	
Status:	Approved			Longitude:	
Record Type:	ECA			Latitude:	
Link Source:	IDS			Geometry X:	
SWP Area Name:				Geometry Y:	
Approval Type:	ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS				
Project Type:	MUNICIPAL AND PRIVATE SEWAGE WORKS				
Business Name:	Nulook Developments Inc.				
Address:	10820 Dufferin St				
Full Address:					
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/7523-ANSGVY-14.pdf				
PDF Site Location:					
<u>88</u>	2 of 2	ENE/177.4	281.0 / -4.40	Nulook Developments Inc. 10820 Dufferin St (Part of Lot 26, Concession 3) Vaughan ON L4B 3K3	ECA
Approval No:	2818-AX9P8R			MOE District:	York-Durham
Approval Date:	2018-03-28			City:	
Status:	Approved			Longitude:	-79.49282
Record Type:	ECA			Latitude:	43.880815
Link Source:	IDS			Geometry X:	
SWP Area Name:	Toronto			Geometry Y:	
Approval Type:	ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:			932772269		
Layer:			5		
Color:			6		
General Color:			BROWN		
Mat1:			28		
Most Common Material:			SAND		
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		102.0			
Formation End Depth:		151.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:			932772265		
Layer:			1		
Color:					
General Color:					
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		01			
Mat2 Desc:		FILL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		5.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:			932772270		
Layer:			6		
Color:			3		
General Color:			BLUE		
Mat1:			28		
Most Common Material:			SAND		
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		151.0			
Formation End Depth:		169.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:			932772267		
Layer:			3		
Color:			5		
General Color:			YELLOW		
Mat1:			11		
Most Common Material:			GRAVEL		
Mat2:			05		
Mat2 Desc:			CLAY		
Mat3:			81		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat3 Desc:		SANDY			
Formation Top Depth:		22.0			
Formation End Depth:		40.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932772266			
Layer:		2			
Color:		5			
General Color:		YELLOW			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		5.0			
Formation End Depth:		22.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932772268			
Layer:		4			
Color:		5			
General Color:		YELLOW			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		40.0			
Formation End Depth:		102.0			
Formation End Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		966914789			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		11053930			
Casing No:		1			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		930818463			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		163.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Diameter: 6.0 Casing Diameter UOM: inch Casing Depth UOM: ft					
<u>Construction Record - Screen</u>					
Screen ID: 933393378 Layer: 1 Slot: 012 Screen Top Depth: 166.0 Screen End Depth: 169.0 Screen Material: Screen Depth UOM: ft Screen Diameter UOM: inch Screen Diameter: 6.0					
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc: PUMP Pump Test ID: 996914789 Pump Set At: Static Level: 98.0 Final Level After Pumping: 160.0 Recommended Pump Depth: 165.0 Pumping Rate: 20.0 Flowing Rate: Recommended Pump Rate: 7.0 Levels UOM: ft Rate UOM: GPM Water State After Test Code: 1 Water State After Test: CLEAR Pumping Test Method: 1 Pumping Duration HR: 3 Pumping Duration MIN: 0 Flowing: No					
<u>Water Details</u>					
Water ID: 933997976 Layer: 1 Kind Code: 5 Kind: Not stated Water Found Depth: 160.0 Water Found Depth UOM: ft					
<u>Links</u>					
Bore Hole ID: 10505360 Depth M: 51.5112 Year Completed: 1978 Well Completed Dt: 1978/11/08 Audit No:					
Tag No: Contractor: 3108 Path: Latitude: 43.8738602179731 Longitude: -79.509229284007					
90	1 of 1	WSW/20.0	287.8 / 2.45	21 Rodinea Road Vaughan ON	WWIS
Well ID: 7349508 Construction Date: Use 1st: Monitoring Use 2nd: Final Well Status: Observation Wells Water Type:					
Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: Date Received: 28-Nov-2019 00:00:00 Selected Flag: TRUE					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing Material:					
Audit No:	H4LRKBGG			Abandonment Rec:	
Tag:	A276593			Contractor:	7282
Constructn Method:				Form Version:	9
Elevation (m):				Owner:	
Elevatn Reliabilty:				County:	YORK
Depth to Bedrock:				Lot:	
Well Depth:				Concession:	
Overburden/Bedrock:				Concession Name:	
Pump Rate:				Easting NAD83:	
Static Water Level:				Northing NAD83:	
Clear/Cloudy:				Zone:	
Municipality:	VAUGHAN TOWN (VAUGHAN TWP)			UTM Reliability:	
Site Info:					
PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/734\7349508.pdf					
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	2019/10/25				
Year Completed:	2019				
Depth (m):	42.3672				
Latitude:	43.8749958012149				
Longitude:	-79.5100062622085				
Path:	734\7349508.pdf				
<u>Bore Hole Information</u>					
Bore Hole ID:	1007790275			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	619710.00
Code OB Desc:				North83:	4859068.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	25-Oct-2019 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	www
Loc Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1007790283				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	28				
Most Common Material:	SAND				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	2.0				
Formation End Depth:	30.0				
Formation End Depth UOM:	ft				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1007790284			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		06			
Most Common Material:		SILT			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		30.0			
Formation End Depth:		139.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1007790282			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		02			
Most Common Material:		TOPSOIL			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		2.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007790289			
Layer:		1			
Plug From:					
Plug To:					
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007790291			
Layer:		2			
Plug From:		128.0			
Plug To:		139.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007790290			
Layer:		1			
Plug From:		0.0			
Plug To:		128.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Use</u>					
Method Construction ID:		1007790280			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1007790278			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1007790285			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		129.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1007790286			
Layer:		1			
Slot:		10			
Screen Top Depth:		129.0			
Screen End Depth:		139.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.299999952316284			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1007790279			
Pump Set At:					
Static Level:					
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:					
Water State After Test:					
Pumping Test Method:					
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					
<u>Hole Diameter</u>					
Hole ID:		1007790288			
Diameter:		3.875			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth From: 23.0 Depth To: 139.0 Hole Depth UOM: ft Hole Diameter UOM: inch					
<u>Hole Diameter</u>					
Hole ID: 1007790287 Diameter: 8.0 Depth From: 0.0 Depth To: 23.0 Hole Depth UOM: ft Hole Diameter UOM: inch					
<u>Links</u>					
Bore Hole ID: 1007790275 Depth M: 42.3672 Year Completed: 2019 Well Completed Dt: 2019/10/25 Audit No: H4LRKBGG					
Tag No: A276593 Contractor: 7282 Path: 734\7349508.pdf Latitude: 43.8749958012149 Longitude: -79.5100062622085					
91	1 of 8	E/52.1	274.9 / -10.52	Richview Manor Vaughan Limited Partnership 10500 Dufferin Street Maple ON	GEN
Generator No: ON6558846 SIC Code: 000000 SIC Description: Approval Years: 2013 PO Box No: Country: Status: Co Admin: Choice of Contact: Phone No Admin: Contaminated Facility: MHSW Facility:					
<u>Detail(s)</u>					
Waste Class: 251 Waste Class Name: OIL SKIMMINGS & SLUDGES					

91	2 of 8	E/52.1	274.9 / -10.52	Richview Manor Vaughan Limited Partnership 10500 Dufferin Street Maple ON L6A 4R1	GEN
Generator No: ON6558846 SIC Code: 000000 SIC Description: 000000 Approval Years: 2016 PO Box No: Country: Canada Status: Co Admin: Choice of Contact: CO_OFFICIAL Phone No Admin: Contaminated Facility: No MHSW Facility: No					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		251			
Waste Class Name:		OIL SKIMMINGS & SLUDGES			
91	3 of 8	E/52.1	274.9 / -10.52	Richview Manor Vaughan Limited Partnership 10500 Dufferin Street Maple ON L6A 4R1	GEN
Generator No:		ON6558846			
SIC Code:		000000			
SIC Description:		000000			
Approval Years:		2015			
PO Box No:					
Country:		Canada			
Status:					
Co Admin:					
Choice of Contact:		CO_OFFICIAL			
Phone No Admin:					
Contaminated Facility:		No			
MHSW Facility:		No			
<u>Detail(s)</u>					
Waste Class:		251			
Waste Class Name:		OIL SKIMMINGS & SLUDGES			
91	4 of 8	E/52.1	274.9 / -10.52	Richview Manor Vaughan Limited Partnership 10500 Dufferin Street Maple ON L6A 4R1	GEN
Generator No:		ON6558846			
SIC Code:		000000			
SIC Description:		000000			
Approval Years:		2014			
PO Box No:					
Country:		Canada			
Status:					
Co Admin:					
Choice of Contact:		CO_OFFICIAL			
Phone No Admin:					
Contaminated Facility:		No			
MHSW Facility:		No			
<u>Detail(s)</u>					
Waste Class:		251			
Waste Class Name:		OIL SKIMMINGS & SLUDGES			
91	5 of 8	E/52.1	274.9 / -10.52	Richview Manor Vaughan Limited Partnership 10500 Dufferin Street Maple ON L6A 4R1	GEN
Generator No:		ON6558846			
SIC Code:					
SIC Description:					
Approval Years:		As of Dec 2018			
PO Box No:					
Country:		Canada			
Status:		Registered			
Co Admin:					
Choice of Contact:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Phone No Admin: Contaminated Facility: MHSW Facility:					
Detail(s)					
Waste Class:		251 L			
Waste Class Name:		Waste oils/sludges (petroleum based)			
91	6 of 8	E/52.1	274.9 / -10.52	Richview Manor Vaughan Limited Partnership 10500 Dufferin Street Maple ON L6A 4R1	GEN
Generator No:		ON6558846			
SIC Code:					
SIC Description:					
Approval Years:		As of Jul 2020			
PO Box No:					
Country:		Canada			
Status:		Registered			
Co Admin:					
Choice of Contact:					
Phone No Admin:					
Contaminated Facility:					
MHSW Facility:					
Detail(s)					
Waste Class:		251 L			
Waste Class Name:		Waste oils/sludges (petroleum based)			
91	7 of 8	E/52.1	274.9 / -10.52	RICHVIEW MANOR VAUGHAN LIMITED PARTNERSHIP 10500 DUFFERIN ST,,VAUGHAN,ON,L6A 4R1,CA ON	INC
Incident No:		2003076		Any Health Impact:	
Incident ID:				Any Enviro Impact:	
Instance No:				Service Interrupted:	
Status Code:				Was Prop Damaged:	
Attribute Category:		FS-Incident		Reside App. Type:	
Context:				Commer App. Type:	
Date of Occurrence:		1/6/2017		Indus App. Type:	
Time of Occurrence:				Institut App. Type:	
Incident Created On:				Venting Type:	
Instance Creation Dt:				Vent Conn Mater:	
Instance Install Dt:				Vent Chimney Mater:	
Occur Insp Start Date:				Pipeline Type:	
Approx Quant Rel:				Pipeline Involved:	
Tank Capacity:				Pipe Material:	
Fuels Occur Type:				Depth Ground Cover:	
Fuel Type Involved:				Regulator Location:	
Enforcement Policy:				Regulator Type:	
Prc Escalation Req:				Operation Pressure:	
Tank Material Type:				Liquid Prop Make:	
Tank Storage Type:				Liquid Prop Model:	
Tank Location Type:				Liquid Prop Serial No:	
Pump Flow Rate Cap:				Liquid Prop Notes:	
Task No:				Equipment Type:	
Notes:				Equipment Model:	
Drainage System:				Serial No:	
Sub Surface Contam.:				Cylinder Capacity:	
Aff Prop Use Water:				Cylinder Cap Units:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Contam. Migrated: Contact Natural Env: Incident Location: 10500 DUFFERIN ST,,VAUGHAN,ON,L6A 4R1,CA Occurrence Narrative: Operation Type Involved: Item: FS NON LICENSED FACILITY Item Description: Device Installed Location:					
Cylinder Mat Type: Near Body of Water:					
91	8 of 8	E/52.1	274.9 / -10.52	Richview Manor Vaughan Limited Partnership 10500 Dufferin Street Maple ON L6A 4R1	GEN
Generator No: ON6558846 SIC Code: SIC Description: Approval Years: As of Nov 2021 PO Box No: Country: Canada Status: Registered Co Admin: Choice of Contact: Phone No Admin: Contaminated Facility: MHSW Facility:					
<u>Detail(s)</u>					
Waste Class: 251 L Waste Class Name: Waste oils/sludges (petroleum based)					
92	1 of 15	WSW/204.4	282.8 / -2.55	DOORS & MORE BY DDR LTD. 67 RODINEA RD UNIT 7 MAPLE ON L6A 1R3	SCT
Established: 1986 Plant Size (ft²): 3800 Employment: 5					
--Details-- Description: METAL DOORS, SASH, FRAMES, MOLDING, AND TRIM SIC/NAICS Code: 3442					
92	2 of 15	WSW/204.4	282.8 / -2.55	Doors & More By D.D.R. Ltd. 67 Rodinea Rd Unit 8 Maple ON L6A 1R3	SCT
Established: 01-JUL-86 Plant Size (ft²): 4000 Employment:					
--Details-- Description: Metal Window and Door Manufacturing SIC/NAICS Code: 332321					
Description: Glass Product Manufacturing from Purchased Glass SIC/NAICS Code: 327215					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
92	3 of 15	WSW/204.4	282.8 / -2.55	SARTOR AND SUSIN LTD. 67 RODINEA ROAD, UNIT 1A VAUGHAN ON L6A 1R3	GEN
Generator No:		ON2152300			
SIC Code:		3081			
SIC Description:		MACHINE SHOP IND.			
Approval Years:		96,97,98,99,00,01			
PO Box No:					
Country:					
Status:					
Co Admin:					
Choice of Contact:					
Phone No Admin:					
Contaminated Facility:					
MHSW Facility:					
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
92	4 of 15	WSW/204.4	282.8 / -2.55	SARTOR AND SUSIN LTD. 67 RODINEA ROAD UNIT 1A MAPLE ON L6A 1R3	GEN
Generator No:		ON2152300			
SIC Code:					
SIC Description:					
Approval Years:		02,03,04,05,06,07,08			
PO Box No:					
Country:					
Status:					
Co Admin:					
Choice of Contact:					
Phone No Admin:					
Contaminated Facility:					
MHSW Facility:					
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
92	5 of 15	WSW/204.4	282.8 / -2.55	A & T Auto Refinishing Inc. 67 Rodinea Road, Unit # 4 - 5 Maple ON L6A 1R3	GEN
Generator No:		ON3256591			
SIC Code:		811121			
SIC Description:		Automotive Body Paint and Interior Repair and Maintenance			
Approval Years:		05			
PO Box No:					
Country:					
Status:					
Co Admin:					
Choice of Contact:					
Phone No Admin:					
Contaminated Facility:					
MHSW Facility:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		145			
Waste Class Name:		PAINT/PIGMENT/COATING RESIDUES			
92	6 of 15	WSW/204.4	282.8 / -2.55	SARTOR AND SUSIN LTD. 67 RODINEA ROAD UNIT 1A MAPLE ON	GEN
Generator No:		ON2152300			
SIC Code:		532410			
SIC Description:		Construction Transportation Mining and Forestry Machinery and Equipment Rental and Leasing			
Approval Years:		2009			
PO Box No:					
Country:					
Status:					
Co Admin:					
Choice of Contact:					
Phone No Admin:					
Contaminated Facility:					
MHSW Facility:					
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
92	7 of 15	WSW/204.4	282.8 / -2.55	67 Rodinea Road Vaughan ON	EHS
Order No:		20120514031		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Custom Report		Client Prov/State:	ON
Report Date:		5/18/2012 2:14:38 PM		Search Radius (km):	0.25
Date Received:		5/14/2012 2:15:48 PM		X:	-79.509015
Previous Site Name:				Y:	43.873503
Lot/Building Size:					
Additional Info Ordered:					
92	8 of 15	WSW/204.4	282.8 / -2.55	SARTOR AND SUSIN LTD. 67 RODINEA ROAD UNIT 1A MAPLE ON	GEN
Generator No:		ON2152300			
SIC Code:		532410			
SIC Description:		Construction Transportation Mining and Forestry Machinery and Equipment Rental and Leasing			
Approval Years:		2010			
PO Box No:					
Country:					
Status:					
Co Admin:					
Choice of Contact:					
Phone No Admin:					
Contaminated Facility:					
MHSW Facility:					
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
92	9 of 15	WSW/204.4	282.8 / -2.55	SARTOR AND SUSIN LTD. 67 RODINEA ROAD UNIT 1A MAPLE ON	GEN
Generator No:		ON2152300			
SIC Code:		532410			
SIC Description:		Construction Transportation Mining and Forestry Machinery and Equipment Rental and Leasing			
Approval Years:		2011			
PO Box No:					
Country:					
Status:					
Co Admin:					
Choice of Contact:					
Phone No Admin:					
Contaminated Facility:					
MHSW Facility:					
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			

92	10 of 15	WSW/204.4	282.8 / -2.55	SARTOR AND SUSIN LTD. 67 RODINEA ROAD UNIT 1A MAPLE ON L6A 1R3	GEN
Generator No:		ON2152300			
SIC Code:		532410			
SIC Description:		Construction Transportation Mining and Forestry Machinery and Equipment Rental and Leasing			
Approval Years:		2012			
PO Box No:					
Country:					
Status:					
Co Admin:					
Choice of Contact:					
Phone No Admin:					
Contaminated Facility:					
MHSW Facility:					
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			

92	11 of 15	WSW/204.4	282.8 / -2.55	SARTOR AND SUSIN LTD. 67 RODINEA ROAD UNIT 1A MAPLE ON	GEN
Generator No:		ON2152300			
SIC Code:		532410			
SIC Description:		CONSTRUCTION, TRANSPORTATION, MINING, AND FORESTRY MACHINERY AND EQUIPMENT RENTAL AND LEASING			
Approval Years:		2013			
PO Box No:					
Country:					
Status:					
Co Admin:					
Choice of Contact:					
Phone No Admin:					
Contaminated Facility:					
MHSW Facility:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
92	12 of 15	WSW/204.4	282.8 / -2.55	ELITE CONCEPTS INC. 67 RODINEA MAPLE ON	EASR
Approval No:		R-001-4519855665		MOE District:	
Status:		Registered		Municipality: MAPLE	
Date:		8/12/15		Latitude:	
Record Type:				Longitude:	
Link Source:				Geometry X:	
Project Type:		Automotive Refinishing Facility		Geometry Y:	
Full Address:					
Approval Type:					
SWP Area Name:					
PDF URL:					
PDF Site Location:					
92	13 of 15	WSW/204.4	282.8 / -2.55	67 Rodinea Rd, Unit 13 Vaughan ON	SPL
Ref No:		0015-A3NL6Y		Discharger Report:	
Site No:		NA		Material Group:	
Incident Dt:		10/26/2015		Health/Env Conseq:	
Year:				Client Type:	
Incident Cause:				Sector Type: Unknown / N/A	
Incident Event:				Agency Involved:	
Contaminant Code:		35		Nearest Watercourse:	
Contaminant Name:		NATURAL GAS (METHANE)		Site Address: 67 Rodinea Rd, Unit 13	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:				Site Municipality: Vaughan	
Nature of Impact:				Site Lot:	
Receiving Medium:				Site Conc:	
Receiving Env:				Northing:	
MOE Response:		No		Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:		10/26/2015		Site Map Datum:	
Dt Document Closed:		12/22/2015		SAC Action Class: TSSA - Fuel Safety Branch - Hydrocarbon Fuel Release/Spill	
Incident Reason:		Operator/Human Error		Source Type:	
Site Name:		Commercial Complex<UNOFFICIAL>			
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:		TSSA: 1/2 inch plastic gas service struck, made safe			
Contaminant Qty:		0 other - see incident description			
92	14 of 15	WSW/204.4	282.8 / -2.55	SARTOR AND SUSIN LTD. 67 RODINEA ROAD UNIT 1A MAPLE ON L6A 1R3	GEN
Generator No:		ON2152300			
SIC Code:		532410			
SIC Description:		CONSTRUCTION, TRANSPORTATION, MINING, AND FORESTRY MACHINERY AND EQUIPMENT RENTAL AND LEASING			
Approval Years:		2014			
PO Box No:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Country:		Canada			
Status:					
Co Admin:					
Choice of Contact:		CO_OFFICIAL			
Phone No Admin:					
Contaminated Facility:		No			
MHSW Facility:		No			
Detail(s)					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
92	15 of 15	WSW/204.4	282.8 / -2.55	67 Rodinea Road Maple ON L6A 1R3	EHS
Order No:		20181011179		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Standard Express Report		Client Prov/State: ON	
Report Date:		11-OCT-18		Search Radius (km): .25	
Date Received:		11-OCT-18		X: -79.509009	
Previous Site Name:				Y: 43.873483	
Lot/Building Size:					
Additional Info Ordered:					
93	1 of 1	E/111.6	271.2 / -14.21	lot 25 con 3 ON	WWIS
Well ID:		6924146		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Not Used		Data Entry Status:	
Use 2nd:				Data Src: 1	
Final Well Status:		Abandoned-Other		Date Received: 15-Dec-1997 00:00:00	
Water Type:				Selected Flag: TRUE	
Casing Material:				Abandonment Rec:	
Audit No:		184901		Contractor: 3108	
Tag:				Form Version: 1	
Constructn Method:				Owner:	
Elevation (m):				County: YORK	
Elevatn Reliabilty:				Lot: 025	
Depth to Bedrock:				Concession: 03	
Well Depth:				Concession Name: CON	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		VAUGHAN TOWN (VAUGHAN TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6924146.pdf			
Additional Detail(s) (Map)					
Well Completed Date:		1997/12/08			
Year Completed:		1997			
Depth (m):					
Latitude:		43.8782447829705			
Longitude:		-79.4920634748103			
Path:		692\6924146.pdf			
Bore Hole Information					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Bore Hole ID: 10514424 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 08-Dec-1997 00:00:00 Remarks: Loc Method Desc: Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment: Elevation: Elevrc: Zone: 17 East83: 621145.00 North83: 4859455.00 Org CS: N83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method:					
<u>Method of Construction & Well Use</u>					
Method Construction ID: 966924146 Method Construction Code: 0 Method Construction: Not Known Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID: 11062994 Casing No: 1 Comment: Alt Name:					
<u>Links</u>					
Bore Hole ID: 10514424 Depth M: Year Completed: 1997 Well Completed Dt: 1997/12/08 Audit No: 184901 Tag No: Contractor: 3108 Path: 692\6924146.pdf Latitude: 43.8782447829705 Longitude: -79.4920634748103					
94	1 of 5	WSW/203.9	282.8 / -2.55	ELITE CONCEPTS INC. 67 RODINEA RD MAPLE ON L6A 1R3	EASR
Approval No: R-001-4519855665 Status: REGISTERED Date: 2015-08-12 Record Type: EASR Link Source: MOFA Project Type: Automotive Refinishing Facility Full Address: Approval Type: EASR-Automotive Refinishing Facility SWP Area Name: Toronto PDF URL: PDF Site Location: MOE District: York-Durham Municipality: MAPLE Latitude: 43.855 Longitude: -79.5125 Geometry X: Geometry Y:					
94	2 of 5	WSW/203.9	282.8 / -2.55	PRO SEALING PLUS INC. 67 RODINEA RD,UNIT 13,MAPLE,ON,L6A 1R3,CA ON	PINC

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Incident Id: Incident No: 1744396 Incident Reported Dt: 10/26/2015 Type: FS-Pipeline Incident Status Code: Tank Status: Pipeline Damage Reason Est Task No: Spills Action Centre: Fuel Type: Fuel Occurrence Tp: Date of Occurrence: Occurrence Start Dt: Depth: Customer Acct Name: PRO SEALING PLUS INC. Incident Address: 67 RODINEA RD,UNIT 13,MAPLE,ON,L6A 1R3,CA Operation Type: Pipeline Type: Regulator Type: Summary: Reported By: Affiliation: Occurrence Desc: Damage Reason: Notes:					
Pipe Material: Fuel Category: Health Impact: Environment Impact: Property Damage: Service Interrupt: Enforce Policy: Public Relation: Pipeline System: PSIG: Attribute Category: Regulator Location: Method Details:					

94	3 of 5	WSW/203.9	282.8 / -2.55	PRO SEALING PLUS INC 67 RODINEA RD UNIT 13 ON L6A 1R3	GEN
Generator No: ON2685958 SIC Code: SIC Description: Approval Years: As of Jul 2020 PO Box No: Country: Canada Status: Registered Co Admin: Choice of Contact: Phone No Admin: Contaminated Facility: MHSW Facility:					
Detail(s)					
Waste Class: 252 B Waste Class Name: Waste crankcase oils and lubricants Waste Class: 252 L Waste Class Name: Waste crankcase oils and lubricants					

94	4 of 5	WSW/203.9	282.8 / -2.55	PRO SEALING PLUS INC 67 RODINEA RD UNIT 13 ON L6A 1R3	GEN
Generator No: ON2685958 SIC Code: SIC Description: Approval Years: As of Nov 2021 PO Box No: Country: Canada Status: Registered Co Admin:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Choice of Contact: Phone No Admin: Contaminated Facility: MHSW Facility:					
<u>Detail(s)</u>					
Waste Class:		252 L			
Waste Class Name:		Waste crankcase oils and lubricants			
Waste Class:		252 B			
Waste Class Name:		Waste crankcase oils and lubricants			
94	5 of 5	WSW/203.9	282.8 / -2.55	PRO SEALING PLUS INC 67 RODINEA RD UNIT 13 ON L6A 1R3	GEN
Generator No: ON2685958 SIC Code: SIC Description: Approval Years: As of Oct 2022 PO Box No: Country: Canada Status: Registered Co Admin: Choice of Contact: Phone No Admin: Contaminated Facility: MHSW Facility:					
<u>Detail(s)</u>					
Waste Class:		252 B			
Waste Class Name:		WASTE OILS & LUBRICANTS			
Waste Class:		252 L			
Waste Class Name:		WASTE OILS & LUBRICANTS			
95	1 of 1	WSW/186.4	283.0 / -2.42	RODINEA RD Vaughan ON	WWIS
Well ID: 7321127 Construction Date: Use 1st: Monitoring Use 2nd: Final Well Status: Observation Wells Water Type: Casing Material: Audit No: Z293545 Tag: A253204 Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: VAUGHAN TOWN (VAUGHAN TWP) Site Info:					
Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: Date Received: 29-Oct-2018 00:00:00 Selected Flag: TRUE Abandonment Rec: Contractor: 7360 Form Version: 7 Owner: County: YORK Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
PDF URL (Map):					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	2018/10/19				
Year Completed:	2018				
Depth (m):	15.24				
Latitude:	43.873607826196				
Longitude:	-79.5092069506372				
Path:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1007302522			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	619777.00
Code OB Desc:				North83:	4858915.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	19-Oct-2018 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Loc Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1007580771				
Layer:	2				
Color:					
General Color:					
Mat1:	28				
Most Common Material:	SAND				
Mat2:	68				
Mat2 Desc:	DRY				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	5.0				
Formation End Depth:	50.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1007580770				
Layer:	1				
Color:					
General Color:					
Mat1:	11				
Most Common Material:	GRAVEL				
Mat2:	01				
Mat2 Desc:	FILL				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	5.0				
Formation End Depth UOM:	ft				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007580778			
Layer:		1			
Plug From:		0.0			
Plug To:		38.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1007580777			
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1007580769			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1007580774			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		40.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1007580775			
Layer:		1			
Slot:		.10			
Screen Top Depth:		40.0			
Screen End Depth:		50.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Water Details</u>					
Water ID:		1007580773			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole ID: 1007580772 Diameter: 6.0 Depth From: 0.0 Depth To: 50.0 Hole Depth UOM: ft Hole Diameter UOM: inch					
Links					
Bore Hole ID: 1007302522 Depth M: 15.24 Year Completed: 2018 Well Completed Dt: 2018/10/19 Audit No: Z293545					
Tag No: A253204 Contractor: 7360 Path: 732\7321127.pdf Latitude: 43.873607826196 Longitude: -79.5092069506372					
96	1 of 1	WSW/202.8	282.7 / -2.65	67 Rodniea Vaughan ON	EHS
Order No: 20151005038 Status: C Report Type: Standard Report Report Date: 09-OCT-15 Date Received: 05-OCT-15 Previous Site Name: Lot/Building Size: Additional Info Ordered:					
Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -79.509098 Y: 43.873478					
97	1 of 1	ENE/205.3	280.9 / -4.53	DUFFERIN ST ON	WWIS
Well ID: 7318556 Construction Date: Use 1st: Not Used Use 2nd: Final Well Status: Abandoned-Other Water Type: Casing Material: Audit No: Z272590 Tag: Constructn Method: Elevation (m): Elevatn Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: VAUGHAN TOWN (VAUGHAN TWP) Site Info:					
Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: Date Received: 13-Sep-2018 00:00:00 Selected Flag: TRUE Abandonment Rec: Yes Contractor: 1663 Form Version: 7 Owner: County: YORK Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
PDF URL (Map):					
Additional Detail(s) (Map)					
Well Completed Date: 2018/03/21 Year Completed: 2018 Depth (m): Latitude: 43.8809276684275 Longitude: -79.4934148444463 Path:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	1007287641			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	621031.00
Code OB Desc:				North83:	4859751.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	21-Mar-2018 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Loc Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1007474690				
Layer:					
Color:					
General Color:					
Mat1:					
Most Common Material:					
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:					
Formation End Depth:					
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1007474698				
Layer:	1				
Plug From:	0.0				
Plug To:	6.0				
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1007474699				
Layer:	2				
Plug From:	6.0				
Plug To:	145.0				
Plug Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:	1007474697				
Method Construction Code:					
Method Construction:					
Other Method Construction:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Pipe Information</u>					
Pipe ID:		1007474688			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1007474693			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:		0.0			
Depth To:		145.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1007474694			
Layer:		1			
Slot:		25			
Screen Top Depth:		141.0			
Screen End Depth:		145.0			
Screen Material:		7			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		4.0			
<u>Construction Record - Screen</u>					
Screen ID:		1007474695			
Layer:		2			
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:					
Pump Test ID:		1007474689			
Pump Set At:					
Static Level:		76.0			
Final Level After Pumping:					
Recommended Pump Depth:					
Pumping Rate:					
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		0			
Water State After Test:					
Pumping Test Method:		0			
Pumping Duration HR:					
Pumping Duration MIN:					
Flowing:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
---------	-------------------	----------------------------	------------------	------	----

Water Details

Water ID: 1007474692
Layer:
Kind Code:
Kind:
Water Found Depth:
Water Found Depth UOM: ft

Hole Diameter

Hole ID: 1007474691
Diameter: 4.0
Depth From: 0.0
Depth To: 145.0
Hole Depth UOM: ft
Hole Diameter UOM: inch

Links

Bore Hole ID:	1007287641	Tag No:	
Depth M:		Contractor:	1663
Year Completed:	2018	Path:	
Well Completed Dt:	2018/03/21	Latitude:	43.8809276684275
Audit No:	Z272590	Longitude:	-79.4934148444463

<u>98</u>	1 of 1	E/249.9	254.3 / -31.12	lot 25 con 3 ON	WWIS
---------------------------	--------	---------	----------------	--------------------	------

Well ID:	6906483	Flowing (Y/N):	
Construction Date:		Flow Rate:	
Use 1st:	Domestic	Data Entry Status:	
Use 2nd:	0	Data Src:	1
Final Well Status:	Water Supply	Date Received:	14-Feb-1958 00:00:00
Water Type:		Selected Flag:	TRUE
Casing Material:		Abandonment Rec:	
Audit No:		Contractor:	1622
Tag:		Form Version:	1
Constructn Method:		Owner:	
Elevation (m):		County:	YORK
Elevatn Reliabilty:		Lot:	025
Depth to Bedrock:		Concession:	03
Well Depth:		Concession Name:	CON
Overburden/Bedrock:		Easting NAD83:	
Pump Rate:		Northing NAD83:	
Static Water Level:		Zone:	
Clear/Cloudy:		UTM Reliability:	
Municipality:	VAUGHAN TOWN (VAUGHAN TWP)		
Site Info:			

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6906483.pdf

Additional Detail(s) (Map)

Well Completed Date: 1957/05/18
Year Completed: 1957
Depth (m): 35.9664
Latitude: 43.8769903191677
Longitude: -79.4918387097815
Path: 690\6906483.pdf

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	10497182			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	621165.60
Code OB Desc:				North83:	4859316.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	9
Date Completed:	18-May-1957 00:00:00			UTMRC Desc:	unknown UTM
Remarks:				Location Method:	p9
Loc Method Desc:	Original Pre1985 UTM Rel Code 9: unknown UTM				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	932733961				
Layer:	3				
Color:	3				
General Color:	BLUE				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	20.0				
Formation End Depth:	70.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	932733962				
Layer:	4				
Color:					
General Color:					
Mat1:	09				
Most Common Material:	MEDIUM SAND				
Mat2:	11				
Mat2 Desc:	GRAVEL				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	70.0				
Formation End Depth:	100.0				
Formation End Depth UOM:	ft				
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:	932733959				
Layer:	1				
Color:					
General Color:					
Mat1:	02				
Most Common Material:	TOPSOIL				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		1.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932733963			
Layer:		5			
Color:					
General Color:					
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		100.0			
Formation End Depth:		118.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		932733960			
Layer:		2			
Color:					
General Color:					
Mat1:		09			
Most Common Material:		MEDIUM SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		1.0			
Formation End Depth:		20.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		966906483			
Method Construction Code:		1			
Method Construction:		Cable Tool			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11045752			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930809550			
Layer:		1			
Material:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		114.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933388793			
Layer:		1			
Slot:		010			
Screen Top Depth:		114.0			
Screen End Depth:		118.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		4.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996906483			
Pump Set At:					
Static Level:		70.0			
Final Level After Pumping:		106.0			
Recommended Pump Depth:					
Pumping Rate:		3.0			
Flowing Rate:					
Recommended Pump Rate:					
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		8			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933989914			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		118.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:		10497182		Tag No:	
Depth M:		35.9664		Contractor:	
Year Completed:		1957		1622	
Well Completed Dt:		1957/05/18		Path:	
Audit No:				690\6906483.pdf	
				Latitude:	
				43.8769903191677	
				Longitude:	
				-79.4918387097815	
99	1 of 2	WSW/42.6	286.8 / 1.47	n/a Vaughan ON	EHS
Order No:		20190923199		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Custom Report		Client Prov/State:	
				ON	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Report Date: 22-MAY-20 Search Radius (km): .25 Date Received: 23-SEP-19 X: -79.51014612 Previous Site Name: Y: 43.87475044 Lot/Building Size: Additional Info Ordered:					
99	2 of 2	WSW/42.6	286.8 / 1.47	n/a Vaughan ON	EHS
Order No: 20190923199 Nearest Intersection: Status: C Municipality: Report Type: Custom Report Client Prov/State: ON Report Date: 22-MAY-20 Search Radius (km): .25 Date Received: 23-SEP-19 X: -79.51014612 Previous Site Name: Y: 43.87475044 Lot/Building Size: Additional Info Ordered:					
100	1 of 18	WSW/52.5	286.2 / 0.83	JAGER INDUSTRIES INC. 21 RODINEA RD UNIT 1 MAPLE ON L6A 1R3	SCT
Established: 1967 Plant Size (ft²): 17000 Employment: 30					
--Details--					
Description: MILLWORK SIC/NAICS Code: 2431					
Description: STRUCTURAL WOOD MEMBERS, NOT ELSEWHERE CLASSIFIED SIC/NAICS Code: 2439					
Description: WOOD PRODUCTS, NOT ELSEWHERE CLASSIFIED SIC/NAICS Code: 2499					
Description: FABRICATED PLATE WORK (BOILER SHOPS) SIC/NAICS Code: 3443					
Description: LUMBER, PLYWOOD, MILLWORK, AND WOOD PANELS SIC/NAICS Code: 5031					
Description: Structural Wood Product Manufacturing SIC/NAICS Code: 321215					
Description: All Other Miscellaneous Fabricated Metal Product Manufacturing SIC/NAICS Code: 332999					
100	2 of 18	WSW/52.5	286.2 / 0.83	COMPTRUSION CORPORATION 21 Rodinea Rd Maple ON L6A 1R3	SCT
Established: 0000 Plant Size (ft²): 0 Employment: 0					
--Details--					
Description: All Other Plastic Product Manufacturing SIC/NAICS Code: 326198					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
100	3 of 18	WSW/52.5	286.2 / 0.83	JAGER INDUSTRIES INC. 21 RODINEA ROAD, UNIT 1 VAUGHAN ON L6A 1R3	GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country: Status: Co Admin: Choice of Contact: Phone No Admin: Contaminated Facility: MHSW Facility:		ON2155500 3049 OTHER STAMPED METAL 96,97 			
<u>Detail(s)</u>					
Waste Class: Waste Class Name:		252 WASTE OILS & LUBRICANTS			
100	4 of 18	WSW/52.5	286.2 / 0.83	JAGER (OUT OF BUS) 21 RODINEA ROAD, UNIT 1 VAUGHAN ON L6A 1R3	GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country: Status: Co Admin: Choice of Contact: Phone No Admin: Contaminated Facility: MHSW Facility:		ON2155500 3049 OTHER STAMPED METAL 98 			
<u>Detail(s)</u>					
Waste Class: Waste Class Name:		252 WASTE OILS & LUBRICANTS			
100	5 of 18	WSW/52.5	286.2 / 0.83	Avesta Profile 21 Rodinea Road Maple ON	GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country: Status: Co Admin: Choice of Contact: Phone No Admin: Contaminated Facility: MHSW Facility:		ON8232980 326198 All Other Plastic Product Manufacturing 06 			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		232			
Waste Class Name:		POLYMERIC RESINS			
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
100	6 of 18	WSW/52.5	286.2 / 0.83	Strong Foundation Inc 21 Rodinea Rd Maple ON	GEN
Generator No:		ON4377481			
SIC Code:		236220			
SIC Description:		Commercial and Institutional Building Construction			
Approval Years:		2012			
PO Box No:					
Country:					
Status:					
Co Admin:					
Choice of Contact:					
Phone No Admin:					
Contaminated Facility:					
MHSW Facility:					
100	7 of 18	WSW/52.5	286.2 / 0.83	Modern Niagara 21 Rodinea Road Maple ON L6A 1R3	GEN
Generator No:		ON2649632			
SIC Code:		236210			
SIC Description:		INDUSTRIAL BUILDING AND STRUCTURE CONSTRUCTION			
Approval Years:		2016			
PO Box No:					
Country:		Canada			
Status:					
Co Admin:					
Choice of Contact:		CO_OFFICIAL			
Phone No Admin:					
Contaminated Facility:		No			
MHSW Facility:		No			
<u>Detail(s)</u>					
Waste Class:		145			
Waste Class Name:		PAINT/PIGMENT/COATING RESIDUES			
Waste Class:		212			
Waste Class Name:		ALIPHATIC SOLVENTS			
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
Waste Class:		112			
Waste Class Name:		ACID WASTE - HEAVY METALS			
100	8 of 18	WSW/52.5	286.2 / 0.83	Modern Niagara 21 Rodinea Road Maple ON L6A 1R3	GEN
Generator No:		ON2649632			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Code: 236210 SIC Description: INDUSTRIAL BUILDING AND STRUCTURE CONSTRUCTION Approval Years: 2015 PO Box No: Country: Canada Status: Co Admin: Choice of Contact: CO_OFFICIAL Phone No Admin: Contaminated Facility: No MHSW Facility: No					
<u>Detail(s)</u>					
Waste Class: 145 Waste Class Name: PAINT/PIGMENT/COATING RESIDUES					
Waste Class: 212 Waste Class Name: ALIPHATIC SOLVENTS					
Waste Class: 112 Waste Class Name: ACID WASTE - HEAVY METALS					
Waste Class: 252 Waste Class Name: WASTE OILS & LUBRICANTS					
100	9 of 18	WSW/52.5	286.2 / 0.83	Modern Niagara 21 Rodinea Road Maple ON L6A 1R3	GEN
Generator No: ON2649632 SIC Code: SIC Description: Approval Years: As of Dec 2018 PO Box No: Country: Canada Status: Registered Co Admin: Choice of Contact: Phone No Admin: Contaminated Facility: MHSW Facility:					
<u>Detail(s)</u>					
Waste Class: 112 C Waste Class Name: Acid solutions - containing heavy metals					
Waste Class: 122 C Waste Class Name: Alkaline slutions - containing other metals and non-metals (not cyanide)					
Waste Class: 145 I Waste Class Name: Wastes from the use of pigments, coatings and paints					
Waste Class: 148 I Waste Class Name: Misc. wastes and inorganic chemicals					
Waste Class: 148 T Waste Class Name: Misc. wastes and inorganic chemicals					
Waste Class: 212 L Waste Class Name: Aliphatic solvents and residues					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class: 252 L Waste Class Name: Waste crankcase oils and lubricants Waste Class: 263 L Waste Class Name: Misc. waste organic chemicals Waste Class: 267 C Waste Class Name: Organic acids Waste Class: 331 I Waste Class Name: Waste compressed gases including cylinders					
100	10 of 18	WSW/52.5	286.2 / 0.83	Pine Valley Corp 21 Rodinea Rd Vaughan ON L6A 1R3	GEN
Generator No: ON9134653 SIC Code: SIC Description: Approval Years: As of Dec 2018 PO Box No: Country: Canada Status: Registered Co Admin: Choice of Contact: Phone No Admin: Contaminated Facility: MHSW Facility:					
<u>Detail(s)</u>					
Waste Class: 252 L Waste Class Name: Waste crankcase oils and lubricants					
100	11 of 18	WSW/52.5	286.2 / 0.83	Pine Valley Corp 21 Rodinea Rd Vaughan ON L6A 1R3	GEN
Generator No: ON9134653 SIC Code: SIC Description: Approval Years: As of Oct 2019 PO Box No: Country: Canada Status: Registered Co Admin: Choice of Contact: Phone No Admin: Contaminated Facility: MHSW Facility:					
<u>Detail(s)</u>					
Waste Class: 252 L Waste Class Name: Waste crankcase oils and lubricants					
100	12 of 18	WSW/52.5	286.2 / 0.83	Modern Niagara 21 Rodinea Road Maple ON L6A 1R3	GEN
Generator No: ON2649632 SIC Code:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Description: Approval Years: As of Oct 2019 PO Box No: Country: Canada Status: Registered Co Admin: Choice of Contact: Phone No Admin: Contaminated Facility: MHSW Facility:					
<u>Detail(s)</u>					
Waste Class:		212 L			
Waste Class Name:		Aliphatic solvents and residues			
Waste Class:		148 I			
Waste Class Name:		Misc. wastes and inorganic chemicals			
Waste Class:		331 I			
Waste Class Name:		Waste compressed gases including cylinders			
Waste Class:		267 C			
Waste Class Name:		Organic acids			
Waste Class:		252 L			
Waste Class Name:		Waste crankcase oils and lubricants			
Waste Class:		263 L			
Waste Class Name:		Misc. waste organic chemicals			
Waste Class:		112 C			
Waste Class Name:		Acid solutions - containing heavy metals			
Waste Class:		145 I			
Waste Class Name:		Wastes from the use of pigments, coatings and paints			
Waste Class:		122 C			
Waste Class Name:		Alkaline slutions - containing other metals and non-metals (not cyanide)			
Waste Class:		148 T			
Waste Class Name:		Misc. wastes and inorganic chemicals			
100	13 of 18	WSW/52.5	286.2 / 0.83	Cooper Equipment Rentals Cooper Equipment Rentals 21 Rodinea Road Maple ON L6A 1R3	GEN
Generator No: ON5424021 SIC Code: SIC Description: Approval Years: As of Jul 2020 PO Box No: Country: Canada Status: Registered Co Admin: Choice of Contact: Phone No Admin: Contaminated Facility: MHSW Facility:					
<u>Detail(s)</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class: Waste Class Name:		252 L Waste crankcase oils and lubricants			
100	14 of 18	WSW/52.5	286.2 / 0.83	PNJ Engineering Inc. 21 Rodinea Road, Suite 1 Vaughan ON L6A 1R3	GEN
Generator No:		ON9064258			
SIC Code:					
SIC Description:					
Approval Years:		As of Jul 2020			
PO Box No:					
Country:		Canada			
Status:		Registered			
Co Admin:					
Choice of Contact:					
Phone No Admin:					
Contaminated Facility:					
MHSW Facility:					
<u>Detail(s)</u>					
Waste Class:		241 L			
Waste Class Name:		Halogenated solvents and residues			
Waste Class:		213 L			
Waste Class Name:		Petroleum distillates			
100	15 of 18	WSW/52.5	286.2 / 0.83	PNJ Engineering Inc. 21 Rodinea Road, Suite 1 Vaughan ON L6A 1R3	GEN
Generator No:		ON9064258			
SIC Code:					
SIC Description:					
Approval Years:		As of Nov 2021			
PO Box No:					
Country:		Canada			
Status:		Registered			
Co Admin:					
Choice of Contact:					
Phone No Admin:					
Contaminated Facility:					
MHSW Facility:					
<u>Detail(s)</u>					
Waste Class:		241 L			
Waste Class Name:		Halogenated solvents and residues			
Waste Class:		213 L			
Waste Class Name:		Petroleum distillates			
100	16 of 18	WSW/52.5	286.2 / 0.83	Cooper Equipment Rentals Cooper Equipment Rentals 21 Rodinea Road Maple ON L6A 1R3	GEN
Generator No:		ON5424021			
SIC Code:					
SIC Description:					
Approval Years:		As of Nov 2021			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
PO Box No: Country: Canada Status: Registered Co Admin: Choice of Contact: Phone No Admin: Contaminated Facility: MHSW Facility: <u>Detail(s)</u> Waste Class: 252 L Waste Class Name: Waste crankcase oils and lubricants					
100	17 of 18	WSW/52.5	286.2 / 0.83	Cooper Equipment Rentals Cooper Equipment Rentals 21 Rodinea Road Maple ON L6A 1R3	GEN
Generator No: ON5424021 SIC Code: SIC Description: Approval Years: As of Oct 2022 PO Box No: Country: Canada Status: Registered Co Admin: Choice of Contact: Phone No Admin: Contaminated Facility: MHSW Facility: <u>Detail(s)</u> Waste Class: 252 L Waste Class Name: WASTE OILS & LUBRICANTS					
100	18 of 18	WSW/52.5	286.2 / 0.83	PNJ Engineering Inc. 21 Rodinea Road, Suite 1 Vaughan ON L6A 1R3	GEN
Generator No: ON9064258 SIC Code: SIC Description: Approval Years: As of Oct 2022 PO Box No: Country: Canada Status: Registered Co Admin: Choice of Contact: Phone No Admin: Contaminated Facility: MHSW Facility: <u>Detail(s)</u> Waste Class: 213 L Waste Class Name: PETROLEUM DISTILLATES Waste Class: 241 L Waste Class Name: HALOGENATED SOLVENTS					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
101	4 of 19	WSW/242.3	281.7 / -3.69	AUTOMATIC COMPACTORS CORP. 75 RODINEA ROAD VAUGHAN ON L6A 1R3	GEN
Generator No: ON1881100 SIC Code: 3099 SIC Description: OTHER METAL FAB. IND Approval Years: 94,95,96,97,98,99,00,01 PO Box No: Country: Status: Co Admin: Choice of Contact: Phone No Admin: Contaminated Facility: MHSW Facility:					
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
101	5 of 19	WSW/242.3	281.7 / -3.69	AUTOMATIC COMPACTORS CORP. 75 Rodinea Rd MAPLE ON L6A 1R3	GEN
Generator No: ON1881100 SIC Code: 333990 SIC Description: All Other General-Purpose Machinery Manufacturing Approval Years: 07,08 PO Box No: Country: Status: Co Admin: Choice of Contact: Phone No Admin: Contaminated Facility: MHSW Facility:					
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
101	6 of 19	WSW/242.3	281.7 / -3.69	AUTOMATIC COMPACTORS CORP. 75 Rodinea Rd MAPLE ON L6A 1R3	GEN
Generator No: ON1881100 SIC Code: 333990 SIC Description: All Other General-Purpose Machinery Manufacturing Approval Years: 2009 PO Box No: Country: Status: Co Admin: Choice of Contact: Phone No Admin: Contaminated Facility: MHSW Facility:					
<u>Detail(s)</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
101	7 of 19	WSW/242.3	281.7 / -3.69	Automatic Compactors Corp. 75 Rodinea Rd Maple Vaughan ON L6A 1R3	ECA
Approval No:		2671-8SKPKM		MOE District:	York-Durham
Approval Date:		2012-04-16		City:	
Status:		Approved		Longitude:	-79.5089
Record Type:		ECA		Latitude:	43.873077
Link Source:		IDS		Geometry X:	
SWP Area Name:		Toronto		Geometry Y:	
Approval Type:		ECA-WASTE MANAGEMENT SYSTEMS			
Project Type:		WASTE MANAGEMENT SYSTEMS			
Business Name:		Automatic Compactors Corp.			
Address:		75 Rodinea Rd Maple			
Full Address:					
Full PDF Link:		https://www.accessenvironment.ene.gov.on.ca/instruments/6036-8RRQ47-14.pdf			
PDF Site Location:					
101	8 of 19	WSW/242.3	281.7 / -3.69	75 Rodinea Rd Vaughan ON L6A 1R3	EHS
Order No:		20130226008		Nearest Intersection:	
Status:		C		Municipality:	Vaughan, Maple
Report Type:		Standard Select Report		Client Prov/State:	ON
Report Date:		27-FEB-13		Search Radius (km):	.25
Date Received:		26-FEB-13		X:	-79.508931
Previous Site Name:				Y:	43.873141
Lot/Building Size:					
Additional Info Ordered:		City Directory			
101	9 of 19	WSW/242.3	281.7 / -3.69	AUTOMATIC COMPACTORS CORP. 75 Rodinea Rd MAPLE ON L6A 1R3	GEN
Generator No:		ON1881100			
SIC Code:		333990			
SIC Description:		All Other General-Purpose Machinery Manufacturing			
Approval Years:		2010			
PO Box No:					
Country:					
Status:					
Co Admin:					
Choice of Contact:					
Phone No Admin:					
Contaminated Facility:					
MHSW Facility:					
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
101	10 of 19	WSW/242.3	281.7 / -3.69	AUTOMATIC COMPACTORS CORP. 75 Rodinea Rd MAPLE ON L6A 1R3	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Generator No: ON1881100 SIC Code: 333990 SIC Description: All Other General-Purpose Machinery Manufacturing Approval Years: 2011 PO Box No: Country: Status: Co Admin: Choice of Contact: Phone No Admin: Contaminated Facility: MHSW Facility:					
<u>Detail(s)</u>					
Waste Class: 252 Waste Class Name: WASTE OILS & LUBRICANTS					
101	11 of 19	WSW/242.3	281.7 / -3.69	AUTOMATIC COMPACTORS CORP. 75 Rodinea Rd MAPLE ON L6A 1R3	GEN
Generator No: ON1881100 SIC Code: 333990 SIC Description: All Other General-Purpose Machinery Manufacturing Approval Years: 2012 PO Box No: Country: Status: Co Admin: Choice of Contact: Phone No Admin: Contaminated Facility: MHSW Facility:					
<u>Detail(s)</u>					
Waste Class: 252 Waste Class Name: WASTE OILS & LUBRICANTS					
101	12 of 19	WSW/242.3	281.7 / -3.69	AUTOMATIC COMPACTORS CORP. 75 Rodinea Rd MAPLE ON	GEN
Generator No: ON1881100 SIC Code: 333990 SIC Description: ALL OTHER GENERAL-PURPOSE MACHINERY MANUFACTURING Approval Years: 2013 PO Box No: Country: Status: Co Admin: Choice of Contact: Phone No Admin: Contaminated Facility: MHSW Facility:					
<u>Detail(s)</u>					
Waste Class: 252 Waste Class Name: WASTE OILS & LUBRICANTS					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
101	13 of 19	WSW/242.3	281.7 / -3.69	AUTOMATIC COMPACTORS CORP. 75 Rodinea Rd MAPLE ON L6A1R3	GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country: Status: Co Admin: Choice of Contact: Phone No Admin: Contaminated Facility: MHSW Facility:		ON1881100 333990 ALL OTHER GENERAL-PURPOSE MACHINERY MANUFACTURING 2015 Canada CO_OFFICIAL No No			
<u>Detail(s)</u>					
Waste Class: Waste Class Name:		252 WASTE OILS & LUBRICANTS			
101	14 of 19	WSW/242.3	281.7 / -3.69	AUTOMATIC COMPACTORS CORP. 75 Rodinea Rd MAPLE ON L6A1R3	GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country: Status: Co Admin: Choice of Contact: Phone No Admin: Contaminated Facility: MHSW Facility:		ON1881100 333990 ALL OTHER GENERAL-PURPOSE MACHINERY MANUFACTURING 2016 Canada CO_OFFICIAL No No			
<u>Detail(s)</u>					
Waste Class: Waste Class Name:		252 WASTE OILS & LUBRICANTS			
101	15 of 19	WSW/242.3	281.7 / -3.69	AUTOMATIC COMPACTORS CORP. 75 Rodinea Rd MAPLE ON L6A1R3	GEN
Generator No: SIC Code: SIC Description: Approval Years: PO Box No: Country: Status: Co Admin: Choice of Contact: Phone No Admin: Contaminated Facility: MHSW Facility:		ON1881100 333990 ALL OTHER GENERAL-PURPOSE MACHINERY MANUFACTURING 2014 Canada CO_OFFICIAL No No			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Detail(s)</u>					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
101	16 of 19	WSW/242.3	281.7 / -3.69	AUTOMATIC COMPACTORS CORP. 75 Rodinea Rd MAPLE ON L6A1R3	GEN
Generator No:		ON1881100			
SIC Code:					
SIC Description:					
Approval Years:		As of Dec 2018			
PO Box No:					
Country:		Canada			
Status:		Registered			
Co Admin:					
Choice of Contact:					
Phone No Admin:					
Contaminated Facility:					
MHSW Facility:					
<u>Detail(s)</u>					
Waste Class:		252 L			
Waste Class Name:		Waste crankcase oils and lubricants			
101	17 of 19	WSW/242.3	281.7 / -3.69	AUTOMATIC COMPACTORS CORP. 75 Rodinea Rd MAPLE ON L6A1R3	GEN
Generator No:		ON1881100			
SIC Code:					
SIC Description:					
Approval Years:		As of Jul 2020			
PO Box No:					
Country:		Canada			
Status:		Registered			
Co Admin:					
Choice of Contact:					
Phone No Admin:					
Contaminated Facility:					
MHSW Facility:					
<u>Detail(s)</u>					
Waste Class:		252 L			
Waste Class Name:		Waste crankcase oils and lubricants			
101	18 of 19	WSW/242.3	281.7 / -3.69	AUTOMATIC COMPACTORS CORP. 75 Rodinea Rd MAPLE ON L6A1R3	GEN
Generator No:		ON1881100			
SIC Code:					
SIC Description:					
Approval Years:		As of Nov 2021			
PO Box No:					
Country:		Canada			
Status:		Registered			
Co Admin:					
Choice of Contact:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Phone No Admin: Contaminated Facility: MHSW Facility:					
<u>Detail(s)</u>					
Waste Class:		252 L			
Waste Class Name:		Waste crankcase oils and lubricants			
101	19 of 19	WSW/242.3	281.7 / -3.69	AUTOMATIC COMPACTORS CORP. 75 Rodinea Rd MAPLE ON L6A1R3	GEN
Generator No:		ON1881100			
SIC Code:					
SIC Description:					
Approval Years:		As of Oct 2022			
PO Box No:					
Country:		Canada			
Status:		Registered			
Co Admin:					
Choice of Contact:					
Phone No Admin:					
Contaminated Facility:					
MHSW Facility:					
<u>Detail(s)</u>					
Waste Class:		252 L			
Waste Class Name:		WASTE OILS & LUBRICANTS			
102	1 of 1	E/59.7	273.1 / -12.27	Richview Manor Vaughan Limited Partnership 10500 Dufferin Street Maple ON L6A 4R1	GEN
Generator No:		ON6558846			
SIC Code:					
SIC Description:					
Approval Years:		As of Oct 2022			
PO Box No:					
Country:		Canada			
Status:		Registered			
Co Admin:					
Choice of Contact:					
Phone No Admin:					
Contaminated Facility:					
MHSW Facility:					
<u>Detail(s)</u>					
Waste Class:		251 L			
Waste Class Name:		OIL SKIMMINGS & SLUDGES			
103	1 of 1	ENE/16.1	277.3 / -8.13	TRANSPORT TRUCK DUFFERIN ST. AND TESTON RD. MOTOR VEHICLE (OPERATING FLUID) VAUGHAN CITY ON	SPL
Ref No:		27909		Discharger Report:	
Site No:				Material Group:	
Incident Dt:		11/17/1989		Health/Env Conseq:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Year:				Client Type:	
Incident Cause:	OTHER TRANSPORTATION ACCIDENT			Sector Type:	
Incident Event:				Agency Involved:	
Contaminant Code:				Nearest Watercourse:	
Contaminant Name:				Site Address:	
Contaminant Limit 1:				Site District Office:	
Contam Limit Freq 1:				Site Postal Code:	
Contaminant UN No 1:				Site Region:	
Environment Impact:				Site Municipality:	27101
Nature of Impact:				Site Lot:	
Receiving Medium:	LAND / WATER			Site Conc:	
Receiving Env:				Northing:	
MOE Response:				Easting:	
Dt MOE Arvl on Scn:				Site Geo Ref Accu:	
MOE Reported Dt:	11/17/1989			Site Map Datum:	
Dt Document Closed:				SAC Action Class:	
Incident Reason:	UNKNOWN			Source Type:	
Site Name:					
Site County/District:					
Site Geo Ref Meth:					
Incident Summary:	100 L DIESEL FUEL TO ROADAND SEWER.				
Contaminant Qty:					

104	1 of 1	WSW/52.1	285.8 / 0.46	ON	BORE
Borehole ID:	589899			Inclin FLG:	No
OGF ID:	215500494			SP Status:	Initial Entry
Status:	Unknown			Surv Elev:	No
Type:	Outcrop			Piezometer:	No
Use:				Primary Name:	OGS-OLW-62-242
Completion Date:				Municipality:	
Static Water Level:				Lot:	
Primary Water Use:				Township:	
Sec. Water Use:				Latitude DD:	43.874599
Total Depth m:	1.2			Longitude DD:	-79.510614
Depth Ref:	Ground Surface			UTM Zone:	17
Depth Elev:				Easting:	619662
Drill Method:				Northing:	4859023
Orig Ground Elev m:	285			Location Accuracy:	
Elev Reliabil Note:				Accuracy:	Not Applicable
DEM Ground Elev m:	285				
Concession:					
Location D:					
Survey D:					
Comments:					
<u>Borehole Geology Stratum</u>					
Geology Stratum ID:	218339702			Mat Consistency:	
Top Depth:	.6			Material Moisture:	
Bottom Depth:	1.2			Material Texture:	
Material Color:				Non Geo Mat Type:	
Material 1:	Till			Geologic Formation:	
Material 2:	Sand			Geologic Group:	
Material 3:				Geologic Period:	
Material 4:				Depositional Gen:	
Gsc Material Description:					
Stratum Description:	Di sa **Note: Many records provided by the department have a truncated [Stratum Description] field.				

Source

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Source Type:		Data Survey		Source Appl:	Spatial/Tabular
Source Orig:		Ontario Geological Survey		Source Iden:	6
Source Date:		Varies to 2004		Scale or Res:	1:50,000
Confidence:		H		Horizontal:	NAD83
Observatio:				Verticalda:	Mean Average Sea Level
Source Name:		Ontario Geological Survey Fieldwork Mapping			
Source Details:		YPDT Master Database A: -1473086322			
Confiden 1:		Location taken from OGS 1:50,000 maps by CAMC staff or consultants.			
Source List					
Source Identifier:		6		Horizontal Datum:	NAD83
Source Type:		Data Survey		Vertical Datum:	Mean Average Sea Level
Source Date:		Varies to 2004		Projection Name:	Universal Transvers Mercator
Scale or Resolution:		1:50,000			
Source Name:		Ontario Geological Survey Fieldwork Mapping			
Source Originators:		Ontario Geological Survey			
105	1 of 1	WSW/69.7	285.7 / 0.33	lot 26 con 3 ON	WWIS
Well ID:		6921856		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Not Used		Data Entry Status:	
Use 2nd:				Data Src:	1
Final Well Status:		Observation Wells		Date Received:	26-Mar-1992 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:		116576		Contractor:	6518
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	026
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		VAUGHAN TOWN (VAUGHAN TWP)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/692\6921856.pdf			
Additional Detail(s) (Map)					
Well Completed Date:		1992/01/20			
Year Completed:		1992			
Depth (m):					
Latitude:		43.875049968954			
Longitude:		-79.5113989304008			
Path:		692\6921856.pdf			
Bore Hole Information					
Bore Hole ID:		10512162		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	619598.00
Code OB Desc:				North83:	4859072.00
Open Hole:				Org CS:	N83
Cluster Kind:				UTMRC:	4

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Date Completed:		20-Jan-1992 00:00:00		UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	
Loc Method Desc:					
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966921856			
Method Construction Code:		B			
Method Construction:		Other Method			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11060732			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930826292			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:					
Depth To:					
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933398082			
Layer:		1			
Slot:		010			
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.0			
<u>Water Details</u>					
Water ID:		934004655			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		83.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:		10512162		Tag No:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Depth M:				Contractor:	6518
Year Completed:	1992			Path:	692\6921856.pdf
Well Completed Dt:	1992/01/20			Latitude:	43.875049968954
Audit No:	116576			Longitude:	-79.5113989304008

106	1 of 1	WSW/256.2	279.9 / -5.52	lot 25 con 3 ON	WWIS
Well ID:	6915402			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Industrial			Data Entry Status:	
Use 2nd:	Domestic			Data Src:	1
Final Well Status:	Water Supply			Date Received:	25-Apr-1980 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	1663
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	025
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		VAUGHAN TOWN (VAUGHAN TWP)			
Site Info:					
PDF URL (Map):					

Additional Detail(s) (Map)

Well Completed Date: 1979/09/28
 Year Completed: 1979
 Depth (m): 56.9976
 Latitude: 43.8727898770281
 Longitude: -79.5100027383423
 Path:

Bore Hole Information

Bore Hole ID: 10505963
 DP2BR:
 Spatial Status:
 Code OB:
 Code OB Desc:
 Open Hole:
 Cluster Kind:
 Date Completed: 28-Sep-1979 00:00:00
 Remarks:
 Loc Method Desc: Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m
 Elevrc Desc:
 Location Source Date:
 Improvement Location Source:
 Improvement Location Method:
 Source Revision Comment:
 Supplier Comment:

Elevation:
 Elevrc:
 Zone: 17
 East83: 619714.70
 North83: 4858823.00
 Org CS:
 UTMRC: 5
 UTMRC Desc: margin of error : 100 m - 300 m
 Location Method: p5

Overburden and Bedrock

Materials Interval

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		932775168			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		8.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932775169			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		8.0			
Formation End Depth:		79.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932775170			
Layer:		3			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		79.0			
Formation End Depth:		130.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932775171			
Layer:		4			
Color:		2			
General Color:		GREY			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		28			
Mat2 Desc:		SAND			
Mat3:		11			
Mat3 Desc:		GRAVEL			
Formation Top Depth:		130.0			
Formation End Depth:		168.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932775172			
Layer:		5			
Color:		2			
General Color:		GREY			
Mat1:		08			
Most Common Material:		FINE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		168.0			
Formation End Depth:		187.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966915402			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11054533			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930819114			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		168.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933393814			
Layer:		1			
Slot:		006			
Screen Top Depth:		169.0			
Screen End Depth:		172.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		BAILER			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pump Test ID: 996915402					
Pump Set At:					
Static Level: 61.0					
Final Level After Pumping: 165.0					
Recommended Pump Depth: 170.0					
Pumping Rate: 8.0					
Flowing Rate:					
Recommended Pump Rate: 8.0					
Levels UOM: ft					
Rate UOM: GPM					
Water State After Test Code: 1					
Water State After Test: CLEAR					
Pumping Test Method: 2					
Pumping Duration HR: 1					
Pumping Duration MIN: 30					
Flowing: No					
<u>Draw Down & Recovery</u>					
Pump Test Detail ID: 934627650					
Test Type: Recovery					
Test Duration: 30					
Test Level: 95.0					
Test Level UOM: ft					
<u>Draw Down & Recovery</u>					
Pump Test Detail ID: 934359398					
Test Type: Recovery					
Test Duration: 15					
Test Level: 115.0					
Test Level UOM: ft					
<u>Water Details</u>					
Water ID: 933998582					
Layer: 1					
Kind Code: 1					
Kind: FRESH					
Water Found Depth: 160.0					
Water Found Depth UOM: ft					
<u>Links</u>					
Bore Hole ID: 10505963					
Depth M: 56.9976					
Year Completed: 1979					
Well Completed Dt: 1979/09/28					
Audit No:					
Tag No:					
Contractor: 1663					
Path:					
Latitude: 43.8727898770281					
Longitude: -79.5100027383423					
107	1 of 1	WSW/201.9	279.2 / -6.15	lot 25 con 3 ON	WWIS
Well ID: 6913686					
Construction Date:					
Use 1st: Industrial					
Use 2nd: 0					
Final Well Status: Water Supply					
Water Type:					
Casing Material:					
Audit No:					
Tag:					
Flowing (Y/N):					
Flow Rate:					
Data Entry Status:					
Data Src: 1					
Date Received: 07-Dec-1976 00:00:00					
Selected Flag: TRUE					
Abandonment Rec:					
Contractor: 3108					
Form Version: 1					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Constructn Method:			Owner:		
Elevation (m):			County: YORK		
Elevatn Reliabilty:			Lot: 025		
Depth to Bedrock:			Concession: 03		
Well Depth:			Concession Name: CON		
Overburden/Bedrock:			Easting NAD83:		
Pump Rate:			Northing NAD83:		
Static Water Level:			Zone:		
Clear/Cloudy:			UTM Reliability:		
Municipality:			VAUGHAN TOWN (VAUGHAN TWP)		
Site Info:					
PDF URL (Map):			https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/691\6913686.pdf		
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:			1976/11/25		
Year Completed:			1976		
Depth (m):			66.1416		
Latitude:			43.873248021404		
Longitude:			-79.5106136319568		
Path:			691\6913686.pdf		
<u>Bore Hole Information</u>					
Bore Hole ID:			10504267		
DP2BR:			Elevation:		
Spatial Status:			Elevrc:		
Code OB:			Zone: 17		
Code OB Desc:			East83: 619664.70		
Open Hole:			North83: 4858873.00		
Cluster Kind:			Org CS:		
Date Completed:			UTMRC: 5		
Remarks:			UTMRC Desc: margin of error : 100 m - 300 m		
Loc Method Desc:			Location Method: p5		
Elevrc Desc:			Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m		
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			932766447		
Layer:			5		
Color:			3		
General Color:			BLUE		
Mat1:			28		
Most Common Material:			SAND		
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:			106.0		
Formation End Depth:			115.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation ID:		932766446			
Layer:		4			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		11			
Mat2 Desc:		GRAVEL			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		81.0			
Formation End Depth:		106.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932766444			
Layer:		2			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		12.0			
Formation End Depth:		75.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932766448			
Layer:		6			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		72			
Mat2 Desc:		GRAVELLY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		115.0			
Formation End Depth:		144.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		932766450			
Layer:		8			
Color:		3			
General Color:		BLUE			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		81			
Mat2 Desc:		SANDY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		155.0			
Formation End Depth:		205.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932766443			
Layer:		1			
Color:		6			
General Color:		BROWN			
Mat1:		05			
Most Common Material:		CLAY			
Mat2:		12			
Mat2 Desc:		STONES			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		12.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932766445			
Layer:		3			
Color:		6			
General Color:		BROWN			
Mat1:		28			
Most Common Material:		SAND			
Mat2:		05			
Mat2 Desc:		CLAY			
Mat3:					
Mat3 Desc:					
Formation Top Depth:		75.0			
Formation End Depth:		81.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932766449			
Layer:		7			
Color:		3			
General Color:		BLUE			
Mat1:		10			
Most Common Material:		COARSE SAND			
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		144.0			
Formation End Depth:		155.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		932766451			
Layer:		9			
Color:		3			
General Color:		BLUE			
Mat1:		08			
Most Common Material:		FINE SAND			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:		205.0			
Formation End Depth:		217.0			
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		966913686			
Method Construction Code:		2			
Method Construction:		Rotary (Convent.)			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		11052837			
Casing No:		1			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930817290			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		207.0			
Casing Diameter:		6.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933392724			
Layer:		1			
Slot:		006			
Screen Top Depth:		207.0			
Screen End Depth:		217.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		6.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996913686			
Pump Set At:					
Static Level:		57.0			
Final Level After Pumping:		216.0			
Recommended Pump Depth:		216.0			
Pumping Rate:		25.0			
Flowing Rate:					
Recommended Pump Rate:		20.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Pumping Test Method:	1				
Pumping Duration HR:	5				
Pumping Duration MIN:	0				
Flowing:	No				
 <u>Water Details</u>					
Water ID:	933996849				
Layer:	2				
Kind Code:	1				
Kind:	FRESH				
Water Found Depth:	205.0				
Water Found Depth UOM:	ft				
 <u>Water Details</u>					
Water ID:	933996848				
Layer:	1				
Kind Code:	5				
Kind:	Not stated				
Water Found Depth:	106.0				
Water Found Depth UOM:	ft				
 <u>Links</u>					
Bore Hole ID:	10504267			Tag No:	
Depth M:	66.1416			Contractor:	3108
Year Completed:	1976			Path:	691\6913686.pdf
Well Completed Dt:	1976/11/25			Latitude:	43.873248021404
Audit No:				Longitude:	-79.5106136319568
108	1 of 11	WSW/176.2	279.8 / -5.58	GLOBAL PRE-CAST CORP. 2101 TESTON RD MAPLE ON L6A 1R3	SCT
Established:	1985				
Plant Size (ft²):	75000				
Employment:	40				
 <u>--Details--</u>					
Description:	CONCRETE BLOCK AND BRICK				
SIC/NAICS Code:	3271				
Description:	CONCRETE PRODUCTS, EXCEPT BRICK AND BLOCK				
SIC/NAICS Code:	3272				
108	2 of 11	WSW/176.2	279.8 / -5.58	Global Precast Inc. 2101 Teston Rd Maple ON L6A 1R3	SCT
Established:	01-JUL-85				
Plant Size (ft²):	75000				
Employment:					
 <u>--Details--</u>					
Description:	Concrete Pipe, Brick and Block Manufacturing				
SIC/NAICS Code:	327330				
Description:	Other Concrete Product Manufacturing				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC/NAICS Code:		327390			
108	3 of 11	WSW/176.2	279.8 / -5.58	DELAVAL TURBINE CANADA LTD. 2101 TESTON RD. P.O. BOX 850 MAPLE ON L6A 1R3	GEN
Generator No:		ON0067100			
SIC Code:		0000			
SIC Description:		*** NOT DEFINED ***			
Approval Years:		86,87,88,89,90,92,93,94			
PO Box No:					
Country:					
Status:					
Co Admin:					
Choice of Contact:					
Phone No Admin:					
Contaminated Facility:					
MHSW Facility:					
108	4 of 11	WSW/176.2	279.8 / -5.58	802135 ONTARIO LTD. 2101 TESTON ROAD YORK ON L6A 1R3	GEN
Generator No:		ON1897000			
SIC Code:		3542			
SIC Description:		STRUCTURAL CONCRETE			
Approval Years:		94,95,96,97,98,99,00,01			
PO Box No:					
Country:					
Status:					
Co Admin:					
Choice of Contact:					
Phone No Admin:					
Contaminated Facility:					
MHSW Facility:					
<u>Detail(s)</u>					
Waste Class:		213			
Waste Class Name:		PETROLEUM DISTILLATES			
Waste Class:		251			
Waste Class Name:		OIL SKIMMINGS & SLUDGES			
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
Waste Class:		113			
Waste Class Name:		ACID WASTE - OTHER METALS			
108	5 of 11	WSW/176.2	279.8 / -5.58	Connolly Marble & Granite Ltd. 2101 Teston Rd Maple ON L6A 1R3	SCT
Established:		01-AUG-95			
Plant Size (ft²):					
Employment:					
<u>--Details--</u>					
Description:		All Other Non-Metallic Mineral Product Manufacturing			
SIC/NAICS Code:		327990			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Description:		All Other Non-Metallic Mineral Product Manufacturing			
SIC/NAICS Code:		327990			
108	6 of 11	WSW/176.2	279.8 / -5.58	World Waste Systems Corporation 2101 Teston Road, Maple, ON Vaughan ON	CA
Certificate #:		A841672			
Application Year:		2004			
Issue Date:		9/30/2004			
Approval Type:		Waste Management Systems			
Status:		Approved			
Application Type:					
Client Name:					
Client Address:					
Client City:					
Client Postal Code:					
Project Description:					
Contaminants:					
Emission Control:					
108	7 of 11	WSW/176.2	279.8 / -5.58	Global Precast Inc. 2101 Teston Road Vaughan, Regional Municipality of York L6A 1R3 CITY OF VAUGHAN ON	EBR
EBR Registry No:		011-2324		Decision Posted:	
Ministry Ref No:		3826-8CEMJE		Exception Posted:	
Notice Type:		Instrument Decision		Section:	
Notice Stage:				Act 1:	
Notice Date:		March 04, 2015		Act 2:	
Proposal Date:		January 20, 2011		Site Location Map:	
Year:		2011			
Instrument Type:		(EPA Part II.1-air) - Environmental Compliance Approval (project type: air)			
Off Instrument Name:					
Posted By:					
Company Name:		Global Precast Inc.			
Site Address:					
Location Other:					
Proponent Name:					
Proponent Address:		2101 Teston Road, Vaughan Ontario, Canada L6A 1R3			
Comment Period:					
URL:					
Site Location Details:					
2101 Teston Road Vaughan, Regional Municipality of York L6A 1R3 CITY OF VAUGHAN					
108	8 of 11	WSW/176.2	279.8 / -5.58	GLOBAL PRECAST INC 2101 TESTON ROAD VAUGHAN ON L6A 1R3	EASR
Approval No:		R-003-1159997262		MOE District:	
Status:		REGISTERED		Municipality:	
Date:		2012-09-18		VAUGHAN	
Record Type:		EASR		Latitude:	
Link Source:		MOFA		Longitude:	
				Geometry X:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Project Type: Heating System Full Address: Approval Type: EASR-Heating System SWP Area Name: PDF URL: PDF Site Location:					
108	9 of 11	WSW/176.2	279.8 / -5.58	Global Precast Inc. 2101 Teston Rd Vaughan ON L6A 1R3	ECA
Approval No: 3573-8LVJJ4 Approval Date: 2/27/15 Status: Approved Record Type: Link Source: SWP Area Name: Approval Type: Project Type: Air/Noise Business Name: Global Precast Inc. Address: Full Address: Global Precast Inc. 2101 Teston Rd Vaughan City, Regional Municipality of York L6A 1R3 Full PDF Link: PDF Site Location:					
MOE District: City: Vaughan Longitude: -79.511388888888880046579288318753242 Latitude: 43.8736111111111111000582241103984415531 Geometry X: 158447265625 Geometry Y:					
108	10 of 11	WSW/176.2	279.8 / -5.58	Global Precast Inc. 2101 Teston Rd Vaughan ON L6A 1R3	ECA
Approval No: 3573-8LVJJ4 Approval Date: 2015-02-27 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Toronto Approval Type: ECA-AIR Project Type: AIR Business Name: Global Precast Inc. Address: 2101 Teston Rd Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/3826-8CEMJE-14.pdf PDF Site Location:					
MOE District: York-Durham City: Longitude: -79.51151 Latitude: 43.873608 Geometry X: Geometry Y:					
108	11 of 11	WSW/176.2	279.8 / -5.58	World Waste Systems Corporation 2101 Teston Road, Maple, ON Vaughan ON	ECA
Approval No: A841672 Approval Date: 2004-09-30 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Toronto Approval Type: ECA-WASTE MANAGEMENT SYSTEMS Project Type: WASTE MANAGEMENT SYSTEMS Business Name: World Waste Systems Corporation Address: 2101 Teston Road, Maple, ON Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/9042-65AHTG-14.pdf					
MOE District: York-Durham City: Longitude: -79.51151 Latitude: 43.873608 Geometry X: Geometry Y:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
PDF Site Location:					
109	1 of 1	W/237.1	278.0 / -7.42	lot 26 con 3 VAUGHAN ON	WWIS
Well ID:		7273823	Flowing (Y/N):		
Construction Date:			Flow Rate:		
Use 1st:		Monitoring	Data Entry Status:		
Use 2nd:			Data Src:		
Final Well Status:		Observation Wells	Date Received:		25-Oct-2016 00:00:00
Water Type:			Selected Flag:		TRUE
Casing Material:			Abandonment Rec:		
Audit No:		Z243597	Contractor:		7238
Tag:		A213464	Form Version:		7
Constructn Method:			Owner:		
Elevation (m):			County:		YORK
Elevatn Reliabilty:			Lot:		026
Depth to Bedrock:			Concession:		03
Well Depth:			Concession Name:		CON
Overburden/Bedrock:			Easting NAD83:		
Pump Rate:			Northing NAD83:		
Static Water Level:			Zone:		
Clear/Cloudy:			UTM Reliability:		
Municipality:		VAUGHAN TOWN (VAUGHAN TWP)			
Site Info:					
PDF URL (Map):					
Additional Detail(s) (Map)					
Well Completed Date:		2016/09/22			
Year Completed:		2016			
Depth (m):					
Latitude:		43.8759470117872			
Longitude:		-79.5132187177819			
Path:					
Bore Hole Information					
Bore Hole ID:		1006277066	Elevation:		
DP2BR:			Elevrc:		
Spatial Status:			Zone:		17
Code OB:			East83:		619450.00
Code OB Desc:			North83:		4859169.00
Open Hole:			Org CS:		UTM83
Cluster Kind:			UTMRC:		4
Date Completed:		22-Sep-2016 00:00:00	UTMRC Desc:		margin of error : 30 m - 100 m
Remarks:			Location Method:		wwr
Loc Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
Overburden and Bedrock					
Materials Interval					
Formation ID:		1006447897			
Layer:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Color: General Color: Mat1: Most Common Material: Mat2: Mat2 Desc: Mat3: Mat3 Desc: Formation Top Depth: Formation End Depth: Formation End Depth UOM:					
		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006447906			
Layer:		1			
Plug From:		0.0			
Plug To:		5.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006447909			
Layer:		4			
Plug From:		14.0			
Plug To:		25.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006447907			
Layer:		2			
Plug From:		5.0			
Plug To:		13.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006447908			
Layer:		3			
Plug From:		13.0			
Plug To:		14.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006447905			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006447896			
Casing No:		0			
Comment:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006447901			
Layer:		2			
Material:		7			
Open Hole or Material:		OTHER			
Depth From:		0.0			
Depth To:		15.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		1006447900			
Layer:		1			
Material:		7			
Open Hole or Material:		OTHER			
Depth From:		0.0			
Depth To:		6.0			
Casing Diameter:		1.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006447903			
Layer:		2			
Slot:		10			
Screen Top Depth:		15.0			
Screen End Depth:		25.0			
Screen Material:		7			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Construction Record - Screen</u>					
Screen ID:		1006447902			
Layer:		1			
Slot:		10			
Screen Top Depth:		6.0			
Screen End Depth:		12.0			
Screen Material:		7			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1006447899			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole ID: 1006447898 Diameter: 8.0 Depth From: 0.0 Depth To: 25.0 Hole Depth UOM: ft Hole Diameter UOM: inch					
Links					
Bore Hole ID: 1006277066 Depth M: Year Completed: 2016 Well Completed Dt: 2016/09/22 Audit No: Z243597					
Tag No: A213464 Contractor: 7238 Path: 727\7273823.pdf Latitude: 43.8759470117872 Longitude: -79.5132187177819					
110	1 of 1	W/239.7	278.0 / -7.42	lot 26 con 3 VAUGHAN ON	WWIS
Well ID: 7273816 Construction Date: Use 1st: Monitoring Use 2nd: Final Well Status: Abandoned-Other Water Type: Casing Material: Audit No: Z243592 Tag: Constructn Method: Elevation (m): Elevatn Reliability: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: VAUGHAN TOWN (VAUGHAN TWP) Site Info:					
Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: Date Received: 25-Oct-2016 00:00:00 Selected Flag: TRUE Abandonment Rec: Yes Contractor: 7238 Form Version: 7 Owner: County: YORK Lot: 026 Concession: 03 Concession Name: CON Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
PDF URL (Map):					
Additional Detail(s) (Map)					
Well Completed Date: 2016/09/21 Year Completed: 2016 Depth (m): Latitude: 43.875983176381 Longitude: -79.5132302651869 Path:					
Bore Hole Information					
Bore Hole ID: 1006276931 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 21-Sep-2016 00:00:00 Remarks: Loc Method Desc: on Water Well Record					
Elevation: Elevrc: Zone: 17 East83: 619449.00 North83: 4859173.00 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006447700			
Layer:					
Color:					
General Color:					
Mat1:					
Most Common Material:					
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:					
Formation End Depth:					
Formation End Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006447706			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006447699			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006447703			
Layer:					
Material:					
Open Hole or Material:					
Depth From:					
Depth To:					
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006447704			
Layer:					
Slot:					
Screen Top Depth:					
Screen End Depth:					
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Water Details</u>					
Water ID:		1006447702			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1006447701			
Diameter:					
Depth From:					
Depth To:					
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<u>Links</u>					
Bore Hole ID:	1006276931			Tag No:	
Depth M:				Contractor:	7238
Year Completed:	2016			Path:	
Well Completed Dt:	2016/09/21			Latitude:	43.875983176381
Audit No:	Z243592			Longitude:	-79.5132302651869
111	1 of 1	W/214.2	276.2 / -9.20	lot 26 con 3 VAUGHAN ON	WWIS
Well ID:	7273822			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	0			Date Received:	25-Oct-2016 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z243598			Contractor:	7238
Tag:	A213465			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	026
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		VAUGHAN TOWN (VAUGHAN TWP)			
Site Info:					
PDF URL (Map):					
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	2016/09/22				
Year Completed:	2016				
Depth (m):					
Latitude:	43.8752353112001				
Longitude:	-79.5131866302678				
Path:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	1006277063			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	619454.00
Code OB Desc:				North83:	4859090.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	22-Sep-2016 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Loc Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006447840				
Layer:					
Color:					
General Color:					
Mat1:					
Most Common Material:					
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:					
Formation End Depth:					
Formation End Depth UOM:	ft				
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1006447850				
Layer:	2				
Plug From:	5.0				
Plug To:	13.0				
Plug Depth UOM:	ft				
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1006447849				
Layer:	1				
Plug From:	0.0				
Plug To:	5.0				
Plug Depth UOM:	ft				
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1006447852				
Layer:	4				
Plug From:	14.0				
Plug To:	25.0				
Plug Depth UOM:	ft				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006447851			
Layer:		3			
Plug From:		13.0			
Plug To:		14.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006447848			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006447839			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006447844			
Layer:		2			
Material:		7			
Open Hole or Material:		OTHER			
Depth From:		0.0			
Depth To:		15.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Casing</u>					
Casing ID:		1006447843			
Layer:		1			
Material:		7			
Open Hole or Material:		OTHER			
Depth From:		0.0			
Depth To:		6.0			
Casing Diameter:		1.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006447845			
Layer:		1			
Slot:		10			
Screen Top Depth:		6.0			
Screen End Depth:		12.0			
Screen Material:		7			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Construction Record - Screen</u>					
Screen ID:			1006447846		
Layer:			2		
Slot:			10		
Screen Top Depth:			15.0		
Screen End Depth:			25.0		
Screen Material:			7		
Screen Depth UOM:			ft		
Screen Diameter UOM:			inch		
Screen Diameter:					
<u>Water Details</u>					
Water ID:			1006447842		
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:			ft		
<u>Hole Diameter</u>					
Hole ID:			1006447841		
Diameter:			8.0		
Depth From:			0.0		
Depth To:			25.0		
Hole Depth UOM:			ft		
Hole Diameter UOM:			inch		
<u>Links</u>					
Bore Hole ID:	1006277063			Tag No:	A213465
Depth M:				Contractor:	7238
Year Completed:	2016			Path:	727\7273822.pdf
Well Completed Dt:	2016/09/22			Latitude:	43.8752353112001
Audit No:	Z243598			Longitude:	-79.5131866302678
112	1 of 1	W/240.4	276.3 / -9.11	lot 26 con 3 VAUGHAN ON	WWIS
Well ID:	7273821			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Observation Wells			Date Received:	25-Oct-2016 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z243600			Contractor:	7238
Tag:	A175245			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	026
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	VAUGHAN TOWN (VAUGHAN TWP)				
Site Info:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
PDF URL (Map):					
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:	2016/09/20				
Year Completed:	2016				
Depth (m):					
Latitude:	43.8757419392825				
Longitude:	-79.5133731785428				
Path:					
<u>Bore Hole Information</u>					
Bore Hole ID:	1006276980			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	619438.00
Code OB Desc:				North83:	4859146.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	20-Sep-2016 00:00:00			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Loc Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1006447796				
Layer:					
Color:					
General Color:					
Mat1:					
Most Common Material:					
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:					
Formation End Depth:					
Formation End Depth UOM:	ft				
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1006447804				
Layer:	1				
Plug From:	0.0				
Plug To:	5.0				
Plug Depth UOM:	ft				
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1006447807				
Layer:	4				
Plug From:	71.0				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug To:		82.0			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006447806			
Layer:		3			
Plug From:		69.0			
Plug To:		71.0			
Plug Depth UOM:		ft			
 <u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006447805			
Layer:		2			
Plug From:		5.0			
Plug To:		69.0			
Plug Depth UOM:		ft			
 <u>Method of Construction & Well Use</u>					
Method Construction ID:		1006447803			
Method Construction Code:					
Method Construction:					
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		1006447795			
Casing No:		0			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		1006447800			
Layer:		1			
Material:		7			
Open Hole or Material:		OTHER			
Depth From:		0.0			
Depth To:		72.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		1006447801			
Layer:		1			
Slot:		10			
Screen Top Depth:		72.0			
Screen End Depth:		82.0			
Screen Material:		7			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Water Details</u>					
Water ID:		1006447799			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1006447798			
Diameter:		4.0			
Depth From:		8.0			
Depth To:		82.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<u>Hole Diameter</u>					
Hole ID:		1006447797			
Diameter:		5.0			
Depth From:		0.0			
Depth To:		8.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<u>Links</u>					
Bore Hole ID:	1006276980			Tag No:	A175245
Depth M:				Contractor:	7238
Year Completed:	2016			Path:	
Well Completed Dt:	2016/09/20			Latitude:	43.8757419392825
Audit No:	Z243600			Longitude:	-79.5133731785428
113	1 of 1	WSW/225.9	277.7 / -7.65	lot 25 con 3 ON	WWIS
Well ID:	6906485			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Industrial			Data Entry Status:	
Use 2nd:	0			Data Src:	1
Final Well Status:	Water Supply			Date Received:	12-Jan-1965 00:00:00
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:				Contractor:	1622
Tag:				Form Version:	1
Constructn Method:				Owner:	
Elevation (m):				County:	YORK
Elevatn Reliabilty:				Lot:	025
Depth to Bedrock:				Concession:	03
Well Depth:				Concession Name:	CON
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	VAUGHAN TOWN (VAUGHAN TWP)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/690\6906485.pdf				

Additional Detail(s) (Map)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Well Completed Date:		1964/06/26			
Year Completed:		1964			
Depth (m):		40.5384			
Latitude:		43.873806938149			
Longitude:		-79.5127404780819			
Path:		690\6906485.pdf			
 <u>Bore Hole Information</u>					
Bore Hole ID:	10497184			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	619492.70
Code OB Desc:				North83:	4858932.00
Open Hole:				Org CS:	
Cluster Kind:				UTMRC:	5
Date Completed:	26-Jun-1964 00:00:00			UTMRC Desc:	margin of error : 100 m - 300 m
Remarks:				Location Method:	p5
Loc Method Desc:		Original Pre1985 UTM Rel Code 5: margin of error : 100 m - 300 m			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932733974				
Layer:	2				
Color:	6				
General Color:	BROWN				
Mat1:	05				
Most Common Material:	CLAY				
Mat2:	09				
Mat2 Desc:	MEDIUM SAND				
Mat3:					
Mat3 Desc:					
Formation Top Depth:	1.0				
Formation End Depth:	80.0				
Formation End Depth UOM:	ft				
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	932733976				
Layer:	4				
Color:	2				
General Color:	GREY				
Mat1:	08				
Most Common Material:	FINE SAND				
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:	99.0				
Formation End Depth:	110.0				
Formation End Depth UOM:	ft				
 <u>Overburden and Bedrock</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Materials Interval</u>					
Formation ID:			932733975		
Layer:			3		
Color:					
General Color:					
Mat1:			07		
Most Common Material:			QUICKSAND		
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:			80.0		
Formation End Depth:			99.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			932733973		
Layer:			1		
Color:					
General Color:					
Mat1:			02		
Most Common Material:			TOPSOIL		
Mat2:					
Mat2 Desc:					
Mat3:					
Mat3 Desc:					
Formation Top Depth:			0.0		
Formation End Depth:			1.0		
Formation End Depth UOM:			ft		
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:			932733977		
Layer:			5		
Color:					
General Color:					
Mat1:			09		
Most Common Material:			MEDIUM SAND		
Mat2:			10		
Mat2 Desc:			COARSE SAND		
Mat3:					
Mat3 Desc:					
Formation Top Depth:			110.0		
Formation End Depth:			133.0		
Formation End Depth UOM:			ft		
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:			966906485		
Method Construction Code:			1		
Method Construction:			Cable Tool		
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:			11045754		
Casing No:			1		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		930809552			
Layer:		1			
Material:		1			
Open Hole or Material:		STEEL			
Depth From:					
Depth To:		118.0			
Casing Diameter:		4.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		933388794			
Layer:		1			
Slot:					
Screen Top Depth:		118.0			
Screen End Depth:		126.0			
Screen Material:					
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		4.0			
<u>Results of Well Yield Testing</u>					
Pumping Test Method Desc:		PUMP			
Pump Test ID:		996906485			
Pump Set At:					
Static Level:		83.0			
Final Level After Pumping:		114.0			
Recommended Pump Depth:		114.0			
Pumping Rate:		15.0			
Flowing Rate:					
Recommended Pump Rate:		12.0			
Levels UOM:		ft			
Rate UOM:		GPM			
Water State After Test Code:		1			
Water State After Test:		CLEAR			
Pumping Test Method:		1			
Pumping Duration HR:		20			
Pumping Duration MIN:		0			
Flowing:		No			
<u>Water Details</u>					
Water ID:		933989917			
Layer:		1			
Kind Code:		1			
Kind:		FRESH			
Water Found Depth:		110.0			
Water Found Depth UOM:		ft			
<u>Links</u>					
Bore Hole ID:	10497184			Tag No:	
Depth M:	40.5384			Contractor:	1622
Year Completed:	1964			Path:	690\6906485.pdf
Well Completed Dt:	1964/06/26			Latitude:	43.873806938149

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<i>Audit No:</i>				<i>Longitude:</i>	-79.5127404780819

Unplottable Summary

Total: **45** Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA	York Major Holdings Inc.		Vaughan ON	
CA	Ventana Homes Inc.		Vaughan ON	
CA	York Major Holdings Inc.		Vaughan ON	
CA	York Major Holdings Inc.		Vaughan ON	
CA	VAUGHAN TOWN SEE 3-1500-88-006	DUFFERIN STREET	VAUGHAN TOWN ON	
CA	YORK CITY	TESTON BLVD.	YORK CITY ON	
CA	Dufferin Heights Estates Inc.		Vaughan ON	
CA	VAUGHAN TOWN CORPORATION	DUFFERIN ST., CONCORD	VAUGHAN TOWN ON	
CA	VAUGHAN CITY	TESTON SIDEROAD (LANDFILL)	VAUGHAN CITY ON	
CA	Disposal Services Landfill	Part of Lot 26, Concession 3	Vaughan ON	
CA		Lot 28, Concession 3 Dufferin Street	Vaughan ON	
CA	Pine Valley Court Subdivision		Vaughan ON	
CA	Pine Valley Court Subdivision		Vaughan ON	
CA	Pine Valley Court Subdivision		Vaughan ON	
CA		Part Lot 25 and 26, Concession 4 Teston Road	Vaughan ON	
CA	CITY	DUFFERIN ST.	YORK, NORTH ON	
CA	VAUGHAN CITY	TESTON SIDEROAD, LANDFILL SITE	VAUGHAN CITY ON	
CA	STOCKWORTH, DOBLE	PT.LOT 25/CONC.4, TESTON RD.	VAUGHAN CITY ON	

DEVELOPMENTS INC.

CA	VAUGHAN CITY	TESTON SIDEROAD (L-FILL SITE)	VAUGHAN CITY ON	
CA	DUFFERIN BUSINESS CENTRE INC.	DUFFERIN ST. DUFFERIN BUS. CTR	YORK CITY ON	
CA	BAIF DEVELOPMENTS LIMITED	STREET A DUFFERIN ST.	VAUGHAN TOWN ON	
CA	BAIF DEVELOPMENTS LIMITED	STREET A DUFFERIN ST.	VAUGHAN TOWN ON	
CA	DUFFERIN BUSINESS CENTRE INC.	DUFFERIN ST. DUFFERIN BUS. CTR	YORK CITY ON	
CA	TOWN OF VAUGHAN	SOUTH OF TESTON SIDEROAD	VAUGHAN TOWN ON	
CA	VAUGHAN TOWN CORPORATION	DUFFERIN STREET, CONCORD	VAUGHAN TOWN ON	
CA	M.I. REALTY CORP. MAGNA INDUST. CAMPUS	DUFFERIN ST.	VAUGHAN TOWN ON	
CA	First Gulf Capital Corporation		Vaughan ON	
CA	Ventana Homes Inc.		Vaughan ON	
CA	Ventana Homes Inc.		Vaughan ON	
CONV	WORLD WASTE SYSTEMS INC.		ON	
EBR	Teston View Holdings Inc.	Vaughan Regional Municipality of York Lot:Part of 26 Concession:3 Regional Municipality of York CITY OF VAUGHAN	ON	
EBR	Teston View Holdings Inc.	Part of Lot 26, Concession 3 Vaughan Ontario Vaughan	ON	
EBR	York Major Holdings Inc.	Lot 26, Concession III CITY OF VAUGHAN	ON	
EBR	Teston View Holdings Inc.	Part of Lot 26, Concession 3 Vaughan Ontario Vaughan	ON	
EBR	Teston View Holdings Inc.	Part of Lot 26, Concession 3 Vaughan Ontario Vaughan	ON	
ECA	The Regional Municipality of York	Dufferin Street St	Vaughan ON	L3Y 6Z1
ECA	York Major Holdings Inc.		Vaughan ON	L6A 1S3
LIMO	York Major Holdings Incorporated (formerly Disposal Services Landfill) York	Major Holdings Incorporated City of Vaughan Part of Lot 26, Concession 3 York	ON	
LIMO	Vaughan Landfill The Corporation of the City of Vaughan City of	Lot 26, Concession 3 York	ON	

Vaughan

PTTW	1758691 Ontario Inc.	Lot 26 and Concession 2 King Township, Regional Municipality of York KING	ON
RSC	YORK MAJOR HOLDINGS INC.	No Municipal Address	Vaughan ON
RSC	YORK MAJOR HOLDINGS INC.	No Municipal Address	Vaughan ON
SPL	Draglam Waste & Recycling Inc.	Dufferin St just S of Clark	Vaughan ON
SPL	The Regional Municipality of York; B. Gottardo Construction Ltd.	Cold Creek on Teston Road, east of Weston<UNOFFICIAL>	Vaughan ON
WDS	YORK MAJOR HOLDINGS INC.		VAUGHAN, CITY OF ON

Unplottable Report

Site: York Major Holdings Inc.
Vaughan ON

Database:
CA

Certificate #: 1279-7UEGTV
Application Year: 2009
Issue Date: 8/4/2009
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: Ventana Homes Inc.
Vaughan ON

Database:
CA

Certificate #: 1189-7P4LRR
Application Year: 2009
Issue Date: 2/27/2009
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: York Major Holdings Inc.
Vaughan ON

Database:
CA

Certificate #: 6306-5RALB5
Application Year: 2003
Issue Date: 9/11/2003
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: York Major Holdings Inc.
Vaughan ON

Database:
CA

Certificate #: 4458-6NMJHM

Application Year: 2006
Issue Date: 4/8/2006
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: VAUGHAN TOWN SEE 3-1500-88-006
DUFFERIN STREET VAUGHAN TOWN ON

Database:
CA

Certificate #: 3-1703-88-
Application Year: 88
Issue Date: 6/12/1990
Approval Type: Municipal sewage
Status: Cancelled
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: YORK CITY
TESTON BLVD. YORK CITY ON

Database:
CA

Certificate #: 3-1602-88-
Application Year: 88
Issue Date: 2/28/1989
Approval Type: Municipal sewage
Status: Approved in 1989
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: Dufferin Heights Estates Inc.
Vaughan ON

Database:
CA

Certificate #: 7695-7Q8LZP
Application Year: 2009
Issue Date: 3/18/2009
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: VAUGHAN TOWN CORPORATION
DUFFERIN ST., CONCORD VAUGHAN TOWN ON

Database:
CA

Certificate #: 3-1500-88-
Application Year: 88
Issue Date: 11/3/1988
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: VAUGHAN CITY
TESTON SIDEROAD (LANDFILL) VAUGHAN CITY ON

Database:
CA

Certificate #: 8-3371-96-
Application Year: 96
Issue Date: 12/24/1996
Approval Type: Industrial air
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description: UPGRADE LANDFILL GAS EXTRACTION SYSTEM
Contaminants: Nitrogen Oxides, Sulphur Dioxide
Emission Control: Flare

Site: Disposal Services Landfill
Part of Lot 26, Concession 3 Vaughan ON

Database:
CA

Certificate #: 4898-59AHZ7
Application Year: 02
Issue Date: 8/21/02
Approval Type: Industrial air
Status: Approved
Application Type: New Certificate of Approval
Client Name: Teston View Holdings Inc.
Client Address: 3655 Keele Street
Client City: Toronto
Client Postal Code: M3J 1M8
Project Description: This application relates to the proposed installation of a passive gas venting barrier at the closed landfill site. The barrier will prevent the migration of landfill gas beyond the landfill property. Underground pipes and a synthetic barrier will route gas to nine exhaust stack discharging to the atmosphere.
Contaminants:
Emission Control:

Site: Lot 28, Concession 3 Dufferin Street Vaughan ON

Database:
CA

Certificate #: 1605-56TQRW
Application Year: 02
Issue Date: 2/6/02
Approval Type: Municipal & Private water
Status: Approved
Application Type: New Certificate of Approval
Client Name: Northdale Ridge Developments Limited

Client Address: 6625 Kitimat Road, Unit 58
Client City: Mississauga
Client Postal Code: L5N 6J1
Project Description: This application is for approval to install watermains on Dufferin Street.
Contaminants:
Emission Control:

Site: **Pine Valley Court Subdivision**
Vaughan ON

Database:
CA

Certificate #: 0885-534L5Q
Application Year: 01
Issue Date: 10/5/01
Approval Type: Municipal & Private water
Status: Approved
Application Type: New Certificate of Approval
Client Name: Randels Investments Inc.
Client Address: 4500 Highway No. 7 West, Suite 110
Client City: Vaughan
Client Postal Code: L4L 4Y7
Project Description: This application is for the construction of watermains on Terra Road, Tall Grass Trail, Jenna Court, Oberdan Way and Guery Crescent.
Contaminants:
Emission Control:

Site: **Pine Valley Court Subdivision**
Vaughan ON

Database:
CA

Certificate #: 4652-534L9L
Application Year: 01
Issue Date: 10/5/01
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: Randels Investments Inc.
Client Address: 4500 Highway No. 7 West, Suite 110
Client City: Vaughan
Client Postal Code: L4L 4Y7
Project Description: This application is for the construction of storm and sanitary sewers on Terra Road, Tall Grass Trail, Jenna Court, Oberdan Way, Guery Crescent, outlet sewers on Block 77B and Block 248 (Park Blocks).
Contaminants:
Emission Control:

Site: **Pine Valley Court Subdivision**
Vaughan ON

Database:
CA

Certificate #: 8750-53YPY2
Application Year: 01
Issue Date: 11/28/01
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: Randels Investments Inc.
Client Address: 4500 Highway No. 7 West, Suite 110
Client City: Vaughan
Client Postal Code: L4L 4Y7
Project Description: This application is for the construction of a temporary sediment pond used to provide sediment control during construction of the Pine Valley Court Subdivision. The pond will be located at Part of Lots 3 & 4, Concession 7 and will serve a work area of 10.3 hectares. It is designed to capture a minimum of 1300 cubic meters of runoff and release the runoff over a minimum of 24 hours using a 250 mm perforated drain with a 130 mm orifice at the outlet. The pond will discharge to the existing ditch along the Highway 407.
Contaminants:
Emission Control:

Site: *Part Lot 25 and 26, Concession 4 Teston Road Vaughan ON* **Database:**
CA

Certificate #: 7405-4TBSLP
Application Year: 01
Issue Date: 1/30/01
Approval Type: Municipal & Private water
Status: Approved
Application Type: New Certificate of Approval
Client Name: Venturon Development (Jane) Corporation
Client Address: 291 Edgeley Boulevard
Client City: Vaughan
Client Postal Code: L4K 3Z4
Project Description: Construction of watermain on Teston Road
Contaminants:
Emission Control:

Site: *CITY DUFFERIN ST. YORK, NORTH ON* **Database:**
CA

Certificate #: 3-0425-85-006
Application Year: 85
Issue Date: 7/2/85
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: *VAUGHAN CITY TESTON SIDEROAD, LANDFILL SITE VAUGHAN CITY ON* **Database:**
CA

Certificate #: 8-3487-96-
Application Year: 96
Issue Date: 1/9/1997
Approval Type: Industrial air
Status:
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description: UPGRADE EXISTING FLARE
Contaminants: Other Organic Compounds
Emission Control: No Controls

Site: *STOCKWORTH, DOBLE DEVELOPMENTS INC. PT.LOT 25/CONC.4, TESTON RD. VAUGHAN CITY ON* **Database:**
CA

Certificate #: 3-1087-96-
Application Year: 96
Issue Date: 9/30/1996
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:

Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: VAUGHAN CITY
TESTON SIDEROAD (L-FILL SITE) VAUGHAN CITY ON

Database:
CA

Certificate #: 3-0869-96-
Application Year: 96
Issue Date: 8/16/1996
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: DUFFERIN BUSINESS CENTRE INC.
DUFFERIN ST. DUFFERIN BUS. CTR YORK CITY ON

Database:
CA

Certificate #: 7-0144-87-
Application Year: 87
Issue Date: 3/20/1987
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: BAIF DEVELOPMENTS LIMITED
STREET A DUFFERIN ST. VAUGHAN TOWN ON

Database:
CA

Certificate #: 7-0583-88-
Application Year: 88
Issue Date: 10/21/1988
Approval Type: Municipal water
Status: Revised
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: BAIF DEVELOPMENTS LIMITED
STREET A DUFFERIN ST. VAUGHAN TOWN ON

Database:
CA

Certificate #: 3-0659-88-
Application Year: 88

Issue Date: 10/21/1988
Approval Type: Municipal sewage
Status: Revised
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **DUFFERIN BUSINESS CENTRE INC.**
DUFFERIN ST. DUFFERIN BUS. CTR YORK CITY ON

Database:
CA

Certificate #: 3-0179-87-
Application Year: 87
Issue Date: 3/20/1987
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **TOWN OF VAUGHAN**
SOUTH OF TESTON SIDEROAD VAUGHAN TOWN ON

Database:
CA

Certificate #: 8-3342-90-
Application Year: 90
Issue Date: 4/9/1991
Approval Type: Industrial air
Status: Cancelled
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description: EXPANSION OF METHANE GAS CONTROL SYSTEM
Contaminants:
Emission Control:

Site: **VAUGHAN TOWN CORPORATION**
DUFFERIN STREET, CONCORD VAUGHAN TOWN ON

Database:
CA

Certificate #: 7-1285-88-
Application Year: 88
Issue Date: 11/3/1988
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **M.I. REALTY CORP. MAGNA INDUST. CAMPUS**
DUFFERIN ST. VAUGHAN TOWN ON

Database:
CA

Certificate #: 7-0184-86-
Application Year: 86
Issue Date: 4/15/1986
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **First Gulf Capital Corporation**
Vaughan ON

Database:
CA

Certificate #: 3584-5FWLR6
Application Year: 2002
Issue Date: 11/15/2002
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **Ventana Homes Inc.**
Vaughan ON

Database:
CA

Certificate #: 2810-7LDS34
Application Year: 2008
Issue Date: 11/27/2008
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: **Ventana Homes Inc.**
Vaughan ON

Database:
CA

Certificate #: 4961-7LJSGU
Application Year: 2008
Issue Date: 11/27/2008
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:

Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: WORLD WASTE SYSTEMS INC.
ON

Database:
CONV

File No:
Crown Brief No: 03-0001-0209
Court Location:
Publication City:
Publication Title:
Act:
Act(s):
First Matter:
Second Matter:
Investigation 1:
Investigation 2:
Penalty Imposed:
Description: OPERATE A WASTE MANAGEMENT SYSTEM AND FAIL TO KEEP A COPY OF THE CERTIFICATE OF APPROVAL IN THE VEHICLE
Background:
URL:

Location:
Region: CENTRAL REGION
Ministry District: YORK-DURHAM

Additional Details

Publication Date:
Count: 1
Act: EPA
Regulation: 347
Section: 16(1) (II)
Act/Regulation/Section: EPA 347 16(1) (II)
Date of Offence:
Date of Conviction:
Date Charged: 6/9/2003
Charge Disposition: FINED
Fine: \$500
Synopsis:

Site: Teston View Holdings Inc.
Vaughan Regional Municipality of York Lot:Part of 26 Concession:3 Regional Municipality of York CITY OF VAUGHAN ON

Database:
EBR

EBR Registry No: 012-8273
Ministry Ref No: 1844-ABEPT7
Notice Type: Instrument Decision
Notice Stage:
Notice Date: December 19, 2018
Proposal Date: July 28, 2016
Year: 2016
Instrument Type: Environmental Compliance Approval (project type: waste) - EPA Part II.1-waste
Off Instrument Name:
Posted By:
Company Name:
Site Address:
Location Other:
Proponent Name: Teston View Holdings Inc.
Proponent Address: 10000 Dufferin Street Vaughan Ontario Canada L6A 1S3
Comment Period:
URL: <http://www.ebr.gov.on.ca/ERS-WEB-External/displaynoticecontent.do?noticeId=MTI5Mjk0&statusId=MjA4NTkw&language=en>

Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:

Site Location Details:

Vaughan Regional Municipality of York

Site: *Teston View Holdings Inc.*
Part of Lot 26, Concession 3 Vaughan Ontario Vaughan ON

Database:
[EBR](#)

EBR Registry No: IA01E1740
Ministry Ref No: 7771-55JLR2
Notice Type: Instrument Decision
Notice Stage:
Notice Date: September 03, 2002
Proposal Date: December 18, 2001
Year: 2001
Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:
Instrument Type: (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)
Off Instrument Name:
Posted By:
Company Name: Teston View Holdings Inc.
Site Address:
Location Other:
Proponent Name:
Proponent Address: 3655 Keele Street, Toronto Ontario, M3J 1M8
Comment Period:
URL:

Site Location Details:

Part of Lot 26, Concession 3 Vaughan Ontario Vaughan

Site: *York Major Holdings Inc.*
Lot 26, Concession III CITY OF VAUGHAN ON

Database:
[EBR](#)

EBR Registry No: IA8E1378
Ministry Ref No: A230604
Notice Type: Instrument Decision
Notice Stage:
Notice Date: February 16, 1999
Proposal Date: October 01, 1998
Year: 1998
Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:
Instrument Type: (EPA s. 27) - Approval for a waste disposal site.
Off Instrument Name:
Posted By:
Company Name: York Major Holdings Inc.
Site Address:
Location Other:
Proponent Name:
Proponent Address: 30 Floral Parkway, Concord Ontario, L4K 4R1
Comment Period:
URL:

Site Location Details:

Lot 26, Concession III CITY OF VAUGHAN

Site: *Teston View Holdings Inc.*
Part of Lot 26, Concession 3 Vaughan Ontario Vaughan ON

Database:
[EBR](#)

EBR Registry No: IA03E0100
Ministry Ref No: 2608-5HTNRU
Notice Type: Instrument Decision
Notice Stage:
Decision Posted:
Exception Posted:
Section:
Act 1:

Notice Date: April 03, 2003
Proposal Date: January 21, 2003
Year: 2003
Instrument Type: (EPA s. 27) - Approval for a waste disposal site.
Off Instrument Name:
Posted By:
Company Name: Teston View Holdings Inc.
Site Address:
Location Other:
Proponent Name:
Proponent Address: 3655 Keele Street, Toronto Ontario, M3J 1M8
Comment Period:
URL:

Site Location Details:

Part of Lot 26, Concession 3 Vaughan Ontario Vaughan

Site: **Teston View Holdings Inc.**
Part of Lot 26, Concession 3 Vaughan Ontario Vaughan ON

Database:
EBR

EBR Registry No: IA01E1735
Ministry Ref No: 8005-55ESD6
Notice Type: Instrument Decision
Notice Stage:
Notice Date: January 30, 2003
Proposal Date: December 18, 2001
Year: 2001
Instrument Type: (EPA s. 27) - Approval for a waste disposal site.
Off Instrument Name:
Posted By:
Company Name: Teston View Holdings Inc.
Site Address:
Location Other:
Proponent Name:
Proponent Address: 3655 Keele Street, Toronto Ontario, M3J 1M8
Comment Period:
URL:

Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:

Site Location Details:

Part of Lot 26, Concession 3 Vaughan Ontario Vaughan

Site: **The Regional Municipality of York**
Dufferin Street St Vaughan ON L3Y 6Z1

Database:
ECA

Approval No: 8501-CF6GXB
Approval Date: July 19, 2022
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name: Toronto
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Business Name: The Regional Municipality of York
Address: Dufferin Street St
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/7662-CEJH97-14.pdf>
PDF Site Location: Dufferin Street
Lots 14-16, Concessions 2 and 3
City of Vaughan, Regional Municipality of York

MOE District: York-Durham
City:
Longitude:
Latitude:
Geometry X: -8849419.7311000004
Geometry Y: 5449068.6677000001

Site: York Major Holdings Inc.
Vaughan ON L6A 1S3

Database:
ECA

Approval No:	8761-9ZPR5T	MOE District:
Approval Date:	2015-09-22	City:
Status:	Approved	Longitude:
Record Type:	ECA	Latitude:
Link Source:	IDS	Geometry X:
SWP Area Name:		Geometry Y:
Approval Type:	ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS	
Project Type:	MUNICIPAL AND PRIVATE SEWAGE WORKS	
Business Name:	York Major Holdings Inc.	
Address:		
Full Address:		
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/3962-9UPR6P-14.pdf	
PDF Site Location:		

Site: York Major Holdings Incorporated (formerly Disposal Services Landfill) York
Major Holdings Incorporated City of Vaughan Part of Lot 26, Concession 3 York ON

Database:
LIMO

ECA/Instrument No:	A230603	Natural Attenuation:
Operation Status:	Closed	Liners:
C of A Issue Date:		Cover Material:
C of A Issued to:		Leachate Off-Site:
Lndfl Gas Mgmt (P):		Leachate On Site:
Lndfl Gas Mgmt (F):		Req Coll Lndfl Gas:
Lndfl Gas Mgmt (E):		Lndfl Gas Coll:
Lndfl Gas Mgmt Sys:		Total Waste Rec:
Landfill Gas Mntr:		TWR Methodology:
Leachate Coll Sys:		TWR Unit:
ERC Est Vol (m3):		Tot Aprv Cap Unit:
ERC Volume Unit:		Financial Assurance:
ERC Dt Last Det:		Last Report Year:
Landfill Type:		Region:
Source File Type:		District Office:
Fill Rate:		Site County:
Fill Rate Unit:		Lot:
Tot Fill Area (ha):		Concession:
Tot Site Area (ha):		Latitude:
Footprint:		Longitude:
Tot Aprv Cap (m3):		Easting:
Contam Atten Zone:		Northing:
Grndwtr Mntr:		UTM Zone:
Surf Wtr Mntr:		Data Source:
Air Emis Monitor:		
Approved Waste Type:		
Client Site Name:		
ERC Methodology:		
Site Name:	York Major Holdings Incorporated (formerly Disposal Services Landfill) York Major Holdings Incorporated City of Vaughan	
Site Location Details:		
Service Area:		
Page URL:		

Site: Vaughan Landfill The Corporation of the City of Vaughan City of Vaughan
Lot 26, Concession 3 York ON

Database:
LIMO

ECA/Instrument No:	A230601	Natural Attenuation:
Operation Status:	Closed	Liners:
C of A Issue Date:		Cover Material:
C of A Issued to:		Leachate Off-Site:
Lndfl Gas Mgmt (P):		Leachate On Site:
Lndfl Gas Mgmt (F):		Req Coll Lndfl Gas:
Lndfl Gas Mgmt (E):		Lndfl Gas Coll:
Lndfl Gas Mgmt Sys:		Total Waste Rec:

Landfill Gas Mntr:
Leachate Coll Sys:
ERC Est Vol (m3):
ERC Volume Unit:
ERC Dt Last Det:
Landfill Type:
Source File Type:
Fill Rate:
Fill Rate Unit:
Tot Fill Area (ha):
Tot Site Area (ha):
Footprint:
Tot Apprv Cap (m3):
Contam Atten Zone:
Grndwtr Mntr:
Surf Wtr Mntr:
Air Emis Monitor:
Approved Waste Type:
Client Site Name:
ERC Methodology:
Site Name:

Vaughan Landfill
The Corporation of the City of Vaughan
City of Vaughan

Site Location Details:
Service Area:
Page URL:

TWR Methodology:
TWR Unit:
Tot Aprv Cap Unit:
Financial Assurance:
Last Report Year:
Region:
District Office:
Site County:
Lot:
Concession:
Latitude:
Longitude:
Easting:
Northing:
UTM Zone:
Data Source:

Site: 1758691 Ontario Inc.
Lot 26 and Concession 2 King Township, Regional Municipality of York KING ON

Database:
[PTTW](#)

EBR Registry No: 012-5765
Ministry Ref No: 3125-A3KLZE
Notice Type: Instrument Decision
Notice Stage:
Notice Date: June 26, 2017
Proposal Date: November 17, 2015
Year: 2015
Instrument Type: (OWRA s. 34) - Permit to Take Water
Off Instrument Name:
Posted By:
Company Name: 1758691 Ontario Inc.
Site Address:
Location Other:
Proponent Name:
Proponent Address: 21360 Bathurst Street, King Ontario, Canada L9N 1P6
Comment Period:
URL:

Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:

Site Location Details:

Lot 26 and Concession 2 King Township, Regional Municipality of York KING

Site: YORK MAJOR HOLDINGS INC.
No Municipal Address Vaughan ON

Database:
[RSC](#)

RSC ID: 218526
RA No:
RSC Type: Phase 1 and 2 RSC
Curr Property Use: Industrial
Ministry District: York-Durham District Office
Filing Date: 2015/07/06
Date Ack:
Date Returned:
Restoration Type:
Soil Type:

Cert Date:
Cert Prop Use No:
Intended Prop Use: Residential
Qual Person Name: RANDALL SINUKOFF
Stratified (Y/N):
Audit (Y/N):
Entire Leg Prop. (Y/N):
Accuracy Estimate:
Telephone:
Fax:

Criteria:**Email:****CPU Issued Sect****1686:****Asmt Roll No:**

19280002204640000000

Prop ID No (PIN):

03343-2710 (LT)

Property Municipal Address:

No Municipal Address

Mailing Address:**Latitude & Latitude:****UTM Coordinates:****Consultant:****Legal Desc:****Measurement Method:****Applicable Standards:****RSC PDF:**<https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=52124&fileName=BROWNFIELDSE.pdf>**Document(s) Detail****Document Heading:**

Supporting Documents

Document Name:

7_South_Parcel_Apec_Table_2015_resubmission.pdf

Document Type:

Area(s) of Potential Environmental Concern

Document Link:https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=52117&fileName=7_South_Parcel_Apec_Table_2015_resubmission.pdf**Document Heading:**

Supporting Documents

Document Name:

2_20150629_Block_6_Lawyer_Letter.pdf

Document Type:

Lawyer's letter consisting of a legal description of the property

Document Link:https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=52126&fileName=2_20150629_Block_6_Lawyer_Letter.pdf**Document Heading:**

Supporting Documents

Document Name:

6_South_Parcel_Current_Past_LandUses_20150609.pdf

Document Type:

Table of Current and Past Property Use

Document Link:https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=52125&fileName=6_South_Parcel_Current_Past_LandUses_20150609.pdf**Document Heading:**

Supporting Documents

Document Name:

1_Cert_of_Status_Jun_29_2015.pdf

Document Type:

Certificate of Status

Document Link:https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=52119&fileName=1_Cert_of_Status_Jun_29_2015.pdf**Document Heading:**

Supporting Documents

Document Name:

8_South_Parcel_Phase_Two_CSM_2015_resubmission.pdf

Document Type:

Phase 2 Conceptual Site Model

Document Link:https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=52123&fileName=8_South_Parcel_Phase_Two_CSM_2015_resubmission.pdf**Document Heading:**

Supporting Documents

Document Name:

3_Block_6_Transfer.pdf

Document Type:

Copy of any deed(s), transfer(s) or other document(s)

Document Link:https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=52120&fileName=3_Block_6_Transfer.pdf**Document Heading:**

Supporting Documents

Document Name:

Plan of Survey.pdf

Document Type:

A Current plan of Survey

Document Link:<https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=52157&fileName=Plan+of+Survey.pdf>**Site:** YORK MAJOR HOLDINGS INC.
No Municipal Address Vaughan ON**Database:**
RSC**RSC ID:**

218527

RA No:**RSC Type:**

Phase 1 and 2 RSC

Curr Property Use:

Industrial

Ministry District:

York-Durham District Office

Cert Date:**Cert Prop Use No:****Intended Prop Use:**

Residential

Qual Person Name:

RANDALL SINUKOFF

Stratified (Y/N):

Filing Date: 2015/07/22
Date Ack:
Date Returned:
Restoration Type:
Soil Type:
Criteria:
CPU Issued Sect 1686:
Asmt Roll No: 1928000220460600000,
1928000220464000000,
1928000220460100000
Prop ID No (PIN): 03343-2705 (LT),
03343-2706 (LT),
03343-2707 (LT)
Property Municipal Address: No Municipal Address
Mailing Address:
Latitude & Latitude:
UTM Coordinates:
Consultant:
Legal Desc:
Measurement Method:
Applicable Standards:
RSC PDF: <https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=52130&fileName=BROWNFIELDSE.pdf>

Audit (Y/N):
Entire Leg Prop. (Y/N):
Accuracy Estimate:
Telephone:
Fax:
Email:

Document(s) Detail

Document Heading: Supporting Documents
Document Name: 7_North_Parcel_Apec_Table_2015_resubmission.pdf
Document Type: Area(s) of Potential Environmental Concern
Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=52136&fileName=7_North_Parcel_Apec_Table_2015_resubmission.pdf

Document Heading: Supporting Documents
Document Name: 1_Cert_of_Status_Jun_29_2015.pdf
Document Type: Certificate of Status
Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=52132&fileName=1_Cert_of_Status_Jun_29_2015.pdf

Document Heading: Supporting Documents
Document Name: North_Parcel_Phase_Two_CSM_2015_July8_15.pdf
Document Type: Phase 2 Conceptual Site Model
Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=52683&fileName=North_Parcel_Phase_Two_CSM_2015_July8_15.pdf

Document Heading: Supporting Documents
Document Name: 2_Lawyer_ltr_20150629.pdf
Document Type: Lawyer's letter consisting of a legal description of the property
Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=52139&fileName=2_Lawyer_ltr_20150629.pdf

Document Heading: Supporting Documents
Document Name: 3_20150416_Transfers_YMH_Blocks_1-2-3.pdf
Document Type: Copy of any deed(s), transfer(s) or other document(s)
Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=52137&fileName=3_20150416_Transfers_YMH_Blocks_1-2-3.pdf

Document Heading: Supporting Documents
Document Name: 6_North_Parcel_Current_Past_LandUses_20150609.pdf
Document Type: Table of Current and Past Property Use
Document Link: https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=52133&fileName=6_North_Parcel_Current_Past_LandUses_20150609.pdf

Document Heading: Supporting Documents
Document Name: Plan of Survey.pdf
Document Type: A Current plan of Survey
Document Link: <https://www.lrcsde.lrc.gov.on.ca/BFISWebPublic/pub/viewDocument.action?attachmentId=52159&fileName=Plan+of+Survey.pdf>

Site: Draglam Waste & Recycling Inc.
Dufferin St just S of Clark Vaughan ON

Database:
SPL

Ref No:	2537-956HAK	Discharger Report:	
Site No:		Material Group:	
Incident Dt:	22-FEB-13	Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	Collision/Accident	Sector Type:	Motor Vehicle
Incident Event:		Agency Involved:	
Contaminant Code:	13	Nearest Watercourse:	
Contaminant Name:	DIESEL FUEL	Site Address:	Dufferin St just S of Clark
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	Confirmed	Site Municipality:	Vaughan
Nature of Impact:	Other Impact(s); Soil Contamination	Site Lot:	
Receiving Medium:		Site Conc:	
Receiving Env:		Northing:	
MOE Response:	No Field Response	Easting:	
Dt MOE Arvl on Scn:		Site Geo Ref Accu:	
MOE Reported Dt:	22-FEB-13	Site Map Datum:	
Dt Document Closed:		SAC Action Class:	Land Spills
Incident Reason:	Operator/Human Error	Source Type:	
Site Name:	hydro pole<UNOFFICIAL>		
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	Draglam Waste: truck struck hydro pole, 100L diesel to grnd		
Contaminant Qty:	100 L		

Site: The Regional Municipality of York; B. Gottardo Construction Ltd.
Cold Creek on Teston Road, east of Weston<UNOFFICIAL> Vaughan ON

Database:
SPL

Ref No:	0268-756LQP	Discharger Report:	
Site No:		Material Group:	Other
Incident Dt:		Health/Env Conseq:	
Year:		Client Type:	
Incident Cause:	Discharge Or Bypass To A Watercourse	Sector Type:	Other
Incident Event:		Agency Involved:	
Contaminant Code:	99	Nearest Watercourse:	
Contaminant Name:	SILT	Site Address:	
Contaminant Limit 1:		Site District Office:	
Contam Limit Freq 1:		Site Postal Code:	
Contaminant UN No 1:		Site Region:	
Environment Impact:	Possible	Site Municipality:	Vaughan
Nature of Impact:	Surface Water Pollution	Site Lot:	
Receiving Medium:	Water	Site Conc:	
Receiving Env:		Northing:	
MOE Response:	Planned Field Response	Easting:	
Dt MOE Arvl on Scn:	7/16/2007	Site Geo Ref Accu:	
MOE Reported Dt:	7/16/2007	Site Map Datum:	
Dt Document Closed:	12/28/2007	SAC Action Class:	
Incident Reason:	Unknown - Reason not determined	Source Type:	
Site Name:	Cold Creek on Teston Road, east of Weston<UNOFFICIAL>		
Site County/District:			
Site Geo Ref Meth:			
Incident Summary:	Silty water to Cold Cr from construction site, investigating		
Contaminant Qty:	unknown unknown		

Site: YORK MAJOR HOLDINGS INC.
VAUGHAN, CITY OF ON

Database:
WDS

Approval No:	A230604	Total Area (ha):	0
Mob Unit Cert No:		Landfill Cap (m³):	0
EBR Registry No:		Transfer Area (ha):	0
Status:	Revision in Progress	Transfer Cap (m³):	0

Facility Type:	Landfill	Transfer Cert No:	
Record Type:		Inciner. Area (ha):	0
Link Source:		Inciner. Cap (t):	0
Project Type:		Process Area (m³):	0
Application Status:		Process Cap (m³/d):	0
Issue Date:	12/31/1999	Process Vol (m³):	0
Input Date:	10/1/98	Process Feed (m³):	0
Date Received:	9/30/98	Site Concession:	3
Est Closure Date:		Site Region/County:	YORK
Mobile Capacity:	0	SWP Area Name:	
Mobile Units:		MOE District:	
Mobile Description:		District Office:	York-Durham
Prop City:	Concord, Ontario	Latitude:	
Prop Postal:	L4K-4R1	Longitude:	
Prop Phone:	905-669-9714	Geometry X:	
Serial Link:	230604	Geometry Y:	
Approval Type:			
Proponent:	YORK MAJOR HOLDINGS INC.		
Prop Address:	30 Floral Parkway		
Proponent County/District:			
Full Address:			
Site Lot:	26		
Waste Class Code:			
Waste Class:			
Waste Type:			
Waste Type Other:	No		
Waste Description:			
Landfill Monitoring:			
Landfill Ctrl Type:			
Site Closing Description:			
Project Description:			
Municipalities Served:			
Approval Description:			
Other Approvals/Permits:			
PDF URL:			
PDF Site Location:			

Appendix: Database Descriptions

*Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.*

Abandoned Aggregate Inventory:

Provincial

[AAGR](#)

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

Government Publication Date: Sept 2002*

Aggregate Inventory:

Provincial

[AGR](#)

The Ontario Ministry of Northern Development, Mines, Natural Resources and Forestry (ONDMNRF) maintains this database of pits and quarries. The database provides information regarding the registered owner/operator, location name, operation type, approval type, and maximum annual tonnage.

Government Publication Date: Up to Oct 2022

Abandoned Mine Information System:

Provincial

[AMIS](#)

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Mar 2022

Anderson's Waste Disposal Sites:

Private

[ANDR](#)

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Aboveground Storage Tanks:

Provincial

[AST](#)

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

Government Publication Date: May 31, 2014

Automobile Wrecking & Supplies:

Private

[AUWR](#)

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-May 31, 2022

Borehole:

Provincial

[BORE](#)

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2018

Certificates of Approval:

Provincial CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011*

Dry Cleaning Facilities:

Federal CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

Government Publication Date: Jan 2004-Dec 2020

Commercial Fuel Oil Tanks:

Provincial CFOT

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Chemical Manufacturers and Distributors:

Private CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-Jan 31, 2020

Chemical Register:

Private CHM

This database includes a listing of locations of facilities within the Province or Territory that either manufacture and/or distributes chemicals.

Government Publication Date: 1999-May 31, 2022

Compressed Natural Gas Stations:

Private CNG

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 2012 -Sep 2022

Inventory of Coal Gasification Plants and Coal Tar Sites:

Provincial COAL

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

Government Publication Date: Apr 1987 and Nov 1988*

Compliance and Convictions:

Provincial CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Nov 2022

Certificates of Property Use:

Provincial CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994 - Dec 31, 2022

Drill Hole Database:

Provincial

[DRL](#)

The Ontario Drill Hole Database contains information on more than 113,000 percussion, overburden, sonic and diamond drill holes from assessment files on record with the department of Mines and Minerals. Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted to the MNDM. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Oct 2022

Delisted Fuel Tanks:

Provincial

[DTNK](#)

List of fuel storage tank sites that were once found in - and have since been removed from - the list of fuel storage tanks made available by the regulatory agency under Access to Public Information.

Government Publication Date: Feb 28, 2022

Environmental Activity and Sector Registry:

Provincial

[EASR](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval). Please see our ECA database.

Government Publication Date: Oct 2011- Dec 31, 2022

Environmental Registry:

Provincial

[EBR](#)

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994 - Dec 31, 2022

Environmental Compliance Approval:

Provincial

[ECA](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011- Dec 31, 2022

Environmental Effects Monitoring:

Federal

[EEM](#)

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007*

ERIS Historical Searches:

Private

[EHS](#)

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Jul 31, 2022

Environmental Issues Inventory System:

Federal

[EIIS](#)

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001*

Emergency Management Historical Event:

Provincial

EMHE

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Apr 30, 2022

Environmental Penalty Annual Report:

Provincial

EPAR

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1, 2011 - Dec 31, 2021

List of Expired Fuels Safety Facilities:

Provincial

EXP

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Federal Convictions:

Federal

FCON

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007*

Contaminated Sites on Federal Land:

Federal

FCS

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

Government Publication Date: Jun 2000-Sep 2022

Fisheries & Oceans Fuel Tanks:

Federal

FOFT

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2019

Federal Identification Registry for Storage Tank Systems (FIRSTS):

Federal

FRST

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: May 31, 2018

Fuel Storage Tank:

Provincial

FST

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Fuel Storage Tank - Historic:

Provincial

FSTH

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary:

Provincial

GEN

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Oct 31, 2022

Greenhouse Gas Emissions from Large Facilities:

Federal

GHG

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO₂ eq).

Government Publication Date: 2013-Dec 2019

TSSA Historic Incidents:

Provincial

HINC

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: 2006-June 2009*

Indian & Northern Affairs Fuel Tanks:

Federal

IAFT

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

Fuel Oil Spills and Leaks:

Provincial

INC

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing is a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Landfill Inventory Management Ontario:

Provincial

LIMO

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the Ministry of the Environment, Conservation and Parks compiles new and updated information. Includes small and large landfills currently operating as well as those which are closed and historic. Operators of larger landfills provide landfill information for the previous operating year to the ministry for LIMO including: estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Mar 21, 2022

Canadian Mine Locations:

Private

MINE

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009*

Mineral Occurrences:

Provincial

MNR

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Feb 2022

National Analysis of Trends in Emergencies System (NATES):

Federal

NATE

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994*

Non-Compliance Reports:

Provincial

NCPL

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Government Publication Date: Dec 31, 2021

National Defense & Canadian Forces Fuel Tanks:

Federal

NDFT

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001*

National Defense & Canadian Forces Spills:

Federal

NDSP

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Apr 2018

National Defence & Canadian Forces Waste Disposal Sites:

Federal

NDWD

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007*

National Energy Board Pipeline Incidents:

Federal

NEBI

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-Jun 30, 2021

National Energy Board Wells:

Federal

NEBP

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

Government Publication Date: 1920-Feb 2003*

National Environmental Emergencies System (NEES):

Federal

[NEES](#)

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Government Publication Date: 1974-2003***National PCB Inventory:**

Federal

[NPCB](#)

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008***National Pollutant Release Inventory:**

Federal

[NPRI](#)

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances.

Government Publication Date: 1993-May 2017**Oil and Gas Wells:**

Private

[OGWE](#)

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-Nov 30, 2022**Ontario Oil and Gas Wells:**

Provincial

[OOGW](#)

In 1998, the MNR handed over to the Ontario Oil, Gas and Salt Resources Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database include well owner/operator, location, permit issue date, and well cap date, license No., status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provide for each well record.

Government Publication Date: 1800-Aug 2021**Inventory of PCB Storage Sites:**

Provincial

[OPCB](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013**Orders:**

Provincial

[ORD](#)

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994 - Dec 31, 2022**Canadian Pulp and Paper:**

Private

[PAP](#)

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014**Parks Canada Fuel Storage Tanks:**

Federal

[PCFT](#)

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005*

Pesticide Register:

Provincial PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: Oct 2011- Dec 31, 2022

Pipeline Incidents:

Provincial PINC

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing is an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2021

Private and Retail Fuel Storage Tanks:

Provincial PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996*

Permit to Take Water:

Provincial PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994 - Dec 31, 2022

Ontario Regulation 347 Waste Receivers Summary:

Provincial REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-1990, 1992-2019

Record of Site Condition:

Provincial RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up.

RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09).

Government Publication Date: 1997-Sept 2001, Oct 2004-Dec 2022

Retail Fuel Storage Tanks:

Private RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-May 31, 2022

Scott's Manufacturing Directory:

Private SCT

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011*

Ontario Spills:

Provincial SPL

List of spills and incidents made available the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X. The Ministry of the Environment, Conservation and Parks cites the coronavirus pandemic as an explanation for delays in releasing data pursuant to requests.

Government Publication Date: 1988-Sep 2020; Dec 2020-Mar 2021

Wastewater Discharger Registration Database:

Provincial

SRDS

Facilities that report either municipal treated wastewater effluent or industrial wastewater discharges under the Effluent Monitoring and Effluent Limits (EMEL) and Municipal/Industrial Strategy for Abatement Regulations. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment keeps record of direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation, Mining, Petroleum Refining, Organic Chemicals, Inorganic Chemicals, Pulp & Paper, Metal Casting, Iron & Steel, and Quarries.

Government Publication Date: 1990-Dec 31, 2020

Anderson's Storage Tanks:

Private

TANK

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Transport Canada Fuel Storage Tanks:

Federal

TCFT

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970 - Apr 2020

Variances for Abandonment of Underground Storage Tanks:

Provincial

VAR

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Waste Disposal Sites - MOE CA Inventory:

Provincial

WDS

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011- Dec 31, 2022

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial

WDSH

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30th, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990*

Water Well Information System:

Provincial

WWIS

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Jun 30 2022

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

Map Key: The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

Unplottables: These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.