

SECTION 5 - RISK CRITERIA CODE

1. Children <7 years old whose families have immigrated from countries with high prevalence for HBV and who may be exposed to HBV carriers through their extended families (3 doses)
2. Household and sexual contacts of chronic carriers and acute cases (3 doses)
3. History of sexually transmitted disease (3 doses)
4. Infants born to HBV-positive carrier mothers:
 - a) premature infants weighing <2,000 grams at birth (4 doses)
 - b) premature infants weighing ≥2000 grams at birth and full/post term infants (3 doses)
5. Intravenous drug use (3 doses)

6. Liver disease (chronic), including hepatitis C (3 doses)
7. Men who have sex with men (3 doses)
8. Multiple sex partners (3 doses)
9. Needle stick injuries in non-health care setting (3 doses)

2nd and 3rd dose only (1st dose not publicly funded)
for the codes below contact Vaccine Order line for details:

10. Awaiting Liver transplants
11. On renal dialysis
12. With diseases requiring frequent receipt of blood products (e.g. haemophilia)

SECTION 6 - ORDER FORM

Recipient Initials	Date of Birth (mm/dd/yyyy)	Risk Criteria CODE (Select number from section 5)	Dose 1 & 2 Date Ordered (mm/dd/yyyy)		Dose 3 Date Ordered minimum of 5 months after administration of Dose 2 and at age ≥24 weeks
1.			Dose 1:	Dose 2:	Dose 3:
2.			Dose 1:	Dose 2:	Dose 3:
3.			Dose 1:	Dose 2:	Dose 3:
4.			Dose 1:	Dose 2:	Dose 3:
5.			Dose 1:	Dose 2:	Dose 3:
6.			Dose 1:	Dose 2:	Dose 3:
7.			Dose 1:	Dose 2:	Dose 3:
8.			Dose 1:	Dose 2:	Dose 3:
9.			Dose 1:	Dose 2:	Dose 3:
10.			Dose 1:	Dose 2:	Dose 3:
Total Number of Doses			Dose 1:	Dose 2:	Dose 3:

FOR OFFICE USE ONLY

Entered by/date:

(RPh)T final check: