

Initial Report

Premise/Facility under investigation (name and address)

**Ryna's Nails Beauty
3 – 1 Nickel Gate
Vaughan, Ontario
L4L 8L7**

Type of Premises/Facility

Personal Services Setting

Date Board of Health became aware of IPAC lapse (yyyy/mm/dd)

2019/06/04

Date of Initial Report posting (yyyy/mm/dd)

2019/06/20

Date of Initial Report update(s) (if applicable) (yyyy/mm/dd)

How the IPAC lapse was identified

Complaint

Summary Description of the IPAC Lapse

For waxing services, operator failed to discard single-use equipment (e.g. wax cartridges) after each client use.

IPAC Lapse Investigation	Yes	No	N/A	Please provide further details/steps
Did the IPAC lapse involve a member of a regulatory college?	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
If yes, was the issue referred to the regulatory college?	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
Were any corrective measures recommended and/or implemented?	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Please provide further details/steps	<p>At the time of inspection, operator was educated on correct infection prevention and control (IPAC) practices. Operator is required to ensure that:</p> <ul style="list-style-type: none"> • Single-use equipment is discarded immediately after use <p>The operator demonstrated the correct IPAC practices for the above items after education was provided.</p>			

Date any order(s) or directive(s) were issued to the owner/operator (if applicable) (yyyy/mm/dd)

Initial Report Comments and Contact Information

Any additional Comments: (Please do not include any personal information or personal health information)

If you have any further questions, please contact
Health Connection

Telephone Number

1-800-361-5653

Email Address

Health.inspectors@york.ca

Final Report

Date of Final Report posting (yyyy/mm/dd)

2019/06/20

Date any order(s) or directive(s) were issued to the owner/operator (if applicable) (yyyy/mm/dd)

Brief description of corrective measures taken

All used wax cartridges were discarded at the time of the inspection. Operator was able to demonstrate appropriate IPAC practices after education provided.

Date of all corrective measures were confirmed to have been completed (yyyy/mm/dd)

2019/06/04



York Region
Infection Prevention And Control Lapse Report

Final Report Comments and Contact Information

Any Additional Comments: (Please do not include any personal information or personal health information)

If you have any further questions, please contact
Health Connection

Telephone Number
1-800-361-5653

Email Address
Health.inspectors@york.ca
